

1882 Lighting PRICE GUIDE - EFFECTIVE 6/1/21
EFFECTIVE IMMEDIATELY: Split Shipment Charge of \$250 regardless of

POLES	FIXTURES	BOLLARDS
A BASE POLES	DELMAR 30	CAV014/102/112/130, 193, 381, 402
DIRECT BURIAL POLES	DELMAR 30 - AmberLED	CAV11
PLB014	DELMAR 32	CAV12
PLB105	DELMAR 34	CAV13
PLB102	DELMAR 40	CAV15
PLB112	DELMAR 44	CAV16
PLB130	DELMAR 55	CAV16 - AmberLED
PLB132	DELMAR 55 - AmberLED	CAV16 - Turtle Friendly
PLB142	DELMAR 55 - Turtle Friendly	CAV17
PLB162	SENTINEL	CAV17 - AmberLED
PLB193	WINSTON	CAV17 - Turtle Friendly
PLB210	HATTERAS ROUND	CAV18
PLB220	HATTERAS SQUARE	CAV18 - AmberLED
PLB261	REGENT	CAV18 - Turtle Friendly
PLB371	CAV13WQ	CAV19
PLB381	CAV14WQ	CAV19 - AmberLED
PLB402	CAV15-D	CAV24
PLB412	CAV15-D	CAV25
PLB413	CAV15-W	CAV371
PLB414	CBLT	CAV4
PLB416	CMPMF	CAV412
PLB418	CMPMF - Landscape	CAV416
PLB420	CMPRD	CAV460
PLB512	CMPRS	CAV512
PLB525	CMPRS - AmberLED	CAV52
PLB612	CMPRS - Turtle Friendly	CAV6
PLB672	TREK	CAV7
PLB676	HAMPTON	CAVM52
PLB770	C1D2 HUR1A	CAVT51
3 BOLT PEDESTAL ROUND	C1D2 HUR25Q	CAVT52
PSSS & PSSR POLES	C1D2 HUR2A	SEASTAR
WRAP AROUND BASES	C1D2 HUR4A	PILLAR TOPS
	C1D2HUR15Q	BOCA
	REVERE	EAGLE BOLLARD
	ECLIPSE	ENTERPRISE BOLLARD
PLB602	HERITAGE	ENTERPRISE TALL BOLLARD
PLB603	STRADA FAMILY	
PLB604	BRANDYWINE	
PLB605	BRANDYWINE 21	
PLB606	CARLSBAD	
PLB607	SOUTHGATE	
PLB607-1	SANTA FE 1	
PLB607-2	SANTA FE 2	
PLB24A4B	HUNTINGTON	
PM-SQUARE	HOLLAND	
PM-ROUND		
CAST BASE COVERS		

1882 Lighting PRICE GUIDE - EFFECTIVE 6/1/21
EFFECTIVE IMMEDIATELY: Split Shipment Charge of \$250 regardless of

POLES	FIXTURES	BOLLARDS
	PORTSMOUTH	
	BRISTOL	
	PIONEER POST TOP	
	SWAN1	
	SWAN2	
	SWAN3	
	SWAN4	
	SWAN5	
	SWAN6	
	VENTURA 1	
	VENTURA 2	
	BEL AIRE 35	
	BEL AIRE 55	
	SHERWOOD 1	
	SHERWOOD 2	
	CAPE MAY	
	POSTAIRE	
	DANVILLE	
	ASTRO 1	
	ASTRO 2	
	CSP 16" AISLE LIGHT	
	CSP 16" HIGH BAY	
	CSP 16" NARROW BEAM	
	CSP 22" AISLE LIGHT	
	CSP 22" HIGH BAY	
	CSP 22" NARROW BEAM	
	CREST Family	
	CREST12 - AmberLED	
	CREST12 - Turtle Friendly	
	CREST15 - AmberLED	
	CREST15 - Turtle Friendly	
	CALAIS	
	SALINAS	
	PAL50 SHOEBOX	
	PAL70 SHOEBOX	
	PLF2Q & 3Q FLOOD	
	BOCA 1	
	BOCA 2	
	PNB1C3 PNB2C3 PATHWAY	
	PNB5Q PATHWAY BOLLARD	
	PNP20Q PATH LIGHT	
	PNP20Q PATH LIGHT	
	PNP5Q PATH LTS	

1882 Lighting PRICE GUIDE - EFFECTIVE 6/1/21
EFFECTIVE IMMEDIATELY: Split Shipment Charge of \$250 regardless of

POLES	FIXTURES	BOLLARDS
	SKYLIGHT 70RD	
	SKYLIGHT 70RD - AmberLED	
	SKYLIGHT 71RD	
	SKYLIGHT 71RD - AmberLED	
	SKYLIGHT 80RD	
	SKYLIGHT 80SQ	
	SKYLIGHT 81RD	
	LEXINGTON	
	LEXINGTON I & II	
	JAMESTOWN	
	FLORENCE 1	
	FLORENCE 2	
	FLORENCE 3	
	EAGLE15	
	EAGLE15 - AmberLED	
	EAGLE15 - Turtle Friendly	
	EAGLE25	
	EAGLE25 - AmberLED	
	EAGLE25 - Turtle Friendly	
	EAGLE45	
	EAGLE45 - AmberLED	
	EAGLE45 AUTO	
	EAGLE45 TWIN	
	EAGLE55	
	EAGLE55 - AmberLED	
	ARGAND	
	WEDGE - AmberLED	
	WEDGE - Turtle Friendly	
	WEDGE 20/40W	
	WEDGE 60/80W	
	UTILITY RM UR1A	
	UTILITY RM UR2A	
	UTILITY RM UR4A	
	UTILITY RM UR4A - AmberLED	
	CORONADO	
	ENTERPRISE 20 ROUND	
	ENTERPRISE 20 SQUARE	
	ENTERPRISE 30 HIGH BAY	
	ENTERPRISE 30 ROUND	
	ENTERPRISE 30 SQUARE	
	ENTERPRISE 31 ROUND	
	ENTERPRISE 31 SQUARE	
	ENTERPRISE GARAGE ROUND	

1882 Lighting PRICE GUIDE - EFFECTIVE 6/1/21
EFFECTIVE IMMEDIATELY: Split Shipment Charge of \$250 regardless of

POLES	FIXTURES	BOLLARDS
-------	----------	----------

[ENTERPRISE GARAGE SQUARE](#)

order \$ amount

ARMS &
ACCESSORIES

[ACCESSORIES](#)

[BANNER ARMS](#)

[ROADWAY ARMS](#)

[SHEPHERD'S CROOKS](#)

[STREET SIGNS](#)

[WALL/POST MOUNT ARMS](#)

order \$ amount

ARMS &
ACCESSORIES

order \$ amount

ARMS &
ACCESSORIES

order \$ amount

ARMS &
ACCESSORIES

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

[Link to Wind Velocity Chart](#)

DLP014

BASE NUMBER
DLP014
DLP014
DLP014
DLP014
DLP014
BASE NUMBER
DLP014
DLP014
DLP014
DLP014
BASE NUMBER
DLP014
DLP014
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP015

BASE NUMBER
DLP015
DLP015
DLP015
DLP015
DLP015
BASE NUMBER
DLP015
DLP015
DLP015
DLP015
DLP015

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP015
BASE NUMBER
DLP015
DLP015
DLP015
DLP015
DLP015
BASE NUMBER
DLP015
DLP015
DLP015
DLP015
DLP015
DLP015
BASE NUMBER
DLP015
DLP015
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP102

BASE NUMBER
DLP12
DLP102
DLP102
DLP102
DLP102
BASE NUMBER
DLP102
DLP102
DLP102
DLP102

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One Year Anchor Bolts: INCLUDED
DLP102
BASE NUMBER
DLP102
DLP102
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP112
BASE NUMBER
DLP112
DLP112
DLP112
DLP112
DLP112
DLP112
BASE NUMBER
DLP112
DLP112
DLP112
DLP112
DLP112
BASE NUMBER
DLP112
DLP112
DLP112
DLP112
DLP112
DLP112
BASE NUMBER
DLP112
DLP112
DLP112

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable) Custom Color (CC): One Anchor Bolts: INCLUDED
DLP112
DLP112
DLP112
BASE NUMBER
DLP112
DLP112
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP130
BASE NUMBER
DLP130
DLP130
DLP130
DLP130
BASE NUMBER
DLP130
DLP130
DLP130
BASE NUMBER
DLP130
DLP130
DLP130
DLP130
DLP130
BASE NUMBER
DLP130
DLP130
DLP130
DLP130
DLP130

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

BASE NUMBER
DLP130
DLP130
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP132

BASE NUMBER
DLP132
DLP132
DLP132
DLP132
DLP132

BASE NUMBER
DLP132
DLP132
DLP132
DLP132

BASE NUMBER
DLP132
DLP132
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP142

BASE NUMBER

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One color only Anchor Bolts: INCLUDED
DLP142
DLP142
DLP142
DLP142
DLP142
BASE NUMBER
DLP142
DLP142
DLP142
DLP142
BASE NUMBER
DLP142
DLP142
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP162
BASE NUMBER
DLP162
DLP162
DLP162
DLP162
BASE NUMBER
DLP162
DLP162
DLP162
DLP162
BASE NUMBER
DLP162
BASE NUMBER
DLP162

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable) Custom Color (CC): One Anchor Bolts: INCLUDED
DLP162
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP193

BASE NUMBER
DLP193
DLP193
DLP193
DLP193
DLP193
BASE NUMBER
DLP193
DLP193
DLP193
DLP193
BASE NUMBER
DLP193
DLP193
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP210

BASE NUMBER
DLP210
DLP210

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable) Custom Color (CC): One Year Anchor Bolts: INCLUDED
DLP210
DLP210
BASE NUMBER
DLP210
DLP210
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP220
BASE NUMBER
DLP220
DLP220
DLP220
DLP220
DLP220
BASE NUMBER
DLP220
DLP220
DLP220
DLP220
BASE NUMBER
DLP220
DLP220
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP261

BASE NUMBER
DLP261
DLP261
DLP261
DLP261

BASE NUMBER
DLP261
DLP261
DLP261
DLP261
DLP261

BASE NUMBER
DLP261
DLP261
DLP261
DLP261

BASE NUMBER
DLP261
DLP261
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP371

BASE NUMBER
DLP371
DLP371
DLP371
DLP371

BASE NUMBER
DLP371

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One Year Anchor Bolts: INCLUDED
DLP371
DLP371
DLP371
DLP371
BASE NUMBER
DLP371
DLP371
DLP371
DLP371
DLP371
BASE NUMBER
DLP371
DLP371
DLP371
DLP371
DLP371
BASE NUMBER
DLP371
DLP371
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP381
BASE NUMBER
DLP381
DLP381
DLP381
DLP381
BASE NUMBER
DLP381
DLP381
DLP381

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP381
BASE NUMBER
DLP381
DLP381
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP402

BASE NUMBER
DLP402
DLP402
DLP402
DLP402
BASE NUMBER
DLP402
DLP402
DLP402
BASE NUMBER
DLP402
DLP402
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP412

BASE NUMBER

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable) Custom Color (CC): One Year Anchor Bolts: INCLUDED
DLP412
DLP412
DLP412
DLP412
BASE NUMBER
DLP412
DLP412
DLP412
BASE NUMBER
DLP412
DLP412
DLP412
DLP412
DLP412
DLP412
BASE NUMBER
DLP412
DLP412
DLP412
DLP412
DLP412
BASE NUMBER
DLP412
DLP412
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP413
BASE NUMBER
DLP413
DLP413
DLP413

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP413
BASE NUMBER
DLP413
DLP413
DLP413
BASE NUMBER
DLP413
DLP413
DLP413
DLP413
DLP413
BASE NUMBER
DLP413
DLP413
DLP413
DLP413
DLP413
BASE NUMBER
DLP413
DLP413
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP414

BASE NUMBER
DLP414
DLP414
DLP414
DLP414
BASE NUMBER
DLP414

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One color only Anchor Bolts: INCLUDED
DLP414
DLP414
BASE NUMBER
DLP414
DLP414
DLP414
DLP414
DLP414
BASE NUMBER
DLP414
DLP414
DLP414
DLP414
DLP414
BASE NUMBER
DLP414
DLP414
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP416
BASE NUMBER
DLP416
DLP416
DLP416
DLP416
DLP416
BASE NUMBER
DLP416
DLP416
DLP416
DLP416

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One color only Anchor Bolts: INCLUDED
DLP416
BASE NUMBER
DLP416
DLP416
DLP416
DLP416
DLP416
DLP416
BASE NUMBER
DLP416
DLP416
DLP416
DLP416
DLP416
DLP416
BASE NUMBER
DLP416
DLP416
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP418
BASE NUMBER
DLP418
DLP418
DLP418
DLP418
BASE NUMBER
DLP418
DLP418
DLP418

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

BASE NUMBER
DLP418
DLP418
DLP418
DLP418
DLP418
DLP418

BASE NUMBER
DLP418
DLP418
DLP418
DLP418
DLP418
DLP418

BASE NUMBER
DLP418
DLP418
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP420

BASE NUMBER
DLP420
DLP420
DLP420
DLP420
DLP420
DLP420

BASE NUMBER
DLP420
DLP420
DLP420
DLP420

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP420
DLP420
BASE NUMBER
DLP420
DLP420
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP512

BASE NUMBER
DLP512
DLP512
DLP512
DLP512
BASE NUMBER
DLP512
DLP512
DLP512
BASE NUMBER
DLP512
DLP512
DLP512
DLP512
DLP512
DLP512
BASE NUMBER
DLP512
DLP512
DLP512
DLP512
DLP512

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

BASE NUMBER
DLP512
DLP512
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP525

BASE NUMBER
DLP525
DLP525
DLP525
DLP525
DLP525

BASE NUMBER
DLP525
DLP525
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP612

BASE NUMBER
DLP612
DLP612
DLP612
DLP612

BASE NUMBER

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP612
DLP612
DLP612
DLP612
DLP612
DLP612

BASE NUMBER
DLP612
DLP612
DLP612
DLP612
DLP612

BASE NUMBER
DLP612
DLP612
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

DLP672

BASE NUMBER
DLP672
DLP672
DLP672
DLP672

BASE NUMBER
DLP672
DLP672
DLP672

BASE NUMBER
DLP672
DLP672
DLP672

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable to all poles) Custom Color (CC): One color only Anchor Bolts: INCLUDED
DLP672
DLP672
DLP672
DLP672
BASE NUMBER
DLP672
DLP672
DLP672
DLP672
DLP672
BASE NUMBER
DLP672
DLP672
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP 676
BASE NUMBER
DLP 676
DLP 676
DLP 676
DLP 676
DLP 676
BASE NUMBER
DLP676
DLP676
DLP676
BASE NUMBER
DLP 676
DLP 676
DLP 676
DLP 676

POLE NOTES: (pertains to all poles) Cutting Fee: \$50.00 (applicable) Custom Color (CC): One Anchor Bolts: INCLUDED
DLP 676
DLP 676
BASE NUMBER
DLP676
DLP676
DLP676
DLP676
DLP676
BASE NUMBER
DLP 676
DLP 676
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP
DLP770
BASE NUMBER
DLP770
DLP770
DLP770
BASE NUMBER
DLP770
DLP770
DLP770
BASE NUMBER
DLP770
DLP770
DLP770
DLP770
DLP770
BASE NUMBER
DLP770

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP770
DLP770
DLP770
DLP770
BASE NUMBER
DLP770
DLP770
SLV
SLV
GFIP
GFIC
T300, T355
PF*
USB
CAP

3 - Bolt Pedestal round

BASE NUMBER
510-P/125
512-P/125
514-P/125
516-P/188
518-P/188
520-P/188
BASE NUMBER
5310-P/125
5312-P/125
5314-P/125
5316-P/188
5318-P/188
5320-P/130

DLP 602

BASE NUMBER
DLP-602-4
DLP-602-5
DLP-602-6

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP-602-7

DLP 603

BASE NUMBER
DLP-603-4
DLP-603-5
DLP-603-6
DLP-603-7

DLP 604

BASE NUMBER
DLP-604-5
DLP-604-6

DLP605

BASE NUMBER
DLP605-4
DLP605-5
DLP605-6
DLP605-7

DLP606

BASE NUMBER
DLP606-4
DLP606-5
DLP606-6

DLP607

BASE NUMBER
DLP607-5
DLP607-6
DLP607-7

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

DLP607-1

BASE NUMBER
DLP607-1-5
DLP607-1-6
DLP607-1-7
DLP607-1-8

DLP607-2

BASE NUMBER
DLP607-2-6
DLP607-2-7
DLP607-2-8
DLP607-2-9

DLP24A4B

PB24A4B

PM

BASE NUMBER
PM-1S
PM-2S
PM-3S
PM-4S
PM-5S
PM-6S

PM

BASE NUMBER
PM-1R
PM-2R
PM-3R
PM-4R
PM-5R
PM-6R

POLE NOTES: (pertains to a
Cutting Fee: \$50.00 (app
Custom Color (CC): One
Anchor Bolts: INCLUDED

PEMCO POLES PRICE LIST
Effective June 1, 2021

all poles)
 applies to non-standard sizes)
 time set up fee of \$500 and 10% adder/per piece
)

[s on Pemco's Website](#)

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	NOTE
DLP014-4-8-FLUTED OR SMOOTH	
DLP014-4-10-FLUTED OR SMOOTH	
DLP014-4-12-FLUTED OR SMOOTH	
DLP014-4-14-FLUTED OR SMOOTH	
DLP014-4-16-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	NOTE
DLP014-4x3-10-SMOOTH	
DLP014-4x3-12-SMOOTH	
DLP014-4x3-14-SMOOTH	
DLP014-4x3-16-SMOOTH	
ADDERS	NOTE
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	NOTE
DLP015-4-08-FLUTED OR SMOOTH	
DLP015-4-10-FLUTED OR SMOOTH	
DLP015-4-12-FLUTED OR SMOOTH	
DLP015-4-14-FLUTED OR SMOOTH	
DLP015-4-16-FLUTED OR SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP015-5-08-FLUTED OR SMOOTH	
DLP015-5-10-FLUTED OR SMOOTH	
DLP015-5-12-FLUTED OR SMOOTH	
DLP015-5-14-FLUTED OR SMOOTH	
DLP015-5-16-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP015-5-18-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP015-4x3-08-SMOOTH	
DLP015-4x3-10-SMOOTH	
DLP015-4x3-12-SMOOTH	
DLP015-4x3-14-SMOOTH	
DLP015-4x3-16-SMOOTH	
5"x3" SMOOTH TAPERED .188 WALL	
DLP015-5x3-08-SMOOTH	
DLP015-5x3-10-SMOOTH	
DLP015-5x3-12-SMOOTH	
DLP015-5x3-14-SMOOTH	
DLP015-5x3-16-SMOOTH	
DLP015-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	
QUICK SHIP OPTIONS IN RED	
4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP102-4-06-FLUTED OR SMOOTH	
DLP102-4-08-FLUTED OR SMOOTH	
DLP102-4-10-FLUTED OR SMOOTH	
DLP102-4-12-FLUTED OR SMOOTH (black finish only for QuickShip)	
DLP102-4-14-FLUTED OR SMOOTH (black finish only for QuickShip)	
4"x3" SMOOTH TAPERED .125 WALL	
DLP102-4x3-06-SMOOTH	
DLP102-4x3-08-SMOOTH	
DLP102-4x3-10-SMOOTH	
DLP102-4x3-12-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP102-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP112-4-06-FLUTED OR SMOOTH	
DLP112-4-08-FLUTED OR SMOOTH	
DLP112-4-10-FLUTED OR SMOOTH	
DLP112-4-12-FLUTED OR SMOOTH	
DLP112-4-14-FLUTED OR SMOOTH	
DLP112-4-16-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP112-4x3-10-SMOOTH	
DLP112-4x3-12-SMOOTH	
DLP112-4x3-14-SMOOTH	
DLP112-4x3-16-SMOOTH	
DLP112-4x3-18-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188	
DLP112-5-10-FLUTED OR SMOOTH	
DLP112-5-12-FLUTED OR SMOOTH	
DLP112-5-14-FLUTED OR SMOOTH	
DLP112-5-16-FLUTED OR SMOOTH	
DLP112-5-18-FLUTED OR SMOOTH	
DLP112-5-20-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED, .188 WALL	
DLP112-5X3-10-SMOOTH	
DLP112-5X3-12-SMOOTH	
DLP112-5X3-14-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP112-5X3-16-SMOOTH	
DLP112-5X3-18-SMOOTH	
DLP112-5X3-20-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	
QUICK SHIP OPTIONS IN RED	
4" STRAIGHT, FLUTED OR SMOOTH .125 WALL .125 WALL	
DLP130-4-08-FLUTED OR SMOOTH	
DLP130-4-10-FLUTED OR SMOOTH	
DLP130-4-12-FLUTED OR SMOOTH (black finish only for QuickShip)	
DLP130-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP130-4x3-10-SMOOTH	
DLP130-4x3-12-SMOOTH	
DLP130-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP130-5-10-FLUTED OR SMOOTH	
DLP130-5-12-FLUTED OR SMOOTH	
DLP130-5-14-FLUTED OR SMOOTH	
DLP130-5-16-FLUTED OR SMOOTH	
DLP130-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP130-5X3-10-SMOOTH	
DLP130-5X3-12-SMOOTH	
DLP130-5X3-14-SMOOTH	
DLP130-5X3-16-SMOOTH	
DLP130-5X3-18-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP132-4-06-FLUTED OR SMOOTH	
DLP132-4-08-FLUTED OR SMOOTH	
DLP132-4-10-FLUTED OR SMOOTH	
DLP132-4-12-FLUTED OR SMOOTH	
DLP132-4-14-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP132-4x3-08-SMOOTH	
DLP132-4x3-10-SMOOTH	
DLP132-4x3-12-SMOOTH	
DLP132-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
--	--

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP142-4-06-FLUTED OR SMOOTH	
DLP142-4-08-FLUTED OR SMOOTH	
DLP142-4-10-FLUTED OR SMOOTH	
DLP142-4-12-FLUTED OR SMOOTH	
DLP142-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP142-4X3-8-SMOOTH	
DLP142-4x3-10-SMOOTH	
DLP142-4x3-12-SMOOTH	
DLP142-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP162-4-08-FLUTED OR SMOOTH	
DLP162-4-10-FLUTED OR SMOOTH	
DLP162-4-12-FLUTED OR SMOOTH	
DLP162-4-14-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP162-4x3-08-SMOOTH	
DLP162-4x3-10-SMOOTH	
DLP162-4x3-12-SMOOTH	
DLP162-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188	
CONTACT FACTORY	
ADDERS	
ADDER FOR .188 WALL	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP193-4-06-FLUTED OR SMOOTH	
DLP193-4-08-FLUTED OR SMOOTH	
DLP193-4-10-FLUTED OR SMOOTH	
DLP193-4-12-FLUTED OR SMOOTH	
DLP193-4-14-FLUTED OR SMOOTH	

4"x3" SMOOTH TAPERED .125 WALL	
DLP193-4x3-08-SMOOTH	
DLP193-4x3-10-SMOOTH	
DLP193-4x3-12-SMOOTH	
DLP193-4x3-14-SMOOTH	

ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

3" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP210-3-06-FLUTED OR SMOOTH	
DLP210-3-08-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP210-3-10-FLUTED OR SMOOTH	
DLP210-3-12-FLUTED OR SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP220-4-06-FLUTED OR SMOOTH	
DLP220-4-08-FLUTED OR SMOOTH	
DLP220-4-10-FLUTED OR SMOOTH	
DLP220-4-12-FLUTED OR SMOOTH	
DLP220-4-14-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP220-4x3-08-SMOOTH	
DLP220-4x3-10-SMOOTH	
DLP220-4x3-12-SMOOTH	
DLP220-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

PEMCO POLES PRICE LIST
Effective June 1, 2021

all poles)
 applies to non-standard sizes)
 time set up fee of \$500 and 10% adder/per piece
)

3" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP261-3-06-FLUTED OR SMOOTH	
DLP261-3-08-FLUTED OR SMOOTH	
DLP261-3-10-FLUTED OR SMOOTH	
DLP261-3-12-FLUTED OR SMOOTH	
4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP261-4-06-FLUTED OR SMOOTH	
DLP261-4-08-FLUTED OR SMOOTH	
DLP261-4-10-FLUTED OR SMOOTH	
DLP261-4-12-FLUTED OR SMOOTH	
DLP261-4-14-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP261-4x3-08-SMOOTH	
DLP261-4x3-10-SMOOTH	
DLP261-4x3-12-SMOOTH	
DLP261-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP371-4-08-FLUTED OR SMOOTH	
DLP371-4-10-FLUTED OR SMOOTH	
DLP371-4-12-FLUTED OR SMOOTH	
DLP371-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP371-4x3-10-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP371-4x3-12-SMOOTH	
DLP371-4x3-14-SMOOTH	
DLP371-4x3-16-SMOOTH	
DLP371-4x3-18-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP371-5-10-FLUTED OR SMOOTH	
DLP371-5-12-FLUTED OR SMOOTH	
DLP371-5-14-FLUTED OR SMOOTH	
DLP371-5-16-FLUTED OR SMOOTH	
DLP371-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP371-5x3-10-SMOOTH	
DLP371-5x3-12-SMOOTH	
DLP371-5x3-14-SMOOTH	
DLP371-5x3-16-SMOOTH	
DLP371-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP381-4-8-FLUTED OR SMOOTH	
DLP381-4-10-FLUTED OR SMOOTH	
DLP381-4-12-FLUTED OR SMOOTH	
DLP381-4-14-FLUTED OR SMOOTH	
4"x3" SMOOTH TAPERED .125 WALL	
DLP381-4x3-08-SMOOTH	
DLP381-4x3-10-SMOOTH	
DLP381-4x3-12-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP381-4x3-14-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP402-4-08-FLUTED OR SMOOTH	
DLP402-4-10-FLUTED OR SMOOTH	
DLP402-4-12-FLUTED OR SMOOTH	
DLP402-4-14-FLUTED OR SMOOTH	
4"x 3" SMOOTH TAPERED .125 WALL	
DLP402-4x3-10-TAPERED SMOOTH	
DLP402-4x3-12-TAPERED SMOOTH	
DLP402-4x3-14-TAPERED SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
--	--

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP412-4-08-FLUTED OR SMOOTH	
DLP412-4-10-FLUTED OR SMOOTH	
DLP412-4-12-FLUTED OR SMOOTH	
DLP412-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP412-4x3-10-SMOOTH	
DLP412-4x3-12-SMOOTH	
DLP412-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP412-5-8-FLUTED OR SMOOTH	
DLP412-5-10-FLUTED OR SMOOTH	
DLP412-5-12-FLUTED OR SMOOTH	
DLP412-5-14-FLUTED OR SMOOTH	
DLP412-5-16-FLUTED OR SMOOTH	
DLP412-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP412-5x3-10-SMOOTH	
DLP412-5x3-12-SMOOTH	
DLP412-5x3-14-SMOOTH	
DLP412-5x3-16-SMOOTH	
DLP412-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP413-4-08-FLUTED OR SMOOTH	
DLP413-4-10-FLUTED OR SMOOTH	
DLP413-4-12-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP413-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP413-4x3-10-SMOOTH	
DLP413-4x3-12-SMOOTH	
DLP413-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188	
DLP413-5-10-FLUTED OR SMOOTH	
DLP413-5-12-FLUTED OR SMOOTH	
DLP413-5-14-FLUTED OR SMOOTH	
DLP413-5-16-FLUTED OR SMOOTH	
DLP413-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP413-5x3-10-SMOOTH	
DLP413-5x3-12-SMOOTH	
DLP413-5x3-14-SMOOTH	
DLP413-5x3-16-SMOOTH	
DLP413-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP414-4-08-FLUTED OR SMOOTH	
DLP414-4-10-FLUTED OR SMOOTH	
DLP414-4-12-FLUTED OR SMOOTH	
DLP414-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP414-4x3-10-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP414-4x3-12-SMOOTH	
DLP414-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188	
DLP414-5-10-FLUTED OR SMOOTH	
DLP414-5-12-FLUTED OR SMOOTH	
DLP414-5-14-FLUTED OR SMOOTH	
DLP414-5-16-FLUTED OR SMOOTH	
DLP414-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP414-5x3-10-SMOOTH	
DLP414-5x3-12-SMOOTH	
DLP414-5x3-14-SMOOTH	
DLP414-5x3-16-SMOOTH	
DLP414-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	
QUICK SHIP OPTIONS IN RED	
4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP416-4-06-FLUTED OR SMOOTH	
DLP416-4-08-FLUTED OR SMOOTH	
DLP416-4-10-FLUTED OR SMOOTH	
DLP416-4-12-FLUTED OR SMOOTH (black finish only for QuickShip)	
DLP416-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP416-4x3-10-SMOOTH	
DLP416-4x3-12-SMOOTH	
DLP416-4x3-14-SMOOTH	
DLP416-4x3-16-SMOOTH	

PEMCO POLES PRICE LIST
Effective June 1, 2021

all poles) applies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP416-4x3-18-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188	
DLP416-5-10-FLUTED OR SMOOTH	
DLP416-5-12-FLUTED OR SMOOTH	
DLP416-5-14-FLUTED OR SMOOTH (black finish only for QuickShip)	
DLP416-5-16-FLUTED OR SMOOTH	
DLP416-5-18-FLUTED OR SMOOTH	
DLP416-5-20-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP416-5x3-10-SMOOTH	
DLP416-5x3-12-SMOOTH	
DLP416-5x3-14-SMOOTH	
DLP416-5x3-16-SMOOTH	
DLP416-5x3-18-SMOOTH	
DLP416-5x3-20-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP418-4-08-FLUTED OR SMOOTH	
DLP418-4-10-FLUTED OR SMOOTH	
DLP418-4-12-FLUTED OR SMOOTH	
DLP418-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP418-4x3-10-SMOOTH	
DLP418-4x3-12-SMOOTH	
DLP418-4x3-14-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)	
plies to non-standard sizes)	
time set up fee of \$500 and 10% adder/per piece	
)	
5" STRAIGHT, FLUTED OR TAPERED .188 WALL	
DLP418-5-10-FLUTED OR SMOOTH	
DLP418-5-12-FLUTED OR SMOOTH	
DLP418-5-14-FLUTED OR SMOOTH	
DLP418-5-16-FLUTED OR SMOOTH	
DLP418-5-18-FLUTED OR SMOOTH	
DLP418-5-20-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .125	
DLP418-5x3-10-SMOOTH	
DLP418-5x3-12-SMOOTH	
DLP418-5x3-14-SMOOTH	
DLP418-5x3-16-SMOOTH	
DLP418-5x3-18-SMOOTH	
DLP418-5x3-20-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP420-4-10-FLUTED OR SMOOTH	
DLP420-4-12-FLUTED OR SMOOTH	
DLP420-4-14-FLUTED OR SMOOTH	
DLP420-4-16-FLUTED OR SMOOTH (Must use .188 wall; included in price)	
DLP420-4-18-FLUTED OR SMOOTH (Must use .188 wall; included in price)	
DLP420-4-20-FLUTED OR SMOOTH (Must use .188 wall; included in price)	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP420-5-10-FLUTED OR SMOOTH	
DLP420-5-12-FLUTED OR SMOOTH	
DLP420-5-14-FLUTED OR SMOOTH	
DLP420-5-16-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)	
plies to non-standard sizes)	
time set up fee of \$500 and 10% adder/per piece	
)	
DLP420-5-18-FLUTED OR SMOOTH	
DLP420-5-20-FLUTED OR SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP512-4-8-FLUTED OR SMOOTH	
DLP512-4-10-FLUTED OR SMOOTH	
DLP512-4-12-FLUTED OR SMOOTH	
DLP512-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP512-4x3-10-SMOOTH	
DLP512-4x3-12-SMOOTH	
DLP512-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP512-5-8-FLUTED	
DLP512-5-10-FLUTED	
DLP512-5-12-FLUTED	
DLP512-5-14-FLUTED	
DLP512-5-16-FLUTED	
DLP512-5-18-FLUTED	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP512-5x3-10-SMOOTH	
DLP512-5x3-12-SMOOTH	
DLP512-5x3-14-SMOOTH	
DLP512-5x3-16-SMOOTH	
DLP512-5x3-18-SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

5" STRAIGHT, FLUTED .188 WALL	
DLP525-5-12-FLUTED	
DLP525-5-14-FLUTED	
DLP525-5-16-FLUTED	
DLP525-5-18-FLUTED	
DLP525-5-20-FLUTED	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP612-4-08-FLUTED OR SMOOTH	
DLP612-4-10-FLUTED OR SMOOTH	
DLP612-4-12-FLUTED OR SMOOTH	
DLP612-4-14-FLUTED OR SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)	
plies to non-standard sizes)	
time set up fee of \$500 and 10% adder/per piece	
)	
DLP612-5-08-FLUTED OR SMOOTH	
DLP612-5-10-FLUTED OR SMOOTH	
DLP612-5-12-FLUTED OR SMOOTH	
DLP612-5-14-FLUTED OR SMOOTH	
DLP612-5-16-FLUTED OR SMOOTH	
DLP612-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP612-5x3-10-SMOOTH	
DLP612-5x3-12-SMOOTH	
DLP612-5x3-14-SMOOTH	
DLP612-5x3-16-SMOOTH	
DLP612-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP672-4-08-FLUTED OR SMOOTH	
DLP672-4-10-FLUTED OR SMOOTH	
DLP672-4-12-FLUTED OR SMOOTH	
DLP672-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP672-4x3-10-SMOOTH	
DLP672-4x3-12-SMOOTH	
DLP672-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP672-5-08-FLUTED OR SMOOTH	
DLP672-5-10-FLUTED OR SMOOTH	
DLP672-5-12-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP672-5-14-FLUTED OR SMOOTH	
DLP672-5-16-FLUTED OR SMOOTH	
DLP672-5-18-FLUTED OR SMOOTH	
DLP672-5-20-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP672-5x3-10-SMOOTH	
DLP672-5x3-12-SMOOTH	
DLP672-5x3-14-SMOOTH	
DLP672-5x3-16-SMOOTH	
DLP672-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP-676-4-06-FLUTED OR SMOOTH	
DLP-676-4-08-FLUTED OR SMOOTH	
DLP-676-4-10-FLUTED OR SMOOTH	
DLP-676-4-12-FLUTED OR SMOOTH	
DLP-676-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP676-4x3-10-SMOOTH	
DLP676-4x3-12-SMOOTH	
DLP676-4x3-14-SMOOTH	
5" STRAIGHT, FLUTED OR SMOOTH .188 WALL	
DLP-676-5-10-FLUTED OR SMOOTH	
DLP-676-5-12-FLUTED OR SMOOTH	
DLP-676-5-14-FLUTED OR SMOOTH	
DLP 676-5-16-FLUTED OR SMOOTH	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP 676-5-18-FLUTED OR SMOOTH	
DLP 676-5-20-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP676-5x3-10-SMOOTH	
DLP676-5x3-12-SMOOTH	
DLP676-5x3-14-SMOOTH	
DLP676-5x3-16-SMOOTH	
DLP676-5x3-18-SMOOTH	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT, FLUTED OR SMOOTH .125 WALL	
DLP770-4-10-FLUTED OR SMOOTH	
DLP770-4-12-FLUTED OR SMOOTH	
DLP770-4-14-FLUTED OR SMOOTH	
4" x 3" SMOOTH TAPERED .125 WALL	
DLP770-4x3-10-SMOOTH TAPERED	
DLP770-4x3-12-SMOOTH TAPERED	
DLP770-4x3-14 SMOOTH TAPERED	
5" STRAIGHT, FLUTED OR STRAIGHT .188 WALL	
DLP770-5-10-FLUTED OR SMOOTH	
DLP770-5-12-FLUTED OR SMOOTH	
DLP770-5-14-FLUTED OR SMOOTH	
DLP770-5-16-FLUTED OR SMOOTH	
DLP770-5-18-FLUTED OR SMOOTH	
5" x 3" SMOOTH TAPERED .188 WALL	
DLP770-5x3-10-SMOOTH TAPERED	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles) plies to non-standard sizes) time set up fee of \$500 and 10% adder/per piece)	
DLP770-5x3-12-SMOOTH TAPERED	
DLP770-5x3-14-SMOOTH TAPERED	
DLP770-5x3-16-SMOOTH TAPERED	
DLP770-5x3-18-SMOOTH TAPERED	
ADDERS	
ADDER FOR .188 WALL	
ADDER FOR .250 WALL	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" SMOOTH	
ADDER TO SLEEVE A POLE WITH AN INTERNAL CASTING-WELDED 4" FLUTED	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
ALL FINIALS	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

ind base

5" SMOOTH PEDESTAL ROUND BASE	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 10', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 12', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 14', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 16', .188W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 18', .188W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 20', .188W	
5"-3" SMOOTH TAPERED PEDESTAL ROUND BASE	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 10', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 12', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 14', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 16', .188W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 18', .188W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 20', .188W	

PEMCO ALUMINUM WRAP AROUND BASES

WRAP-AROUND BASE	
DLP 602 WRAP AROUND BASE FOR 4" TUBE	
DLP 602 WRAP AROUND BASE FOR 5" TUBE	
DLP 602 WRAP AROUND BASE FOR 6" TUBE	

PEMCO POLES PRICE LIST**Effective June 1, 2021**

all poles)
plies to non-standard sizes)
time set up fee of \$500 and 10% adder/per piece
)

DLP 602 WRAP AROUND BASE FOR 7" TUBE

WRAP-AROUND BASE

DLP 603 WRAP AROUND BASE FOR 4" TUBE

DLP 603 WRAP AROUND BASE FOR 5" TUBE

DLP 603 WRAP AROUND BASE FOR 6" TUBE

DLP 603 WRAP AROUND BASE FOR 7" TUBE

WRAP-AROUND BASE

DLP 604 WRAP AROUND BASE FOR 5" TUBE

DLP 604 WRAP AROUND BASE FOR 6" TUBE

WRAP-AROUND BASE

DLP 605 WRAP AROUND BASE FOR 4" TUBE

DLP 605 WRAP AROUND BASE FOR 5" TUBE

DLP 605 WRAP AROUND BASE FOR 6" TUBE

DLP 605 WRAP AROUND BASE FOR 7" TUBE

WRAP-AROUND BASE

DLP 606 WRAP AROUND BASE FOR 4" TUBE

DLP 606 WRAP AROUND BASE FOR 5" TUBE

DLP 606 WRAP AROUND BASE FOR 6" TUBE

WRAP-AROUND BASE

DLP 607 WRAP AROUND BASE FOR 5" TUBE

DLP 607 WRAP AROUND BASE FOR 6" TUBE

DLP 607 WRAP AROUND BASE FOR 6" TUBE

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)
 applies to non-standard sizes)
 time set up fee of \$500 and 10% adder/per piece
)

WRAP-AROUND BASE	
DLP 607-1 WRAP AROUND BASE FOR 5" TUBE	
DLP 607-1 WRAP AROUND BASE FOR 6" TUBE	
DLP 607-1 WRAP AROUND BASE FOR 7" TUBE	
DLP 607-1 WRAP AROUND BASE FOR 8" TUBE	

WRAP-AROUND BASE	
DLP 607-2 WRAP AROUND BASE FOR 6" TUBE	
DLP 607-2 WRAP AROUND BASE FOR 7" TUBE	
DLP 607-2 WRAP AROUND BASE FOR 8" TUBE	
DLP 607-2 WRAP AROUND BASE FOR 9" TUBE	

QUICK SHIP

Two-Piece Decorative Wrap-Around Die Cast Aluminum Base, 24" High x 12" Diameter,
 Black Powdercoat Finish, Includes Stainless Steel Hardware

SQUARE BASE PIER MOUNTS

SQUARE BASE PIER MOUNTS	
Pier mount square base, square tube, 3" x 3"	
Pier mount square base, round tube, 3" x 3"	
Pier mount square base, square tube w/ scrolls, 3" x 10"	
Pier mount square base, round tube w/ scrolls, 3" x 10"	
Pier mount square base, square tube, 3" x 12"	
Pier mount, square base, round tube, 3" x 12"	

ROUND BASE PIER MOUNTS

ROUND BASE PIER MOUNTS	
Pier mount round base, square tube, 3" x 3"	
Pier mount round base, round tube, 3" x 3"	
Pier mount round base, square tube w/ scrolls, 3" x 10"	
Pier mount round base, round tube w/ scrolls, 3" x 10"	
Pier mount round base, square tube, 3" x 12"	
Pier mount, round base, round tube, 3" x 12"	

PEMCO POLES PRICE LIST
Effective June 1, 2021

all poles)
plies to non-standard sizes)
time set up fee of \$500 and 10% adder/per piece
)

[illegible]

\$1,438
10%
\$1,034
\$1,066
\$1,097
\$1,129
\$1,161
10%
\$1,257
\$1,295
\$1,352
\$1,416
\$1,447
\$1,479
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$942
\$978
\$994
\$1,035
\$1,087
10%
\$970
\$1,002
\$1,034
\$1,066

\$1,097
10%
\$106
\$165
\$149
\$156
\$195
\$195
NC
\$94
\$196
\$65
10%
\$973
\$995
\$1,023
\$1,050
\$1,079
\$1,109
10%
\$1,098
\$1,145
\$1,159
\$1,211
\$1,252
10%
\$1,052
\$1,079
\$1,109
\$1,136
\$1,165
\$1,222
10%
\$1,255
\$1,285
\$1,346

\$1,376
\$1,410
\$1,447
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$947
\$974
\$1,016
\$1,057
10%
\$1,154
\$1,196
\$1,223
10%
\$1,028
\$1,055
\$1,082
\$1,109
\$1,128
10%
\$1,196
\$1,223
\$1,250
\$1,277
\$1,304

10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$924
\$956
\$978
\$1,020
\$1,072
10%
\$1,066
\$1,097
\$1,129
\$1,161
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%

\$957
\$993
\$1,021
\$1,057
\$1,089
10%
\$1,093
\$1,127
\$1,176
\$1,201
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,065
\$1,099
\$1,133
\$1,166
10%
\$1,066
\$1,097
\$1,129
\$1,161
10%
contact factory
10%
\$59

\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$684
\$715
\$747
\$779
\$811
10%
\$773
\$805
\$849
\$881
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$802
\$829

\$856
\$893
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$892
\$920
\$940
\$978
\$996
10%
\$938
\$970
\$1,002
\$1,034
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18

[illegible]

\$1,168
\$1,197
\$1,240
\$1,271
10%
\$1,026
\$1,095
\$1,130
\$1,153
\$1,196
10%
\$1,205
\$1,234
\$1,279
\$1,327
\$1,373
10%
\$56
\$112
\$96
\$104
\$141
\$141
NC
\$45
\$141
\$17
10%
\$957
\$976
\$1,030
\$1,065
10%
\$970
\$1,002
\$1,034

\$1,066
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$774
\$799
\$825
\$850
10%
\$904
\$936
\$968
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%

\$1,010
\$1,042
\$1,070
\$1,109
10%
\$1,149
\$1,199
\$1,248
10%
\$1,045
\$1,070
\$1,119
\$1,128
\$1,156
\$1,185
10%
\$1,104
\$1,142
\$1,180
\$1,218
\$1,257
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$947
\$976
\$1,003

\$1,042
10%
\$1,053
\$1,098
\$1,125
10%
\$1,003
\$1,048
\$1,057
\$1,092
\$1,128
10%
\$1,162
\$1,189
\$1,252
\$1,279
\$1,346
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,066
\$1,095
\$1,122
\$1,161
10%
\$1,172

\$1,217
\$1,244
10%
\$1,122
\$1,168
\$1,176
\$1,211
\$1,247
10%
\$1,281
\$1,308
\$1,371
\$1,398
\$1,465
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$944
\$964
\$983
\$1,010
\$1,050
10%
\$1,182
\$1,230
\$1,258
\$1,295

\$1,332
10%
\$1,003
\$1,033
\$1,075
\$1,099
\$1,121
\$1,170
10%
\$1,240
\$1,250
\$1,324
\$1,353
\$1,380
\$1,450
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$947
\$965
\$993
\$1,031
10%
\$1,196
\$1,241
\$1,269

10%
\$985
\$1,013
\$1,056
\$1,079
\$1,101
\$1,329
10%
\$1,249
\$1,259
\$1,333
\$1,362
\$1,388
\$1,434
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,095
\$1,122
\$1,161
\$1,206
\$1,244
\$1,282
10%
\$1,122
\$1,168
\$1,176
\$1,211

\$1,247
\$1,296
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$929
\$967
\$988
\$1,010
10%
\$1,090
\$1,111
\$1,134
10%
\$968
\$1,003
\$1,048
\$1,057
\$1,085
\$1,114
10%
\$1,231
\$1,258
\$1,321
\$1,349
\$1,381

10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,313
\$1,357
\$1,402
\$1,449
\$1,530
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$966
\$1,016
\$1,050
\$1,082
10%

\$966
\$993
\$1,045
\$1,134
\$1,175
\$1,198
10%
\$1,213
\$1,240
\$1,285
\$1,331
\$1,543
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,035
\$1,057
\$1,079
\$1,101
10%
\$1,144
\$1,189
\$1,214
10%
\$1,057
\$1,107
\$1,148

\$1,187
\$1,225
\$1,266
\$1,306
10%
\$1,193
\$1,221
\$1,279
\$1,305
\$1,356
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,025
\$1,035
\$1,057
\$1,079
\$1,101
10%
\$1,104
\$1,142
\$1,180
10%
\$1,107
\$1,148
\$1,187
\$1,225

\$1,266
\$1,337
10%
\$1,129
\$1,193
\$1,257
\$1,320
\$1,384
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$1,075
\$1,121
\$1,175
10%
\$1,412
\$1,456
\$1,482
10%
\$1,274
\$1,301
\$1,355
\$1,382
\$1,417
10%
\$1,390

\$1,417
\$1,477
\$1,506
\$1,540
10%
\$59
\$118
\$101
\$109
\$148
\$148
NC
\$47
\$149
\$18
10%
\$777
\$818
\$859
\$908
\$957
\$1,001
10%
\$810
\$848
\$883
\$927
\$973
\$1,052
10%
\$934
\$934
\$934

\$934
10%
\$934
\$934
\$934
\$934
10%
\$967
\$967
10%
\$1,155
\$1,155
\$1,155
\$1,155
10%
\$934
\$934
\$934
10%
\$1,322
\$1,322
\$1,322

10%
\$1,155
\$1,155
\$1,155
\$1,155
10%
\$1,148
\$1,148
\$1,148
\$1,148
\$368
10%
\$215
\$215
\$314
\$314
\$231
\$231
10%
\$215
\$215
\$314
\$314
\$231
\$231



POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable)
Custom Color (CC): One
Anchor Bolts: INCLUDED

"A" Base Pole

BASE NUMBER
410-A/125
412-A/125
414-A/125
416-A/188
BASE NUMBER
510-A/125
512-A/125
514-A/125
516-A/188
518-A/188
BASE NUMBER
SBC2
GFIP
GFIC
T300, T355
USB
CAP

Direct Burial Pole

BASE NUMBER
410-M/125
412-M/125
414-M/125
416-M/188
BASE NUMBER
510-M/125
512-M/125
514-M/125
516-M/188
BASE NUMBER
GFIP
GFIC
T300, T355
USB
CAP
ARD
HH

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable to all poles)
Custom Color (CC): One color only
Anchor Bolts: INCLUDED

3 - Bolt Pedestal round

BASE NUMBER
510-P/125
512-P/125
514-P/125
516-P/188
518-P/188
520-P/188
BASE NUMBER
5310-P/125
5312-P/125
5314-P/125
5316-P/188
5318-P/188
5320-P/130

No

PSSSS Steel
Pole Model:
PSSS20411
PSSS25407
PSSS25411
PSSS30507
Color:
Z
Pole Top Mounting:
D2
D4
P2
P3
Drill Template:
S
D
E
C
blank

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable to all poles)
Custom Color (CC): One color only
Anchor Bolts: INCLUDED

Accessories:

PBS1Z

PRSD180BHZ

PRSTR180BHZ

PRSQ180BHZ

PSRTN*

PSS4T90HTZ

PSS4T180HTZ

PSS4TR90HTZ

PSS4Q90HTZ

PSS42SVTZ

PSS43SVTZ

PSS4TVTZ

PSS4TRVTZ

PSS4Q90VTZ

PSS4Q180VTZ

PSS5TVTZ

PSS5TRVTZ

PSS5Q90VTZ

PSS52SVTZ

PSS53SVTZ

PSS5T180HTZ

PSS5T90HTZ

PSS5Q90HTZ

PTSB1SZ

PTSB290SZ

PTSB2180SZ

PTSB390SZ

PTSB490SZ

PTSB3120SZ

PRSWMB90Z

PRSWMBZ

PTASUNV

Replacement Parts:

PSS4CZ

PSS5CZ

PSSHHC

PSS4CVRZ

PSS5CVRZ

PAB34X30

PAB1X36

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable to all poles)
Custom Color (CC): One additional charge
Anchor Bolts: INCLUDED

- Notes:
- (1) Special Order Item. Contact us for lead time.
 - (2) Cutting Fee: \$50.00

No

PSRA Aluminum

Pole Model:
PSRA2045
PSRA2555

Color:
B

Pole Top Mounting:
D
D1
D2
D3
D4
P2
P3

Drill Template:
S
D
E
C
blank

Accessories:
PBR1B
PBR1P
PSRA42B
PSRA43B
PSRA52B
PSRA53B
PSRTN*
PRSWMB90Z
PRSWMBZ

POLE NOTES: (pertains to all poles)
Cutting Fee: \$50.00 (applicable to all poles)
Custom Color (CC): One time fee
Anchor Bolts: INCLUDED

PTSB1SZ
PTSB290SZ
PTSB2180SZ
PTSB390SZ
PTSB490SZ
PTSB3120SZ
PTASUNV

Replacement Parts:

PRA4CVB
PRA5CVB
PSRA4CB
PSRA5CB
PAB34X30

- Notes:
- (1) Special Order Item. Contact us for pricing.
 - (2) Cutting Fee: \$50.00
 - (3) Paint Fee: \$18.00
 - (4) Paint Fee: \$15.00

Base Covers

CBCRB
CBCRP
CBCSZ

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)
plies to non-standard sizes)
time set up fee of \$500 and 10% adder/per piece
)

QUICK SHIP OPTIONS IN RED

4" STRAIGHT SMOOTH	Note:
ANCHOR BASE, 4" SMOOTH TUBE, 10', .125W	
ANCHOR BASE, 4" SMOOTH TUBE, 12', .125W (black finish only for QuickShip)	
ANCHOR BASE, 4" SMOOTH TUBE, 14', .125W (black finish only for QuickShip)	
ANCHOR BASE, 4" SMOOTH TUBE, 16', .188W	
5" STRAIGHT SMOOTH	Note:
ANCHOR BASE, 5" SMOOTH TUBE, 10', .125W	
ANCHOR BASE, 5" SMOOTH TUBE, 12', .125W	
ANCHOR BASE, 5" SMOOTH TUBE, 14', .125W	
ANCHOR BASE, 5" SMOOTH TUBE, 16', .188W	
ANCHOR BASE, 5" SMOOTH TUBE, 18', .188W	
ADDER	Note:
ADDER FOR TAPERED POLE	
SPUN BASE COVER (split)	
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	

4" STRAIGHT SMOOTH (ABOVE GROUND LENGTH, ADD 4' FOR OVERALL LENGTH)	Note:
DIRECT BURIAL, 4" SMOOTH TUBE, 10', .125W	
DIRECT BURIAL, 4" SMOOTH TUBE, 12', .125W	
DIRECT BURIAL, 4" SMOOTH TUBE, 14', .125W	
DIRECT BURIAL, 4" SMOOTH TUBE, 16', .188W	
5" STRAIGHT SMOOTH (ABOVE GROUND LENGTH, ADD 4' FOR OVERALL LENGTH)	Note:
DIRECT BURIAL, 5" SMOOTH TUBE, 10', .125W	
DIRECT BURIAL, 5" SMOOTH TUBE, 12', .125W	
DIRECT BURIAL, 5" SMOOTH TUBE, 14', .125W	
DIRECT BURIAL, 5" SMOOTH TUBE, 16', .188W	
ADDER	Note:
GFI REINFORCED CASTING WELDED INTO POLE WITH PLASTIC COVER	
GFI REINFORCED CASTING WELDED INTO POLE WITH CAST COVER POWDER COATED TO MATCH POLE	
T300 (3" x 3" Tenon) or T355 (3" x 5.5" Tenon)	
DUAL USB PORT	
REMOVABLE CAP, NO TENON	
ANTI-ROTATION DEVICE	
HAND HOLE	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)
 applies to non-standard sizes)
 time set up fee of \$500 and 10% adder/per piece
)

ind base

5" SMOOTH PEDESTAL ROUND BASE	Note:
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 10', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 12', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 14', .125W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 16', .188W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 18', .188W	
PEDESTAL ROUND BASE, 5" SMOOTH TUBE, 20', .188W	
5"-3" SMOOTH TAPERED PEDESTAL ROUND BASE	Note:
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 10', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 12', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 14', .125W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 16', .188W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 18', .188W	
PEDESTAL ROUND BASE, 5"-3" SMOOTH TUBE, 20', .188W	

o custom finish available for PSSS & PSSR Poles

QUICK SHIP	
Description:	Note:
Straight Square Steel Pole 20ft 4in 11ga w/4" Base Cover 3/4" Anchor Bolts	2
Straight Square Steel Pole 25ft 4in 7ga w/4" Base Cover 1" Anchor Bolts	2
Straight Square Steel Pole 25ft 4in 11ga w/4" Base Cover, 3/4" Anchor Bolts	2
Straight Square Steel Pole 30ft 5in 7ga w/5" Base Cover 1" Anchor Bolts	2
	Note:
Bronze	
Factory Installed	Note:
Drilled 2 sides @ 180 w/plugs	
Drilled 4 sides w/plugs	
2 $\frac{3}{8}$ x 4"H Tenon	
2 $\frac{7}{8}$ x 3"H Tenon	
Factory Installed	Note:
Standard Arm/Accessories	
Stratus Arm KH25, KH20	
Stratus Arm KH45	
Custom (Specify)	
Poles with P2 Tenon	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)
 applies to non-standard sizes)
 time set up fee of \$500 and 10% adder/per piece
)

Field Installed	Note:
Square decorative base for 4" and 5" square poles w/Inserts, Bronze	
180° Double Bullhorn, Bronze	
180° Triple Bullhorn, Bronze	
180° Quad Bullhorn, Bronze	
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3" Tenon	
4" 90° Twin Square Horizontal Tenon, Bronze	
4" 180° Twin Square Horizontal Tenon, Bronze	
4" 90° Triple Square Horizontal Tenon, Bronze	
4" 90° Quad Square Horizontal Tenon, Bronze	
4" Single Square Vertical Tenon, Bronze	
4" Single Square Vertical Tenon, Bronze (2-7/8" dia x 3"H)	
4" Twin Square Vertical Tenon, Bronze	
4" Triple Square Vertical Tenon, Bronze	
4" 90° Quad Square Vertical Tenon, Bronze	
4" 180° Quad Square Vertical Tenon, Bronze	
5" Twin Square Vertical Tenon	
5" Triple Square Vertical Tenon	
5" 90° Quad Square Vertical Tenon	
5" Single Square Vertical Tenon - 2 3/8" Dia.	
5" Single Square Vertical Tenon - 2 7/8" Dia.	
5" 180° Twin Square Horizontal Tenon	
5" 90° Twin Square Horizontal Tenon	
5" 90° Quad Square Horizontal Tenon	
Single Spoke Bracket, Bronze	
Twin Spoke Bracket, 90° Arms, Bronze	
Twin Spoke Bracket, 180° Arms, Bronze	
Triple Spoke Bracket, 90° Arms, Bronze	
Quad Spoke Bracket, 90° Arms, Bronze	1
Triple Spoke Bracket, 120° Arms, Bronze	1
Wall Mount 90° Bracket, Bronze	
Wall Mount Bracket, Bronze	
Pole Tenon Adapter	

Field Installed	Note:
4" Polycarbonate Pole Cap, Bronze	
5" Polycarbonate Pole Cap	
Hand Hole Cover, Bronze	
4" Base Cover, Bronze	
5" Base Cover, Bronze	
M20 x 27-1/2" Anchor Bolts, Set of 4	
M22 x 33" Anchor Bolts, Set of 4 for 7 Gauge Poles	

PEMCO POLES PRICE LIST

Effective June 1, 2021

all poles)
plies to non-standard sizes)
time set up fee of \$500 and 10% adder/per piece
)

ct your Sales or Customer Service Representative for Lead Time

o custom finish available for PSSS & PSSR Poles

QUICK SHIP

Description:	Note:
Straight Round Aluminum Pole 20ft 4in 5mm w/4" Base Cover 3/4" Anchor Bolts	2
Straight Round Aluminum Pole 25ft 5in 5mm w/5" Base Cover 1" Anchor Bolts	2
	Note:
Black	
Factory Installed	Note:
Drilled for Tenon (Tenon Not Included)	
Drilled 1 Side w/plugs	
Drilled 2 sides @ 180 w/plugs	
Drilled 3 Sides @ 90 w/plugs	
Drilled 4 sides w/plugs	
2-3/8" Single Round Vertical Tenon (P2), for 4" PRSA Poles, Black (PSRA42B)	
2-7/8" Single Round Vertical Tenon (P3), for 4" PRSA Poles, Black (PSRA43B)	
Factory Installed	Note:
Standard Arm/Accessories	
Stratus Arm KH25, KH20	
Stratus Arm KH45	
Custom (Specify)	
Poles with P2 or P3 Tenon	
Field Installed	Note:
Round decorative base for 4" and 5" smooth and decorative round poles w/Inserts, Black	
Round decorative base for 4" and 5" smooth and decorative round poles w/Inserts, Platinum	
2-3/8" Single Round Vertical Tenon (P2), for 4" PRSA Poles, Black	
2-7/8" Single Round Vertical Tenon (P3), for 4" PRSA Poles, Black	
2 3/8" Single Round Vertical Tenon (P2) for 5" Poles, Black	
2 7/8" Single Round Vertical Tenon (P3) for 5" Poles, Black	
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3" Tenon	
Wall Mount 90° Bracket, Bronze	3
Wall Mount Bracket, Bronze	3

PEMCO POLES PRICE LIST**Effective June 1, 2021**

all poles)
plies to non-standard sizes)
time set up fee of \$500 and 10% adder/per piece
)

Single Spoke Bracket, Bronze	4
Twin Spoke Bracket, 90° Arms, Bronze	3
Twin Spoke Bracket, 180° Arms, Bronze	3
Triple Spoke Bracket, 90° Arms, Bronze	1
Quad Spoke Bracket, 90° Arms, Bronze	1
Triple Spoke Bracket, 120° Arms, Bronze	1
Pole Tenon Adapter	

Field Installed	Note:
Base Cover for 4" Pole, Black	
Base Cover for 5" Pole, Black	
4" Round Pole Cap, Black	
5" Round Pole Cap, Black	
M20 x 27-1/2" Anchor Bolts, Set of 4	

ct your Sales or Customer Service Representative for Lead Time

QUICK SHIP

Round decorative base for 4" and 5" smooth and decorative round poles w/Inserts, Black	
Round decorative base for 4" and 5" smooth and decorative round poles w/Inserts, Platinum	
Square decorative base for 4" and 5" square poles w/Inserts, Bronze	

10%
\$622
\$684
\$730
\$868
10%
\$622
\$684
\$730
\$868
\$908
10%
\$170
\$79
\$143
\$143
NC
\$143
\$17
10%
\$568
\$608
\$647
\$896
10%
\$816
\$855
\$895
\$1,012
10%
\$143
\$143
NC
\$143
\$17
NC
NC

[illegible]

10%
\$332
\$109
\$175
\$211
\$25
\$43
\$43
\$66
\$69
\$28
\$28
\$120
\$158
\$193
\$193
\$120
\$175
\$211
\$38
\$38
\$49
\$49
\$47
\$132
\$205
\$205
\$307
\$373
\$305
\$49
\$29
\$43
10%
\$9
\$9
\$10
\$29
\$36
\$67
\$84

[illegible]

[illegible]

MIL1

Model:

MIL1

MIL1

Globe/Lens:

WA

FA

PRSA

FP

WP

PRSP

Globe Size:

16

18

20

24

Globe Mounting:

PTP

PTMP

Cages:

DEC1

DEC2B

DEC3B

Options:

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

MIL2

Model:

MIL2

MIL2

Globe/Lens:

WA

FA

PRSA
FP
WP
PRSP
Globe Size:
16
18
20
24
Capital:
C_
C_
Cages:
DEC1
DEC2B
DEC3B
Options:
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
Puerto1
Model:
PUT1
PUT1
PUT1
Globe/Lens:
NL
CA
FA
Rings & Bands:
AGB
SP
5R
N

Shades:
BC1
BC1-SM
N
Options:
PC
H
Finish:
Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir
Puerto2
Model:
PUT2
PUT2
PUT2
Globe/Lens:
NL
CA
FA
Rings & Bands:
AGB
SP
N
Shades:
BC1
BC1-SM
N
Options:
PC
H
Finish:

Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
CLM12
LED Model:
CLM12BQB1X10U4K
CLM12BQC1X10U4K
CLM12BQD1X10U4K
CLM12BQF1X10U4K
CLM12BQB1X21U4K
CLM12BQC1X21U4K
CLM12BQD1X21U4K
CLM12BQF1X21U4K
CLM12BQB1X31U4K
CLM12BQC1X31U4K
CLM12BQD1X31U4K
CLM12BQF1X31U4K
Notes:
CLM21
LED Model:
CLM21QB1X37U*K
CLM21QC1X37U*K
CLM21QD1X37U*K
CLM21QF1X37U*K
CLM21QB1X65U*K
CLM21QC1X65U*K
CLM21QD1X65U*K
CLM21QF1X65U*K
CLM21QB1X100U*K
CLM21QC1X100U*K
CLM21QD1X100U*K
CLM21QF1X100U*K
CLM21QB1X140U*K
CLM21QC1X140U*K
CLM21QD1X140U*K
CLM21QF1X140U*K
Notes:

CORN1

Model:

CORN1

CORN1

CORN1

Globe/Lens:

CA

WA

PA

FA

DA

FP

CP

TG

FG

Finial:

J

Mounting:

N

PEN

WM

Options:

PC

H

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

CORN2

Model:

CORN2

CORN2

CORN2

Globe/Lens:
CA
WA
PA
FA
DA
FP
CP
TG
FG
Finial:
Mounting:
N
WM
PM2
PM3
Options:
PC
H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
CORN3
Model:
CORN3
CORN3
CORN3
Globe/Lens:
CA
WA
PA
FA
DA

FP
CP
TG
FG
Finial:
J
Mounting:
N
WM
PM2
PM3
Options:
PC
H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
CORN4
VOYR31 & ENT 32
LED Model:
VOYR31Q*1X37
VOYR31Q*1X65
VOYR31Q*1X100
VOYR31Q*1X140
VOYR32Q*1X37
VOYR32Q*1X65
VOYR32Q*1X100
VOYR32Q*1X140
Ballast:
U
H
H

H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
B
C
Options:
SF
DF
SP
SP
S2
S4
R3
R5
R7
BU
BUC
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
AF31HS*
AF32HS*
Replacement Parts:
P17117
P17123
AF30PCLL

3EBLX1055190A
3EBLX10T1555CPA
Notes:
(22) \$150.00 Paint Set-u
VOYS31 & VOYR32
LED Model:
VOYS31Q*1X37
VOYS31Q*1X65
VOYS31Q*1X100
VOYS31Q*1X140
VOYS32Q*1X37
VOYS32Q*1X65
VOYS32Q*1X100
VOYS32Q*1X140
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
B
C
Options:
SF
DF
SP
SP
S2
S4
R3
R5
R7

BU
BUC
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
P17117
P17123
AF30PCLL
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(22) \$150.00 Paint Set-u
SOF1
Model:
SOF1
SOF1
SOF1
SOF1
Globe/Lens:
CA
CP
NL
FA
FP
Finial:
Options:
PC

H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
SOF2
Model:
SOF2
SOF2
SOF2
SOF2
Globe/Lens:
CA
CP
NL
FA
FP
Options:
PC
4S
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
BOS
Model:
BOS
BOS
BOS
BOS
Globe/Lens:

CA
TG
FG
WA
FP
CP
PA
FA
Options:
PC
H
GCL
Finial:
P
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
CIT1
Model:
CIT1
CIT1
CIT1
Globe/Lens:
NL
CA
WA
FA
PA
FP
CP
FG
TG
Finial:
A

Mounting:

N
PEN
SCROLLS
CWB6
CWB15

Options:

PCR3
PCR7
PC
GCL

Finish:

Notes:

- (1) 347/480v driver - Add
(2) Custom Color - one tir

FRAN

Model:

FRAN
FRAN
FRAN

Globe/Lens:

CA
TG
FG
WA
FP
CP
PA
FA

Options:

PC
H

Finial:

P

Finish:

Notes:

(1) 347/480v driver - Add
(2) Custom Color - one tir

FLRD

Model:

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD

FLRD1

FLRD1

FLRD1

FLRD1

Globe/Lens:

SA

SP

N

Capital:

C_

C_

Bands & Cages:

A_

A2

A3

Spinning:

T2

Options:

PC

H

PCR3

PCR7

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

SRT

Model:

SRT

SRT

SRT

SRT

Globe/Lens:

NL

Capital:

C_

C_

Bands & Cages:

A_

A3

Spinning:

T_

Options:

PC

PCR3

PCR7

Finial:

E

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

SRT1/2

Model:

SRT1

SRT1

SRT1

SRT1

SRT1

SRT1

SRT1

SRT1

SRT1

SRT2

SRT2

SRT2

SRT2

SRT2

SRT2

SRT2

SRT2

SRT2

Globe/Lens:

SA

SP

PA

PP

FA

SFA

Capital:

C_

C_

Bands & Cages:

A_

A2

A3

A6

A7

N

Spinning:

T_

Options:

PC
H
PCR3
PCR7

Finial:

E

Finish:

Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

HMS20

LED Model:

HMS20QB1X19U*KO
HMS20QC1X19U*KO
HMS20QD1X19U*KO
HMS20QF1X19U*KO
HMS20QB1X19U*KL
HMS20QC1X19U*KL
HMS20QD1X19U*KL
HMS20QF1X19U*KL
HMS20QB1X36U*KO
HMS20QC1X36U*KO
HMS20QD1X36U*KO
HMS20QF1X36U*KO
HMS20QB1X36U*KL
HMS20QC1X36U*KL
HMS20QD1X36U*KL
HMS20QF1X36U*KL
HMS20QB1X80U*KO
HMS20QC1X80U*KO
HMS20QD1X80U*KO
HMS20QF1X80U*KO
HMS20QB1X80U*KL
HMS20QC1X80U*KL
HMS20QD1X80U*KL
HMS20QF1X80U*KL

Notes:

HMP
Model:
HMP
HMP
HMP
Globe/Lens:
NL
CA
TG
FG
WA
FP
CP
PA
FA
Mounting:
N
PEN
Options:
PC
GCL
Finial:
D
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
MAN
Model:
MAN
MAN
MAN

MAN
MAN
MAN
MAN
MAN
MAN
Globe/Lens:
PRSA
PRSP
Options:
PC
PCR3
PCR7
H
Top Spinning Reflectors:
PL
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
ARL2
Model:
ARL2
ARL2
ARL2
ARL2
Options:
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir

CASP
Model:
CASP
CASP
CASP
Globe/Lens:
CA
CP
FA
FP
NL
Mounting:
RA
SA
GRA
LR
Options:
PC
GCL
Spun Top:
WH
N
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
PCG
Model:
PCG
PCG
PCG
PCG
Globe/Lens:
NL

Options:
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
Del Ray1
Model:
Del Ray1
Del Ray1
Del Ray1
Globe/Lens:
CA
TG
FG
WA
FP
CP
PA
FA
DA
Mounting:
N
PEN
WM
Panes:
NP
4P
6P
MP
AP
CP
Options:
PC
H

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

Del Ray2

Model:

Del Ray2

Del Ray2

Del Ray2

Globe/Lens:

CA

TG

FG

WA

FP

CP

PA

FA

DA

AM

Mounting:

N

PEN

WM

Panes:

NP

4P

6P

MP

AP

CP

Options:

PC

H

Finish:

Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

ALBA

Model:

ALBA

Globe/Lens:

GG3

GG5

Capital:

C10

C8

C9

Bands & Cages:

D4

D4G

N

Spinning:

T5

Finial:

O

Options:

PC

H

PCR3

PCR7

Finish:

Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

LON1

LON1

Model:

LON1

LON1

LON1

Globe/Lens:

TG

FG

CA

FA

WA

FP

CP

PA

Capital:

C_

C10

Mounting:

WM

PEN

N

Finial:

B

Options:

PC

H

PCR3

PCR7

CRW

TUR

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

LON2

Model:

LON2

LON2

LON2

Globe/Lens:

TG

FG

CA

WA

FP

CP

PA

Capital:

C10

Mounting:

WM

PEN

N

Finial:

H

Options:

PC

H

PCR3

PCR7

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

RLY70RD

LED Model:

RLY70QC1X37

RLY70QF1X37

RLY70QC1X65

RLY70QF1X65

RLY70QC1X84
RLY70QF1X84
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
B
Z
C
Options:
SF
DF
SP
SP
R3
R5
R7
S2
S4
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157

Replacement Parts:
PF70ALL
P17117
P17123
Notes:
(3) Photocell option not
(22) \$150.00 Paint Set-u
RLY71RD
LED Model:
RLY71QF1X37
RLY71QF1X65
RLY71QF1X84
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
B
Z
C
Options:
SF
DF
SP
SP
R3
R5
R7
S2
S4
P2AB

P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
PF70PC
PF70PCL
P17117
P17123
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
RLY80RD
LED Model:
RLY80QC1X100
RLY80QF1X100
RLY80QC1X176
RLY80QF1X176
RLY80QF1X276
Ballast:
U
H
H
Color Temp:
3K
4K
5K
Lens:
C
L

Color:
B
C

Options:
SF
DF
SP
SP
R3
R5
R7
S2
S4
P2AB
P2AC

Mounting Accessories:
PSRTN*

Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157

Replacement Parts:
PF80PC
PF80ALL
P17117
P17123

Notes:
(22) \$150.00 Paint Set-u

RLY81RD
LED Model:
RLY81QF1X100
RLY81QF1X176
RLY81QF1X276
Ballast:
U

H
H
Color Temp:
3K
4K
5K
Lens:
C
Color:
B
C
Options:
SF
DF
SP
SP
R3
R5
R7
S2
S4
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
PF80PC
P17117
P17123
Notes:
(22) \$150.00 Paint Set-u

RLY80SQ

LED Model:

RLYS80QC1X100

RLYS80QF1X100

RLYS80QC1X176

RLYS80QF1X176

RLYS80QF1X276

Ballast:

U

H

H

Color Temp:

3K

4K

5K

Lens:

C

L

Color:

B

C

Options:

SF

DF

SP

SP

R3

R5

R7

S2

S4

P2AB

P2AC

Mounting Accessories:

PSRTN*

Accessories:

P18131

P18132

P18140

P18150
P18152
P18156
P18157
Replacement Parts:
PFS80ALL
P17117
P17123
Notes:
(22) \$150.00 Paint Set-u
CYD
Model:
CYD
CYD
CYD
CYD
Globe/Lens:
NL
CA
Options:
PC
4S
Finish:
Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

PEMCO 10% LIST
Effective June 1, 2021

Milano 1 Post Top

Description:	Note:
Milano Post Top LED- 6" Radiant 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
Milano Post Top LED - Amber, LPS, 22K LED	1

Description:	Note:
White (Opal) Acrylic	
Frosted Acrylic	
Prismatic Acrylic	
Frosted Polycarbonate	
White (Opal) Polycarbonate	
Prismatic Polycarbonate	

Description:	Note:
16" standard	
18" upgrade	
20" upgrade	
24" upgrade	

Description:	Note:
Post Top Plate	
Pendant Mount for Wall Plate	

Description:	Note:
Half cage, 8 ribs	
Full cage, 8 ribs	
Half cage, 4 ribs	

Factory Installed	Note:
-------------------	-------

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Milano 2 Post Top

Description:	Note:
Milano Post Top LED- 6" Radiant 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
Milano Post Top LED- Amber, LPS, 22K LED	1

Description:	Note:
White (Opal) Acrylic	
Frosted Acrylic	

PEMCO 10% LIST
Effective June 1, 2021

Prismatic Acrylic	
Frosted Polycarbonate	
White (Opal) Polycarbonate	
Prismatic Polycarbonate	
Description:	Note:
16" standard	
18" upgrade	
20" upgrade	
24" upgrade	
Description:	Note:
PLC-1 (C1), PLC-2 (C2), PLC-3 (C3), PLC-4 (C4), PLC-5 (C5), PLC-6 (C6), PLC-7 (C7), PLC-9 (C9)	
PLC-8 (C8), PLC-10 (C10), PLC-11 (C11)	
Description:	Note:
Half cage, 8 ribs	
Full cage, 8 ribs	
Half cage, 4 ribs	
Factory Installed	Note:
Button Eye Photo Control	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
 ne set up fee of \$500; plus 10% per piece adder

Puerto 1 Post Top LED Prismatic Radiant™ Luminaire

Description:	Note:
PUT1 Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
PUT1 Post Top LED - 8" Radiant™ 40W, 50W, 60W, 80W (27K, 3K, 4K, 5K)	1
PUT1 Post Top LED - Amber, LPS, 22K LED	1
	Note:
No secondary lens	
Clear Acrylic	
Frosted Acrylic	
	Note:
Anti-Glare Band	
Spun Cone Reflector	
5 Rings (standard on PUT1)	
None	

PEMCO 10% LIST
Effective June 1, 2021

	Note:
28" Shade (standard)	
Small Shade (top mount)	
None	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

Puerto 2 Post Top LED Prismatic Radiant™ Luminaire

Description:	Note:
PUT2 Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
PUT2 Post Top LED - 8" Radiant™ 40W, 50W, 60W, 80W (27K, 3K, 4K, 5K)	1
PUT2 Post Top LED - Amber, LPS, 22K LED	1
	Note:
No secondary lens	
Clear Acrylic	
Frosted Acrylic	
	Note:
Anti-Glare Band	
Spun Cone Reflector	
None	
	Note:
28" Shade (standard)	
Small Shade (top mount)	
None	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	

PEMCO 10% LIST
Effective June 1, 2021

\$50/per fixture
 ne set up fee of \$500; plus 10% per piece adder

Columbia 12" Post Top - QUICK SHIP

Description:	Note:
CLM12B Type 2 Lens Type B 10w 120-277v 4000K	
CLM12B Type 3 Lens Type C 10w 120-277v 4000K	
CLM12B Type 4 Lens Type D 10w 120-277v 4000K	
CLM12B Type 5 Lens Type F 10w 120-277v 4000K	
CLM12B Type 2 Lens Type B 19w 120-277v 4000K	
CLM12B Type 3 Lens Type C 19w 120-277v 4000K	
CLM12B Type 4 Lens Type D 19w 120-277v 4000K	
CLM12B Type 5 Lens Type F 19w 120-277v 4000K	
CLM12B Type 2 Lens Type B 28w 120-277v 4000K	
CLM12B Type 3 Lens Type C 28w 120-277v 4000K	
CLM12B Type 4 Lens Type D 28w 120-277v 4000K	
CLM12B Type 5 Lens Type F 28w 120-277v 4000K	

**COMING
SOON!**

Columbia 21" Post Top - QUICK SHIP

Description:	Note:
CLM21 37w Type B 120-277v 3000K, 4000K, 5000K	
CLM21 37w Type C 120-277v 3000K, 4000K, 5000K	
CLM21 37w Type D 120-277v 3000K, 4000K, 5000K	
CLM21 37w Type F 120-277v 3000K, 4000K, 5000K	
CLM21 65w Type B 120-277v 3000K, 4000K, 5000K	
CLM21 65w Type C 120-277v 3000K, 4000K, 5000K	
CLM21 65w Type D 120-277v 3000K, 4000K, 5000K	
CLM21 65w Type F 120-277v 3000K, 4000K, 5000K	
CLM21 100w Type B 120-277v 3000K, 4000K, 5000K	
CLM21 100w Type C 120-277v 3000K, 4000K, 5000K	
CLM21 100w Type D 120-277v 3000K, 4000K, 5000K	
CLM21 100w Type F 120-277v 3000K, 4000K, 5000K	
CLM21 140w Type B 120-277v 3000K, 4000K, 5000K	
CLM21 140w Type C 120-277v 3000K, 4000K, 5000K	
CLM21 140w Type D 120-277v 3000K, 4000K, 5000K	
CLM21 140w Type F 120-277v 3000K, 4000K, 5000K	

**COMING
SOON!**

PEMCO 10% LIST
Effective June 1, 2021

Cornell 1 Post Top

Description:	Note:
Cornell 1 Post Top LED - 8" Radiant™ 40W, 50W, 60W (27K, 3K, 4K, 5K)	1
Cornell 1 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W (27K, 3K, 4K, 5K)	1
Cornell 1 Post Top LED - Amber, LPS, 22K LED	1
	Note:
Clear Acrylic	
White (Opal) Acrylic	
Double Pattern Acrylic	
Frosted Acrylic	
Seeded Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Clear Tempered Glass	
Frosted Tempered Glass	
	Note:
GF10 (J)	
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Post Top (Standard)	
Pendant Mount (specify chain or stem)	
Wall Mount (must select arm)	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Cornell 2 Post Top

Description:	Note:
Cornell 2 Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
Cornell 2 Post Top LED - 8" Radiant™ 40W, 50W, 60W (27K, 3K, 4K, 5K)	1
Cornell 2 Post Top LED - Amber, LPS, 22K LED	1

PEMCO 10% LIST
Effective June 1, 2021

	Note:
Clear Acrylic	
White (Opal) Acrylic	
Double Pattern Acrylic	
Frosted Acrylic	
Seeded Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Clear Tempered Glass	
Frosted Tempered Glass	
	Note:
GF10 (J) (standard)	
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Post Top (Standard)	
Wall Mount (must select arm)	
Pendant Mount for chain hanging	
Pendant Mount for stem hanging	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Cornell 3Post Top	
Description:	Note:
Cornell 3 Post Top LED - 6" Radiant 10W, 15W, 20W, 30W (27K, 3K, 4K, 5K)	1
Cornell 3 Post Top LED - 8" Radiant™ 40W, 50W, 60W (27K, 3K, 4K, 5K)	1
Cornell 3 Post Top LED - Amber, LPS, 22K LED	1
	Note:
Clear Acrylic	
White (Opal) Acrylic	
Double Pattern Acrylic	
Frosted Acrylic	
Seeded Acrylic	

PEMCO 10% LIST
Effective June 1, 2021

Frosted Polycarbonate	
Clear Polycarbonate	
Clear Tempered Glass	
Frosted Tempered Glass	
	Note:
GF10 (J) (standard)	
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Post Top (Standard)	
Wall Mount (must select arm)	
Pendant Mount for chain hanging	
Pendant Mount for stem hanging	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

no set up fee of \$500; plus 10% per piece adder

--

Cornell 4 Post Top



Voyager 31 & 32 - QUICK SHIP

Description:	Note:
VOYR31Q Voyager Round *(Type A, B, C, D, F) 37w	
VOYR31Q Voyager Round *(Type A, B, C, D, F) 65w	
VOYR31Q Voyager Round *(Type A, B, C, D, F) 100w	
VOYR31Q Voyager Round *(Type A, B, C, D, F) 140w	
VOYR32Q Voyager Round *(Type A, B, C, D, F) 37w	
VOYR32Q Voyager Round *(Type A, B, C, D, F) 65w	
VOYR32Q Voyager Round *(Type A, B, C, D, F) 100w	
VOYR32Q Voyager Round *(Type A, B, C, D, F) 140w	
Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	

PEMCO 10% LIST
Effective June 1, 2021

347-480v @ 100w, 140w	
Factory Installed	Note:
3000K (37w, 65w Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Factory Installed	Note:
Black	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Stamped Aluminum House Side Shield, Powdercoat Finish. Use for VOYR31Q models.	1
Stamped Aluminum House Side Shield, Powdercoat Finish. Use for VOYR32Q models.	1
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	

PEMCO 10% LIST
Effective June 1, 2021

Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

Voyager 31 & 32 - QUICK SHIP

Description:	Note:
VOYS31Q Voyager Square *(Type A, B, C, D, F) 37w	
VOYS31Q Voyager Square *(Type A, B, C, D, F) 65w	
VOYS31Q Voyager Square *(Type A, B, C, D, F) 100w	
VOYS31Q Voyager Square *(Type A, B, C, D, F) 140w	
VOYS32Q Voyager Square *(Type A, B, C, D, F) 37w	
VOYS32Q Voyager Square *(Type A, B, C, D, F) 65w	
VOYS32Q Voyager Square *(Type A, B, C, D, F) 100w	
VOYS32Q Voyager Square *(Type A, B, C, D, F) 140w	

Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	
347-480v @ 100w, 140w	

Factory Installed	Note:
3000K (37w, 65w Only)	
4000K	
5000K	

Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	

Factory Installed	Note:
Black	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	

PEMCO 10% LIST
Effective June 1, 2021

Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

Sofia 1 Post Top Luminaire	
Description:	Note:
Sofia 1 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Sofia 1 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Sofia 1 Post Top LED - 13" Radiant™ 105W, 120W, 135W	1
Sofia 1 Post Top LED - Amber, LPS, 22K LED	
	Note:
Clear Acrylic (Radiant only)	
Clear Polycarbonate (Radiant only)	
No bottom globe (flat, tempered glass)	
Frosted Acrylic (Radiant only)	
Frosted Polycarbonate (Radiant only)	
	Note:
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF20 (R), GF24 (V)	
Factory Installed	Note:
Button Eye Photo Control	

PEMCO 10% LIST
Effective June 1, 2021

House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

--

Sofia 2 Post Top Luminaire

Description:	Note:
Sofia 2 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Sofia 2 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Sofia 2 Post Top LED - 13" Radiant™ 105W, 120W, 135W	1
Sofia 2 Post Top LED - Amber, LPS, 22K LED	
	Note:
Clear Acrylic	
Clear Polycarbonate	
No Lens	
Frosted Acrylic	
Frosted Polycarbonate	
Factory Installed	Note:
Button Eye Photo Control	
Optional 4 Struts	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

--

Boston Post Top Luminaire

Description:	Note:
Boston Post Top LED Luminaire - 8" Radiant™ 40W, 50W, 60W	1
Boston Post Top LED Luminaire - 12" Radiant™ 60W, 70W, 80W, 90W	1
Boston Post Top LED Luminaire - 13" Radiant™ 105W, 120W, 135W	1
Boston Post Top LED - Amber, LPS, 22K LED	
	Note:

PEMCO 10% LIST
Effective June 1, 2021

Clear Acrylic	
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Pattern Acrylic	
Frosted Acrylic	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
Glass Chimney, Large	
	Note:
GF18 (P)	
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF12 (K), GF17 (O), GF24 (V)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

Citation 1 Post Top - QUICK SHIP OPTIONS IN RED	
Description:	Note:
Citation 1 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Citation 1 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Citation 1 Post Top LED - Amber, LPS, 22K LED (not available for QUICK SHIP)	
Description:	Note:
No Secondary Lens	
Clear Acrylic	
White (Opal) Acrylic	
Frosted Acrylic	
Patterned Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Frosted Glass	
Tempered Glass	
	Note:
GF1 (A)	
GF2 (B), GF3 (C), GF4 (D), GF8 (H), GF21 (S), GF23 (U), GF24 (V), GF26 (Y)	

PEMCO 10% LIST
Effective June 1, 2021

	Note:
None (Standard Post Top)	
Pendant Mount (specify chain or stem)	
Scrolls	
Cast Wall Bracket, 6"	
Cast Wall Bracket, 15"	
Factory Installed	Note:
3 Pin Twist Lock Receptacle (photo cell not included)	
7 Pin Twist Lock Receptacle (photo cell not included)	
Button Eye Photo Control	
Glass Chimney, Large	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

Frankfort Post Top Luminaire	
Description:	Note:
Frankfort Post Top LED Luminaire - 8" Radiant™ 40W, 50W, 60W	1
Frankfort Post Top LED Luminaire - 12" Radiant™ 60W, 70W, 80W, 90W	1
Frankfort Post Top LED - Amber, LPS, 22K LED	
	Note:
Clear Acrylic	
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Pattern Acrylic	
Frosted Acrylic	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
	Note:
GF18 (P)	
GF2 (B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF12 (K), GF17 (O), GF24 (V)	

PEMCO 10% LIST
Effective June 1, 2021

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Florida Post Top Luminaire

Description:	Note:
Florida Opti-FLUX™ Stipple Globe - 32W	1
Florida Opti-FLUX™ Stipple Globe - 40W	1
Florida Opti-FLUX™ Stipple Globe - 48W	1
Florida Opti-FLUX™ Stipple Globe - 56W	1
Florida Opti-FLUX™ Stipple Globe - 64W	1
Florida Opti-FLUX™ Stipple Globe - 72W	1
Florida Opti-FLUX™ Stipple Globe - 80W	1
Florida Opti-FLUX™ Stipple Globe - 88W	1
Florida Opti-FLUX™ Stipple Globe - 96W	1
Florida1 Post Top LED - 8" Radiant™ 40W, 50W, 60W (includes capital; certain capitals incur adder)	1
Florida1 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W (includes capital; certain capitals incur adder)	1
Florida1 Post Top LED - 13" Radiant™ 105W, 120W (includes capital; certain capital incur adder)	1
Florida1 Post Top LED - Amber, LPS, 22K LED	

	Note:
Stippled Acrylic	
Stippled Polycarbonate	
No Globe (Radiant LED only)	

	Note:
PLC-1 (C1), PLC-2 (C2), PLC-3 (C3), PLC-4 (C4), PLC-5 (C5), PLC-6 (C6), PLC-7 (C7), PLC-9 (C9)	
PLC-8 (C8), PLC-10 (C10), PLC-11 (C11)	

	Note:
DECA1 (A1), DECA5 (A5)	
DECA2 (A2)	
DECA3 (A3)	

	Note:
T102 (required if choosing FLRD1)	

Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
3 Pin Twist Lock Receptacle (photo cell not included)	
7 Pin Twist Lock Receptacle (photo cell not included)	

PEMCO 10% LIST
Effective June 1, 2021

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

|--|

Saratoga Post Top Radiant™ Luminaire

Description:	Note:
Saratoga Post Top LED - 8" Radiant™ 40W, 50W, 60W (includes capital; certain capitals incur adder)	1
Saratoga Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W (includes capital; certain capitals incur adder)	1
Saratoga Post Top LED - 13" Radiant™ 105W, 120W (includes capital; certain capital incur adder)	1
Saratoga Post Top LED - Amber, LPS, 22K LED	
	Note:
No Globe (NEEDS CAGE)	
	Note:
PLC-1 (C1), PLC-2 (C2), PLC-3 (C3), PLC-4 (C4), PLC-5 (C5), PLC-6 (C6), PLC-7 (C7), PLC-9 (C9)	
PLC-8 (C8), PLC-10 (C10), PLC-11 (C11)	
	Note:
DECA1 (A1), DECA6 (A6), DECA7 (A7)	
DECA3 (A3)	
	Note:
T101 (T1), T103 (T3), T104 (T4)	
Factory Installed	Note:
Button Eye Photo Control	
3 Pin Twist Lock Receptacle (photo cell not included). Available for capital C8, C9, C10 only.	
7 Pin Twist Lock Receptacle (photo cell not included). Available for capital C8, C9, C10 only.	
	Note:
GF5 (plastic, black finish only)	
GF2(B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

PEMCO 10% LIST
Effective June 1, 2021

Saratoga Post Top Opti-FLUX™- QUICK SHIP OPTIONS IN RED

Description:	Note:
Saratoga Opti-FLUX™ Stipple Globe - 32W	1
Saratoga Opti-FLUX™ Stipple Globe - 40W	1
Saratoga Opti-FLUX™ Stipple Globe - 48W	1
Saratoga Opti-FLUX™ Stipple Globe - 56W	1
Saratoga Opti-FLUX™ Stipple Globe - 64W	1
Saratoga Opti-FLUX™ Stipple Globe - 72W	1
Saratoga Opti-FLUX™ Stipple Globe - 80W	1
Saratoga Opti-FLUX™ Stipple Globe - 88W	1
Saratoga Opti-FLUX™ Stipple Globe - 96W	1
Saratoga Opti-FLUX™ Prismatic Globe - 32W	1
Saratoga Opti-FLUX™ Prismatic Globe - 40W	1
Saratoga Opti-FLUX™ Prismatic Globe - 48W	1
Saratoga Opti-FLUX™ Prismatic Globe - 56W	1
Saratoga Opti-FLUX™ Prismatic Globe - 64W	1
Saratoga Opti-FLUX™ Prismatic Globe - 72W	1
Saratoga Opti-FLUX™ Prismatic Globe - 80W	1
Saratoga Opti-FLUX™ Prismatic Globe - 88W	1
Saratoga Opti-FLUX™ Prismatic Globe - 96W	1
	Note:
Stippled Acrylic (SRT1)	
Stippled Polycarbonate (SRT1)	
Prismatic Acrylic (SRT2)	
Prismatic Polycarbonate (SRT2)	
Frosted Acrylic	
Stippled Frosted Acrylic (SRT1)	
	Note:
PLC-1 (C1), PLC-2 (C2), PLC-3 (C3), PLC-4 (C4), PLC-5 (C5), PLC-6 (C6), PLC-7 (C7), PLC-9 (C9)	
PLC-8 (C8), PLC-10 (C10), PLC-11 (C11)	
	Note:
DECA1 (A1), DECA6 (A6), DECA7 (A7)	
DECA2 (A2)	
DECA3 (A3)	
Perforated Band w/ Cage	
Flat Band w/Cage	
None	
	Note:
T101 (T1), T103 (T3), T104 (T4)	

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
3 Pin Twist Lock Receptacle (photo cell not included). Available for capital C8, C9, C10 only.	
7 Pin Twist Lock Receptacle (photo cell not included). Available for capital C8, C9, C10 only.	
	Note:
GF5 (plastic, black finish only)	
GF2(B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

Homestead Post Top - COMING SOON

Description:	Note:
HMS20 Type B 19w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type C 19w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type D 19w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type F 19w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type B 19w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type C 19w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type D 19w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type F 19w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type B 36w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type C 36w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type D 36w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type F 36w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type B 36w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type C 36w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type D 36w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type F 36w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type B 80w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type C 80w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type D 80w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type F 80w 120-277v 3000K, 4000K, 5000K Open	
HMS20 Type B 80w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type C 80w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type D 80w 120-277v 3000K, 4000K, 5000K w/Molded Lens	
HMS20 Type F 80w 120-277v 3000K, 4000K, 5000K w/Molded Lens	

PEMCO 10% LIST
Effective June 1, 2021

Hampshire Post Top Luminaire

Description:	Note:
Hampshire Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Hampshire Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Hampshire Post Top LED - Amber, LPS, 22K LED	
	Note:
No Lens	
Clear Acrylic	
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Patterned Acrylic	
Frosted Acrylic	
	Note:
None (Standard Post Top)	
Pendant Mount	
Factory Installed	Note:
Button Eye Photo Control	
Glass Chimney, Large	
	Note:
GF4 (D)	
GF2((B), GF3 (C), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Manhattan Prismatic Opti-FLUX™

Description:	Note:
ManANPan Post Top Opti-FLUX™ LED - 32W	1
ManANPan Post Top Opti-FLUX™ LED - 40W	1
ManANPan Post Top Opti-FLUX™ LED - 48W	1

PEMCO 10% LIST
Effective June 1, 2021

ManANPan Post Top Opti-FLUX™ LED - 56W	1
ManANPan Post Top Opti-FLUX™ LED - 64W	1
ManANPan Post Top Opti-FLUX™ LED - 72W	1
ManANPan Post Top Opti-FLUX™ LED - 80W	1
ManANPan Post Top Opti-FLUX™ LED - 88W	1
ManANPan Post Top Opti-FLUX™ LED - 96W	1
	Note:
Prismatic Acrylic, Types III and V	
Prismatic Polycarbonate, Types III and V	
Factory Installed	Note:
Button Eye Photo Control	
3 Pin Twist Lock Receptacle (photo cell not included)	
7 Pin Twist Lock Receptacle (photo cell not included)	
House Side Shield	
Factory Installed	Note:
PL Reflector	
PC Reflector	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Arlington 2 Post Top LED Radiant™ Luminaire

Description:	Note:
Arlington 2 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Arlington 2 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Arlington 2 Post Top LED - 13" Radiant™ 105W, 120W, 135W	1
Arlington 2 Post Top LED - Amber, LPS, 22K LED	
Factory Installed	Note:
Button Eye Photo Control	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

PEMCO 10% LIST
Effective June 1, 2021

Caspian LED Radiant™ Post Top Luminaire

Description:	Note:
Caspian Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W	1
Caspian Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Caspian Post Top LED - Amber, LPS, 22K LED	
	Note:
Clear Acrylic	
Clear Polycarbonate	
Frosted Acrylic	
Frosted Polycarbonate	
No Lens (Not available with chimney)	
	Note:
Rope Arms (standard)	
Smooth Arms	
Gold Rope Arms	
Ladder Rest	
Factory Installed	Note:
Button Eye Photo Control	
Glass Chimney, Large	
Factory Installed	Note:
White Spun Top	
No contrasting color (Spun Top will be same finish as fixture)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

no set up fee of \$500; plus 10% per piece adder

Pacific Grove LED Radiant™ Post Top Luminaire

Description:	Note:
Pacific Grove Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Pacific Grove Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Pacific Grove Post Top LED - 13" Radiant™ 105W, 120W	1
Pacific Grove Post Top LED - Amber, LPS, 22K LED	1
	Note:
No secondary lens	

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed		Note:
Button Eye Photo Control		
		Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)		
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)		2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

Del Ray 1 Post Top Luminaire

Description:	Note:
Del Ray 1 Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W	1
Del Ray 1 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Del Ray 1 Post Top LED - Amber, LPS, 22K LED	1
	Note:
Clear Acrylic	
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Patterned Acrylic	
Frosted Acrylic	
Seeded Acrylic	
	Note:
Post Top (standard)	
Pendant Mount/per fixture	
Wall Mount/per fixture	
Factory Installed	Note:
No pane	
Four pane panel option	
Six pane panel option	
Mini-pane panel option	
Arched panel option	
Custom panel option	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	

PEMCO 10% LIST
Effective June 1, 2021

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

Del Ray 2 Post & Wall Mount Luminaire

Description:	Note:
Del Ray 2 Post Top LED - 6" Radiant™ 10W, 15W, 20W, 30W	1
Del Ray 2 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Del Ray 2 Post Top LED - Amber, LPS, 22K LED	1

	Note:
Clear Acrylic	
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Patterned Acrylic	
Frosted Acrylic	
Seeded Acrylic	
Amber LED (up to 30W only)	

	Note:
Post Top (standard)	
Pendant Mount/per fixture	
Wall Mount/per fixture	

Factory Installed	Note:
No pane	
Four pane panel option	
Six pane panel option	
Mini-pane panel option	
Arched panel option	
Custom panel option	

Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

PEMCO 10% LIST
Effective June 1, 2021

\$50/per fixture
 ne set up fee of \$500; plus 10% per piece adder

Albany Prismatic Post Top Luminaire

Description:	Note:
Albany Post Top LED - OPTI-Flux™ Glass Globe Luminaire (C10 capital included)	1

	Note:
Glass Type III	
Glass Type V	

Factory Installed	Note:
PLC-10	
PLC-8	
PLC-9	
Other Capitals	

	Note:
DECA4 Hinged	
DECA4 Hinged, Gold Finish	
None	

	Note:
T105 (T5)	

	Note:
GF17	
GF2(B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF18 (P), GF24 (V)	

Factory Installed	Note:
Button Eye Photo Control (located in capital)	
House Side Shield	
3 Pin Twist-Lock receptacle (Capitals C8 & C10 only)	
7 Pin Twist-Lock receptacle (Capitals C8 & C10 only)	

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
 ne set up fee of \$500; plus 10% per piece adder

London 1 LED Radiant™ Post Top Luminaire

PEMCO 10% LIST
Effective June 1, 2021

London 1 LED Radiant™ Post Top Luminaire

Description:	Note:
London 1 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
London 1 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
London Post Top LED - Amber, LPS, 22K LED	1
	Note:
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
Clear Acrylic	
Frosted Acrylic	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Patterned Acrylic	
	Note:
PLC-2 (C2), PLC-6 (C6)	
PLC-10	
	Note:
Wall Mount	
Pendant Mount	
Post Mount (standard)	
	Note:
GF2 (B)	
GF3 (C), GF4 (D), GF7 (G), GF8 (H), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
	Note:
Factory Installed	
Button Eye Photo Control	
House Side Shield	
3 Pin Twist-Lock receptacle (C10 Capital Only)	
7 Pin Twist-Lock receptacle (C10 Capital Only)	
Crown/per fixture	
Tudor Spikes/per fixture	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

London 2 LED Radiant™ Post Top Luminaire

PEMCO 10% LIST
Effective June 1, 2021

Description:	Note:
London 2 Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
London 2 Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
London Post Top LED - Amber, LPS, 22K LED	1
	Note:
Flat Tempered Glass, clear	
Flat Tempered Glass, frosted	
Clear Acrylic	
White (Opal) Acrylic	
Frosted Polycarbonate	
Clear Polycarbonate	
Patterned Acrylic	
	Note:
PLC-10	
	Note:
Wall Mount	
Pendant Mount	
Post Mount (standard)	
	Note:
GF8 (H)	
GF2((B), GF3 (C), GF4 (D), GF6 (F), GF7 (G), GF9 (I), GF10 (J), GF12 (K), GF17 (O), GF18 (P), GF24 (V)	
Factory Installed	Note:
Button Eye Photo Control	
House Side Shield	
3 Pin Twist-Lock receptacle (C10 Capital Only)	
7 Pin Twist-Lock receptacle (C10 Capital Only)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Riley 70 Small Post Top Area Light - QUICK SHIP

Description:	Note:
Small Post - Open Type C 37w	
Small Post - Open Type F 37w	
Small Post - Open Type C 65w	
Small Post - Open Type F 65w	

PEMCO 10% LIST
Effective June 1, 2021

Small Post - Open Type C 84w	
Small Post - Open Type F 84w	
Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	
347-480v @ 84w	
Factory Installed	Note:
3000K (37w, 65w Type C / 37w, 84w Type F Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	3
120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	

PEMCO 10% LIST
Effective June 1, 2021

Ships Separately, Field Installed	Note:
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

available with Wall Mount configuration.

p Fee for quantities under 5 pcs

Riley 71 Small Post Top Area Light - QUICK SHIP

Description:	Note:
Small Post - Enclosed Type F 37w	1
Small Post - Enclosed Type F 65w	1
Small Post - Enclosed Type F 84w	1

Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	
347-480v @ 84w	

Factory Installed	Note:
3000K (37w, 65w Type C / 37w, 84w Type F Only)	
4000K	
5000K	

Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Outer Conical Lens	

Factory Installed	Note:
Black	
Bronze	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	

PEMCO 10% LIST
Effective June 1, 2021

PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens.	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Outer Conical Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

Riley 80 Large Round Area Light - QUICK SHIP	
Description:	Note:
Post - Open Type C 100w	
Post - Open Type F 100w	
Post - Open Type C 176w	
Post - Open Type F 176w	
Post - Open Type F 276w	
Factory Installed	Note:
120-277v	
347-480v @ 100w	
347-480v @ 176w	
Factory Installed	Note:
3000K (176w Type F Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed	Note:
Black	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	

Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	

Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	

Ships Separately, Field Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

--

Riley 81 Large Round Area Light - QUICK SHIP

Description:	Note:
Post - Enclosed Type F 100w	
Post - Enclosed Type F 176w	
Post - Enclosed Type F 276w	

Factory Installed	Note:
120-277v	

PEMCO 10% LIST
Effective June 1, 2021

347-480v @ 100w	
347-480v @ 176w	
Factory Installed	Note:
3000K (176w Type F Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens	
Factory Installed	Note:
Black	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

PEMCO 10% LIST
Effective June 1, 2021

Riley 80 Square Post Top Area Light - QUICK SHIP

Description:	Note:
Square Post Type C 100w	
Square Post Type F 100w	
Square Post Type C 176w	
Square Post Type F 176w	
Square Post Type F 276w	
Factory Installed	Note:
120-277v	
347-480v @ 100w	
347-480v @ 176w	
Factory Installed	Note:
3000K (176w Type F Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	

PEMCO 10% LIST
Effective June 1, 2021

120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

--

Cydney LED Radiant™ Post Top Luminaire

Description:	Note:
Cydney Post Top LED - 8" Radiant™ 40W, 50W, 60W	1
Cydney Post Top LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Cydney Post Top LED - 13" Radiant™ 105W, 120W, 135W	1
Cydney Post Top LED - Amber, LPS, 22K LED	1
	Note:
No Lens	
Clear Acrylic	
Factory Installed	Note:
Button Eye Photo Control	
4 Struts	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

--

10%
\$576
contact factory
10%
NC
\$51
\$85
\$51
\$51
\$85
10%
NC
NC
\$42
\$85
10%
NC
\$51
10%
\$255
\$510
\$340
10%
10%
NC
10% add
10%
\$640
contact factory
10%
NC
\$51

\$85
\$51
\$51
\$85
10%
NC
NC
\$42
\$85
10%
NC
\$212
10%
\$255
\$510
\$340
10%
\$51
10%
NC
10% add
10%
\$1,249
\$1,325
contact factory
10%
NC
\$41
\$62
10%
\$62
\$34
\$137
NC

10%
NC
NC
NC
10%
\$51
\$41
10%
NC
10% add
10%
\$1,199
\$1,275
contact factory
10%
NC
\$41
\$62
10%
\$62
\$34
NC
10%
NC
NC
NC
10%
\$51
\$41
10%
NC
10% add

[illegible]

10%
\$1,112
\$1,223
contact factory
10%
NC
\$42
\$42
\$42
\$42
\$42
\$42
\$42
\$42
\$42
10%
NC
\$42
10%
NC
\$85
NC
10%
\$51
\$59
10%
NC
10% add
10%
\$840
\$897
contact factory

10%
NC
\$42
\$42
\$42
\$42
\$42
\$42
\$42
\$42
\$42
10%
NC
\$42
10%
NC
NC
\$96
\$128
10%
\$51
\$59
10%
NC
10% add
10%
\$667
\$769
contact factory
10%
NC
\$42
\$42
\$42
\$42

[illegible]

\$106
10%
NC
NC
NC
10%
NC
\$32
10%
NC
\$80
10%
\$18
\$38
\$16
\$29
\$50
\$30
\$14
\$20
\$23
\$136
\$184
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
\$9
\$9
10%
\$49
\$28
\$28

\$142
\$194
10%
\$808
\$900
\$947
\$958
\$800
\$912
\$930
\$970
10%
NC
\$25
\$93
\$106
10%
NC
NC
NC
10%
NC
\$32
10%
NC
\$90
10%
\$18
\$38
\$16
\$29
\$50
\$30
\$14
\$20
\$23

\$136
\$184
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$49
\$28
\$28
\$142
\$194
10%
\$1,404
\$1,560
\$1,654
contact factory
10%
NC
NC
NC
\$39
\$39
10%
\$39
10%
\$46

\$54
10%
NC
10% add
10%
\$1,509
\$1,677
\$1,777
contact factory
10%
NC
NC
NC
\$41
\$42
10%
\$53
\$62
10%
NC
10% add
10%
\$1,330
\$1,388
\$1,508
contact factory
10%

[illegible]

10%
NC
\$84
\$143
\$88
\$118
10%
\$48
\$48
\$51
\$59
10%
NC
10% add
10%
\$999
\$1,053
contact factory
10%
NC
\$53
\$68
\$38
\$38
\$38
\$38
\$38
\$38
10%
\$46
\$54
10%
NC
\$38

10%
NC
10% add
10%
\$1,024
\$1,044
\$1,064
\$1,084
\$1,104
\$1,123
\$1,143
\$1,163
\$1,183
contact factory
contact factory
contact factory
contact factory
10%
NC
\$58
NC
10%
NC
\$207
10%
\$248
\$66
\$330
10%
\$125
10%
\$50
\$58
\$47
\$47

10%
NC
10% add
10%
\$1,209
\$1,334
\$1,459
contact factory
10%
NC
10%
NC
\$208
10%
\$250
\$334
10%
NC
10%
\$50
\$47
\$47
10%
NC
\$42
10%
NC
10% add

10%
\$1,025
\$1,044
\$1,064
\$1,084
\$1,104
\$1,124
\$1,144
\$1,163
\$1,183
\$1,264
\$1,280
\$1,297
\$1,313
\$1,329
\$1,345
\$1,361
\$1,378
\$1,394
10%
NC
\$58
NC
\$85
\$50
\$76
10%
NC
\$208
10%
\$202
\$67
\$263
\$262
\$262
NC
10%
\$125

10%
\$50
\$58
\$47
\$47
10%
NC
\$42
10%
NC
10% add
10%
\$545
\$545
\$545
\$545
\$613
\$613
\$613
\$613
\$607
\$607
\$607
\$607
\$675
\$675
\$675
\$675
\$731
\$731
\$731
\$731
\$798
\$798
\$798
\$798

10%
\$933
\$1,069
contact factory
10%
NC
NC
\$62
\$79
\$44
\$44
\$44
\$44
\$44
10%
NC
\$89
10%
\$53
\$62
10%
NC
\$45
10%
NC
10% add
.
.
10%
\$1,369
\$1,394
\$1,418

[illegible]

10%
\$46
10%
NC
10% add
10%
\$1,308
\$1,442
contact factory
10%
NC
\$62
\$79
\$45
\$45
\$45
\$45
\$45
\$45
\$46
10%
NC
\$178
\$266
10%
NC
\$89
\$133
\$133
\$133
contact factory
10%
\$53
\$62

10%
NC
10% add
10%
\$936
\$1,066
contact factory
10%
NC
\$54
\$68
\$39
\$39
\$39
\$39
\$39
\$40
\$22
10%
NC
\$154
\$232
10%
NC
\$77
\$116
\$116
\$115
contact factory
10%
\$46
\$54
10%
NC
10% add

10%
\$1,569
10%
NC
NC
10%
NC
\$194
\$194
contact factory
10%
\$83
\$270
NC
10%
\$124
10%
NC
\$42
10%
\$50
\$58
\$47
\$47
10%
NC
10% add

[illegible]

\$551
\$551
10%
NC
\$117
\$68
\$87
10%
NC
NC
NC
10%
NC
\$28
10%
NC
NC
\$105
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$50
\$30
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27

10%
\$24
\$49
\$28
10%
\$499
\$517
\$588
10%
NC
\$117
\$68
\$87
10%
NC
NC
NC
10%
NC
\$39
10%
NC
NC
\$105
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$50
\$30
\$30

\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$37
\$35
\$49
\$28
10%
\$814
\$814
\$955
\$892
\$1,127
10%
NC
\$111
\$117
10%
NC
NC
NC
10%
NC
\$70

10%
NC
\$105
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$50
\$30
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$67
\$66
\$49
\$28
10%
\$931
\$974
\$1,158
10%
NC

\$111
\$117
10%
NC
NC
NC
10%
NC
10%
NC
\$105
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$50
\$30
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$67
\$49
\$28

10%
\$884
\$884
\$1,024
\$1,024
\$1,251
10%
NC
\$111
\$117
10%
NC
NC
NC
10%
NC
\$70
10%
NC
\$105
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$50
\$30
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11

\$11
\$11
\$17
\$27
10%
\$66
\$46
\$28
10%
\$1,865
\$2,042
\$2,131
contact factory
10%
NC
\$45
10%
\$53
\$62
10%
NC
10% add

AUS15-D

LED Model:
AUS15-DOQF1X12
AUS15-DOQF1X17
AUS15-DHQF1X10
AUS15-DHQF1X16
AUS15-DTQF1X10
AUS15-DTQF1X16

Ballast:
U

Color Temp:
3K
4K
5K

Lens:
C

Color:
B
C

Notes:
(22) \$150.00 Paint Set-u

AUS13/14WQ

LED Model:
AUS13WQF1X16
AUS13WQF1X25
AUS14WQF1X16
AUS14WQF1X25

Ballast:
U

Color Temp:
4K
5K

Lens:
C
L

Color:
Z
B
C

Options:
SF
DF
SP
SP
PC3
BU4
BUC4

Accessories:
ACCHSG4

Replacement Parts:
P18103
B3LL
3EBLX1055190A
3EBLX10T1555CPA

Notes:
(1) Specify Color
(14) \$150.00 Paint Set-u

NOR44QF
LED Model:
NOR44QF1X136
NOR44QF1X169

Ballast:
U
H
H

Color Temp:
5K

Lens:
G
C
D
B

Color:
W
C
Options:
SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU
Accessories:
HB44WG
Replacement Parts:
CPMH3
HBCB16
HBCL16
HBDL16
HBGL16
HBPC16
P17116
Notes:
(20) includes w/clamp b
(22) \$150.00 Paint Set-u
NOR44QI
LED Model:
NOR44QI1X136
NOR44QI1X169
Ballast:
U
H
H
Color Temp:
5K

Lens:
G

Color:
W
C

Options:
SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU

Accessories:
HB44WG

Replacement Parts:
CPMH3
HBCB16
HBGL16
P17116

Notes:
(22) \$150.00 Paint Set-u

NOR44QK

LED Model:
NOR44QK1X136
NOR44QK1X169

Ballast:
U
H
H

Color Temp:
5K

Lens:

G
Color:
W
C
Options:
SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU
Accessories:
HB44WG
Replacement Parts:
CPMH3
HBCB16
HBGL16
P17116
Notes:
(20) includes w/clamp b
(22) \$150.00 Paint Set-u
NOR45QF
LED Model:
NOR45QF1X225
NOR45QF1X273
Ballast:
U
H
H
Color Temp:
4K
5K

Lens:

G
C
D
B

Color:

W
C

Options

SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU

Accessories:

CPSC
HBAR22WG

Replacement Parts:

CPMH3
HBCB22
HBCL22
HBDL22
HBGL22
HBPC22
P17116

Notes:

(20) includes w/clamp b
(22) \$150.00 Paint Set-u

NOR45QI

LED Model:

NOR45QI1X225
NOR45QI1X273

Ballast:

U
H
H
Color Temp:
5K
Lens:
G
Color:
W
C
Options:
SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU
Accessories:
CPSC
HBAR22WG
Replacement Parts:
CPMH3
HBCB22
HBGL22
P17116
Notes:
(22) \$150.00 Paint Set-u
NOR45QK
LED Model:
NOR45QK1X225
NOR45QK1X273
Ballast:

U
H
H
Color Temp:
5K
Lens:
G
Color:
W
C
Options:
SF
DF
SP
SP
M3
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU
Accessories:
CPSC
HBAR22WG
Replacement Parts:
CPMH3
HBCB22
HBGL22
P17116
Notes:
(20) includes w/clamp b
(22) \$150.00 Paint Set-u
BAJRD Series
LED Model:
BAJRD*C32X20
*Reflector:

A
B
C
D
E
F
G
H
I
Ballast:
U
H
Color Temp:
41K
Color:
Z
B
C
Options:
SF
DF
SP
SP
PC3
BU
BUC
Replacement Parts:
P18103
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(14) \$150.00 Paint Set
BAJRS Series
LED Model:
BAJRS*C31X20
*Reflector:
A

B
D
Ballast:
U
Color Temp:
41K
Color:
Z
B
C
Options:
SF
DF
SP
SP
PC3
BU
BUC
Replacement Parts:
P18103
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(14) \$150.00 Paint Set-u
ORBIT12
LED Model:
ORB12*1X15
ORB12*1X22
Ballast:
U
H
Color Temp:
4K
5K
Lens:

C
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
P10
P12
P14
P20
P22
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P18110
P18112
P18114
P18120
P18122
Notes:
(22) \$150.00 Paint Set-u
ORBIT15
LED Model:
ORB15*1X25
ORB15*1X37
ORB15*1X50
Ballast:
U
Color Temp:
3K
4K
5K
Lens:

C
P
Color:
Z
C
Options:
SF
DF
SP
BU
BUC
PC3
S2
S4
Accessories:
WPC15LG
WPC15WG
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
WPC15GLC
WPC15GLP
Notes:
(21) For "F" Option Only
(22) \$150.00 Paint Set-u
ORBIT20
LED Model:
ORB20*1X37
ORB20*1X56
Ballast:
U
H
H
Color Temp:
4K

5K
Lens:
C
P
Color:
Z
C
Options:
SF
DF
SP
SP
BU
PC3
S2
S4
Accessories:
WPC25WG
Replacement Parts:
3EBL120277400012V
P17117
P17123
P18103
WPC25GLC
WPC25GLP
Notes:
(21) For "F" Option Only
(22) \$150.00 Paint Set-u
ORBIT34
LED Model:
ORB34F1X34
Ballast:
U
H
Color Temp:
4K
5K

Lens:
LP
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
S2
S4
Replacement Parts:
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
ORBIT35
LED Model:
ORB35C1X47
Ballast:
U
H
Color Temp:
3K
4K
5K
Lens:
C
Color:
Z
C

Options:
SF
DF
SP
SP
PC3
BU
Replacement Parts:
3EBLX1055190A
P18103
WP35GL
Notes:
(14) \$150.00 Paint Set-u
ORBIT36
LED Model:
ORB36C1X47
Ballast:
U
H
Color Temp:
4K
5K
Lens:
C
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
Replacement Parts:
3EBLX1055190A

3EBLX10T1555CPA
WPC36GL
Notes:
(22) \$150.00 Paint Set-u
ORBIT44
LED Model:
ORB44D1X17
ORB44D1X25
ORB44D1X37
ORB44D1X81
Ballast:
U
C
H
Color Temp:
3K
4K
5K
Lens:
C
Color:
Z
C
Options:
SF
DF
SP
SP
R3
R5
R7
PC3
S23
S43
BU
Accessories:
P18131

P18132
P18140
P18150
P18152
P18156
WPC44TPZ
Replacement Parts:
ACCHSG3
P17117
P17123
P18103
3EBL120277400012V
Notes:
(22) \$150.00 Paint Set-u
(54) 25w Only
(55) 37w Only
ORBIT45
LED Model:
ORB45D1X81
ORB45D1X112
ORB45D1X174
Ballast:
U
H
H
Color Temp:
4K
5K
Lens:
C
Color:
Z
C
Options:
SF
DF
SP
SP

PC3
R3
R5
R7
BU
S2
S4
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
WPC45TPZ
Replacement Parts:
3EBL120277400012V
P17117
P17123
P18103
Notes:
(22) \$150.00 Paint Set-u
(25) 81w Only
(42) 112w Only
VOY30HB
VOY30HBQ*1X65
VOY30HBQ*1X100
VOY30HBQ*1X140
VOY30HBWQ*1X65
VOY30HBWQ*1X100
VOY30HBWQ*1X140
*Optics:
*A
*F
Ballast:
U
H
H

Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
W
C
Options:
SF
DF
SP
SP
S2
S4
C6600B
C6600W
C4600B
CP6120W
CP6277W
BU
BUC
Replacement Parts:
HBRDPCLL
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(21) For "F" Option Only
(22) \$150.00 Paint Set-u
ANP Series
LED Model:
ANPRGRQF1X12
ANPRHCQF1X12
ANPROFQF1X12

ANPRGRQF1X17
ANPRHCQF1X17
ANPROFQF1X17
ANPRGRQF1X25
ANPRHCQF1X25
ANPROFQF1X25
Ballast:
U
C
H
Color Temp:
3K
4K
5K
Lens:
L
Color:
Z
W
C
Options:
SF
DF
SP
SP
BU
BUC
P10
P12
P14
PC3
S2
S4
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
P18110
P18112
P18114

Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
ANP Series
LED Model:
ANPSGRQF1X12
ANPSHCQF1X12
ANPSOFQF1X12
ANPSGRQF1X17
ANPSHCQF1X17
ANPSOFQF1X17
ANPSGRQF1X25
ANPSHCQF1X25
ANPSOFQF1X25
Ballast:
U
C
H
Color Temp:
3K
4K
5K
Lens:
L
Color:
Z
W
C
Options:
SF
DF
SP
SP
BU
BUC
P10
P12
P14
PC3

S2
S4
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
P18110
P18112
P18114
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
VAP1AOQ, VAP:
LED Model:
VAP1AOQF22
VAP1AOQF37
VAP1AHQF22
VAP1AHQF37
VAP1AVQF22
VAP1AVQF37
Ballast:
U
Color Temp:
4K
5K
Lens:
C
L
Color:
P
C
Mounting Accessories:
LV1AYSS
LVABRSS
Notes:

(22) \$150.00 Paint Set-u

VAP2AOQ

LED Model:

VAP2AOQF47

VAP2AOQF66

Ballast:

U

H

Color Temp:

4K

5K

Lens:

C

L

Color:

P

C

Mounting Accessories:

LV2AYSS

LVABRSS

Notes:

(22) \$150.00 Paint Set-u

VAP4AOQ

LED Model:

VAP4AOQF112

VAP4AOQF136

Ballast:

U

H

Color Temp:

4K

5K

Lens:

C
L
Color:
P
C
Mounting Accessories:
LV2AYSS
LVABRSS
Notes:
(22) \$150.00 Paint Set-u

VAP15Q

LED Model:
VAP15QF57U4KCG
VAP15QF57U5KCG
Mounts:
P
CM
W25
W90
S25
S90
Y
Options:
SP
Notes:

VAP25Q
LED Model:
VAP25QF1X132U4KCGY
VAP25QF1X132U5KCGY
Options:
SP
Notes:

HRN1

LED Model:	HRN1F1X23
Ballast:	U
Color Temp:	5K
Lens:	C
Color:	P
	B
	R
	W
	C
Style:	GNF
	GNS
Options:	SF
	DF
Arms:	GNA01336
	GNA02330
	GNA03330
	GNA04330
	GNA05330
Arm Color:	P
	B
	R
	W
	C
Arm Mounting:	R
	S

N
Arm Mounting Color:
P
B
R
W
C
Replacement Parts:
GNRMP3P
GNSMP3P
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
HRN2
LED Model:
HRN2F1X23
Ballast:
U
Color Temp:
4K
5K
Color:
P
B
R
W
C
Mount:
GNF
GNS
Options:
SF
DF
Arms:
GNA01336
GNA02330

GNA03330
GNA04330
GNA05330
Arm Color:
P
B
R
W
C
Arm Mounting:
R
S
N
Arm Mounting Color:
P
B
R
W
C
Accessories:
VS30AP
VS30SP
Accessories Color Option
P
B
R
W
C
Replacement Wall Plates
GNRMP3P
GNSMP3P
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(26) Includes: 72" of wir
HRN3
LED Model:
HRN31X18

Ballast:
U
Color Temp:
4K
5K
Color:
P
B
R
W
C
Mounting:
GNK
Arms:
GNA01336
GNA02330
GNA03330
GNA04330
GNA05330
Arm Color:
P
B
R
W
C
Arm Mounting:
R
S
N
Arm Mounting Color:
P
B
R
W
C
Accessories:
FL20GTF
Replacement Wall Plates

GNRMP3P
GNSMP3P
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(26) Includes Coupler, Re
HRN4
LED Model:
HRN4AC31X20
HRN4AC31X20
HRN4DC31X20
Ballast:
U
Color Temp:
41K
Color:
P
B
R
W
C
Mounting:
GNK
Options:
SF
DF
SP
Arms:
GNA01336
GNA02330
GNA03330
GNA04330
GNA05330
Arm Color:
P
B
R

W
C
Arm Mounting:
R
S
N
Arm Mounting Color:
P
B
R
W
C
Accessories:
FB1V
Replacement Wall Plates
GNRMP3P
GNSMP3P
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(26) Includes: 72" of wir
HRN5
LED Model:
HRN5C1X22
HRN5F1X22
HRN5I1X22
HRN5C1X37
HRN5F1X37
HRN5I1X37
HRN5C1X56
HRN5F1X56
Ballast:
U
C
C
Color Temp:
3K
4K

5K
Lens:
C
S
Color:
P
B
R
W
C
Mount:
GNK
Options:
SF
DF
SP
SP
Arms:
GNA01336
GNA02330
GNA03330
GNA04330
GNA05330
Arm Color:
P
B
R
W
C
Arm Mounting:
R
S
N
Arm Mounting Color:
P
B
R
W
C

Accessories:

P18103

KH15GSZ

KH15WG

Replacement Parts:

KH15GL

KH15GLSS

Replacement Wall Plates

GNRMP3P

GNSMP3P

Notes:

(1) Specify Color

(22) \$150.00 Paint Set-u

(26) Includes: Knuckle, C

(35) Use with 37w F Opt

(37) 5000K Only

HRN6

LED Model:

HRN6F22

HRN6F37

Ballast:

U

Color Temp:

4K

5K

Lens:

C

L

Color:

P

B

R

W

C

Mount:

GNK

Arms:
GNA01336
GNA02330
GNA03330
GNA04330
GNA05330

Arm Color:
P
B
R
W
C

Arm Mounting:
R
S
N

Arm Mounting Color:
P
B
R
W
C

Replacement Parts:
LV1ALL

Replacement Wall Plates
GNRMP3P
GNSMP3P

Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(26) Includes: Knuckle, C

BERM

LED Model:
BERM30QD1X14
BERM30QF1X14
BERM30QD1X22
BERM30QF1X22

Ballast:

U
C
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
S2
PC3
Replacement Parts:
P17117
P18103
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(21) For "F" Option Only
(22) \$150.00 Paint Set-u
MRF1AOQ, MRI
LED Model:
MRF1AOQF22
MRF1AOQF37
MRF1AHQF22
MRF1AHQF37
MRF1AVQF22
MRF1AVQF37
Ballast:

U
Color Temp:
4K
5K
Lens:
C
L
Color:
P
C
Mounting Accessories:
LV1AYSS
LVABRSS
LVAQM
FLST1P
Accessories:
LV1ALL
LV1APC
Notes:
(22) \$150.00 Paint Set-u
MRF2AOQ
LED Model:
MRF2AOQF47
MRF2AOQF66
Ballast:
U
H
Color Temp:
4K
5K
Lens:
C
L
Color:
G

P
C
Option:
SF
DF
SP
SP
BU
Mounting Accessories:
LV2AYSS
LVABRSS
LVAQM
Replacement Parts:
3EBL120277400012V
LV2ALL
LV2APC
Notes:
(22) \$150.00 Paint Set-u
MRF4AOQ
LED Model:
MRF4AOQF112
MRF4AOQF136
Ballast:
U
H
Color Temp:
4K
5K
Lens:
C
L
Color:
P
C
Options:
SF

DF
SP
SP
BU
Mounting Accessories:
LV2AYSS
LVABRSS
LVAQM
Replacement Parts:
3EBL120277400012V
LV4ALL
LV4APC
Notes:
(22) \$150.00 Paint Set-u
(42) 112w Only
TUS2C3 Series
LED Model:
TUS2C32X10
TUS2C32X20
Ballast:
U
H
C
Color Temp:
41K
Color:
Z
C
Mount:
KN
Options:
SF
DF
SP
SP
P14
BU4

BUC4
Mounting Accessories:
FLPTF
FLSTK
Accessories:
P18110
P18112
FB1VZ
ACCHSG4
Replacement Parts:
FLSTZ
P18114
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(6) Custom Color Fee: \$2
(22) \$150.00 Paint Set-u
TUS3C3 Series
LED Model:
TUS3C34X15
TUS3C34X20
Ballast:
U
Color Temp:
41K
Color:
Z
C
Mounting:
KN
BR
SF
Options:
SF
DF
SP

P14
BU4
BUC4

Mounting Accessories:

FLPTF
FLSTK

Accessories:

P18110
P18112
ACCHSG4

Replacement Parts:

FL73BR
FL73SFX
FLSTZ
P18114
3EBLX1055190A
3EBLX10T1555CPA

Notes:

- (5) Custom Color Fee: \$1
- (6) Custom Color Fee: \$2
- (22) \$150.00 Paint Set-u

PEMCO 10% LIST
Effective June 1, 2021

Deck/Wall Light - QUICK SHIP

Description:

Deck / Wall Light AUS15-D - 360° Type F 12w

Deck / Wall Light AUS15-D - 360° Type F 17w

Deck / Wall Light AUS15-D - 180° Shield Type F 10w

Deck / Wall Light AUS15-D - 180° Shield Type F 16w

Deck / Wall Light AUS15-D - 120° Shield Type F 10w

Deck / Wall Light AUS15-D - 120° Shield Type F 16w

Factory Installed

120-277v

Factory Installed

3000K

4000K

5000K

Factory Installed

Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

Factory Installed

Black

Custom Paint Color

p Fee for quantities under 5 pcs

Austin 13 & 14 Round & Square Wall Mount Lighting - QUICK SHIP

Description:

Round Sconce Type F 16w

Round Sconce Type F 25w

Square Sconce Type F 16w

Square Sconce Type F 25w

Factory Installed

120-277v

Factory Installed

4000K

5000K

Factory Installed

Clear UV-Stabilized Polycarbonate Array Lens

SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
Button Photocell, 120-277VAC (P18103)
Battery Backup, 90 Minutes
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
120-277VAC Button Photocell
SoftLED LumaLens Opal Polycarbonate Array Lens
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

Norfolk 16" Highbay - QUICK SHIP
Description:
Optimized Highbay Type F 136w
Highbay Type F 169w
Factory Installed
120-277v
347-480v @ 136w
347-480v @ 169w
Factory Installed
5000K
Factory Installed
Clear Glass
Acrylic Conical Lens
Acrylic Drop Lens
Polycarbonate Drop Lens

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Wire Guard, fits HB44, for use with flat glass lenses (HBAR16WG)
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
16" Clampband
16" SRTaLite Clear Prismatic Acrylic Conical Lens. UV Stabilized, High-Efficiency Operation in General Applications.
16" SRTaLite Clear Prismatic Acrylic Drop Lens. UV Stabilized, High-Efficiency Operation in General Applications.
16" Tempered Clear Flat Glass Lens
16" Polycarbonate Drop Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

and, glass and gasket

p Fee for quantities under 5 pcs

Norfolk 16" Narrow Beam Aisle Light - QUICK SHIP

Description:

Optimized NOR44QI Narrow Beam (30°) 136w
 NOR44QI Narrow Beam (30°) 169w

Factory Installed

120-277v
 347-480v @ 136w
 347-480v @ 169w

Factory Installed

5000K

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
16" Clear Flat Glass Lens
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Wire Guard, fits HB44, for use with flat glass lenses (HBAR16WG)
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
16" Clampband
16" Tempered Clear Flat Glass Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

p Fee for quantities under 5 pcs

Norfolk 16" Aisle Light - QUICK SHIP
Description:
Optimized Aisle Lighter Type K 136w
Aisle Lighter Type K 169w
Factory Installed
120-277v
347-480v @ 136w
347-480v @ 169w
Factory Installed
5000K
Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

16" Clear Flat Glass Lens
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Wire Guard, fits HB44, for use with flat glass lenses (HBAR16WG)
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
16" Clampband
16" Tempered Clear Flat Glass Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

and, glass and gasket

p Fee for quantities under 5 pcs

Norfolk 22" Highbay - QUICK SHIP

Description:

Optimized Highbay Type F 225w

Highbay Type F 273w

Factory Installed

120-277v

347-480v @ 225w

347-480v @ 273w

Factory Installed

4000K

5000K

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
22" Clear Flat Glass Lens
22" SRTaLite Clear Prismatic Acrylic Conical Lens (HBCL22)
22" Acrylic Drop Lens (HBDL22)
22" Polycarbonate Drop Lens (HBPC22)
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Safety Cable, 3' Steel Cable with Clear Vinyl Coating, Steel Eye & Loop Ends
Wire Guard, fits HB45, for use with flat glass lenses.
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
22" Clampband
22" SRTaLite Clear Prismatic Acrylic Conical Lens. UV Stabilized, High-Efficiency Operation in General Applications.
22" SRTaLite Clear Prismatic Acrylic Drop Lens. UV Stabilized, High-Efficiency Operation in General Applications
22" Tempered Clear Flat Glass Lens
22" Polycarbonate Drop Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

and, glass and gasket

p Fee for quantities under 5 pcs

Norfolk 22" Narrow Beam Aisle Light - QUICK SHIP

Description:

Optimized NOR45QI Narrow Beam (30°) 225w

NOR45QI Narrow Beam (30°) 273w

Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

120-277v
347-480v @ 225w
347-480v @ 273w
Factory Installed
5000K
Factory Installed
22" Clear Flat Glass Lens
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v)
Double Fuse (120-277v)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Safety Cable, 3' Steel Cable with Clear Vinyl Coating, Steel Eye & Loop Ends
Wire Guard, fits HB45, for use with flat glass lenses.
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
22" Clampband
22" Tempered Clear Flat Glass Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

p Fee for quantities under 5 pcs

Norfolk 22" Aisle Light - QUICK SHIP
Description:
Optimized Aisle Lighter Type K 225w
Aisle Lighter Type K 273w
Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

120-277v
347-480v @ 225w
347-480v @ 273w
Factory Installed
5000K
Factory Installed
22" Clear Flat Glass Lens
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Emergency Back-up Battery w/4X5w COB, Includes Brackets, Emergency Inverter & Battery (AUC312VBB)
Ships Separately, Field Installed
Safety Cable, 3' Steel Cable with Clear Vinyl Coating, Steel Eye & Loop Ends
Wire Guard, fits HB45, for use with flat glass lenses.
Ships Separately, Field Installed
Die Cast Hook with 1" NPS Threads
22" Clampband
22" Tempered Clear Flat Glass Lens
External Microwave Sensor with Dimming, 120-277V Only. See P17116 Spec Page for Details.

and, glass and gasket

p Fee for quantities under 5 pcs

Baja Wall Mount Series - Up/Down Wall Cylinder - QUICK SHIP

Description:

Up / Down COB 40w

Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

70° Up/70° Down
100° Up/100° Down
70° Up/100° Down
30° Up/30° Down
30° Up/100° Down
30° Up / 70° Down
100° Up / 30° Down
100° Up / 70° Down
70° Up / 30° Down
Factory Installed
120-277v
347-480v
Factory Installed
4100K
Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
Button Photocell, 120-277VAC (P18103)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Ships Separately, Field Installed
120-277VAC Button Photocell
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

Setup Fee for quantities under 5 pcs

Baja Wall Mount Series - Up or Down Wall Cylinder - QUICK SHIP
Description:
Up or Down COB 20w
Factory Installed
70°

PEMCO 10% LIST
Effective June 1, 2021

100°
30°
Factory Installed
120-277v
Factory Installed
4100K
Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
Button Photocell, 120-277VAC (P18103)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Ships Separately, Field Installed
120-277VAC Button Photocell
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

ORBIT12 Small Full Cutoff Wall Pack - QUICK SHIP
Description:
Wall Pack *(Type C, F) 15w
Wall Pack *(Type C, F) 22w
Factory Installed
120-277v
347-480v
Factory Installed
4000K
5000K
Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Pencil Photocell, 120VAC (P18110)
Pencil Photocell, 277VAC (P18112)
Pencil Photocell, 120-277VAC (P18114)
Swivel Photocell, 120VAC (P18120)
Swivel Photocell, 208-277VAC (P18122)
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
120-277V, Pencil Photocell (120-277v Only)
110-130V, 120VAC Swivel Photocell (120-277v Only)
208-277V, 240VAC Swivel Photocell (120-277v Only)

p Fee for quantities under 5 pcs

ORBIT15 Medium Full Cutoff Wall Pack - QUICK SHIP
Description:
Wall Pack *(Type C, F) 25w
Wall Pack *(Type C, F) 37w
Wall Pack *(Type C, F) 50w
Factory Installed
120-277v
Factory Installed
3000K (37w, 50w Only)
4000K
5000K
Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

Clear Glass
Prismatic Glass
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Button Photocell, 120-277VAC (P18103)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Guard, Includes Hardware.
Wire Guard, Stainless Steel Construction, Includes Hardware.
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell
Tempered Clear Flat Glass Lens
Tempered Prismatic Flat Glass Lens

p Fee for quantities under 5 pcs

ORBIT20 Large Full Cutoff Wall Pack - QUICK SHIP
Description:
Wall Pack *(Type C, F) 37w
Wall Pack *(Type C, F) 56w
Factory Installed
120-277v
347-480v @ 37w
347-480v @ 56w
Factory Installed
4000K

PEMCO 10% LIST
Effective June 1, 2021

5000K
Factory Installed
Clear Flat Glass Lens
Clear Flat Prismatic Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (3EBL120277400012V)
Button Photocell, 120-277VAC (P18103)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Wire Guard, Stainless Steel Construction, Includes Hardware.
Ships Separately, Field Installed
Battery Backup, Provides 90 Minutes of Backup Power.
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell
Tempered Clear Flat Glass Lens
Tempered Prismatic Flat Glass Lens

p Fee for quantities under 5 pcs

ORBIT34 Shallow Canopy - Round - QUICK SHIP

Description:

Canopy Type F 34w

Factory Installed

120-277v

347-480v

Factory Installed

4000K

5000K

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
SoftLED Low Profile LumaLens Opal UV-Stabilized Polycarbonate Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

Crescent Wall Sconce Down Light - QUICK SHIP
Description:
Halfmoon Downlight Type C 47w
Factory Installed
120-277v
347-480v
Factory Installed
3000K
4000K
5000K
Factory Installed
Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
Button Photocell, 120-277VAC (P18103)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)
120-277VAC Button Photocell
Tempered Clear Flat Glass Lens

p Fee for quantities under 5 pcs

Wall Sconce - QUICK SHIP
Description:
Wall Sconce Type C 47w
Factory Installed
120-277v
347-480v
Factory Installed
4000K
5000K
Factory Installed
Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)

PEMCO 10% LIST
Effective June 1, 2021

Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Tempered Clear Flat Glass Lens.

p Fee for quantities under 5 pcs

ORBIT44 Small PowerPack Full Cutoff Wall Mount - QUICK SHIP

Description:

ORB44 Wall Pack Type D 17w
 ORB44 Wall Pack Type D 25w
 ORB44 Wall Pack Type D 37w
 ORB44 Wall Pack Type D 81w

Factory Installed

120-277v
 347v @ 17w, 25w
 347-480v @ 37w

Factory Installed

3000K (37w & 81w Only)
 4000K
 5000K

Factory Installed

Clear Molded UV-Stabilized Polycarbonate Lens

Factory Installed

Bronze
 Custom Paint Color

Factory Installed

Single Fuse (120-277v Only)
 Double Fuse (120-277v Only)
 Surge Protection (120-277v)
 Surge Protection (347-480v)
 3-Pin Twist Lock Photocell Receptacle (P18130)
 5-Pin Twist Lock Photocell Receptacle (P18130R5)
 7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
 Button Photocell, 120-277VAC (P18103)
 Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
 Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.
 Battery Backup, 90 Minutes (3EBL120277400012V)

Ships Separately, Field Installed

Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).
 IP65, 480V Maximum

PEMCO 10% LIST
Effective June 1, 2021

Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
Aluminum Trim Plate, Bronze Powdercoat Finish
Ships Separately, Field Installed
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell
Provides 90 Minutes of Backup Power

p Fee for quantities under 5 pcs

ORBIT45 Large PowerPack Full Cutoff Wall Mount - QUICK SHIP
Description:
PowerPack Type D 81w
PowerPack Type D 112w
PowerPack Type D 174w
Factory Installed
120-277v
347-480v @ 81w, 112w
347-480v @ 174w
Factory Installed
4000K
5000K
Factory Installed
Clear Molded UV-Stabilized Polycarbonate Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)

PEMCO 10% LIST
Effective June 1, 2021

Button Photocell, 120-277VAC (P18103)
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Battery Backup, 90 Minutes (3EBL120277400012V)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Aluminum Two-Piece Trim Plate, Bronze Powdercoat Finish, 16½" W x 8⅝" H
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell

p Fee for quantities under 5 pcs

Voyager Round High Bay
Voyager 30 Highbay - Damp Location 65w
Voyager 30 Highbay - Damp Location 100w
Voyager 30 Highbay - Damp Location 140w
Voyager 30 Highbay - Wet Location 65w
Voyager 30 Highbay - Wet Location 100w
Voyager 30 Highbay - Wet Location 140w
Factory Installed
Oval
Round
Factory Installed
120-277v
347-480v @ 65w
347-480v @ 100w, 140w

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
5000K (65w Only)
5000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Array Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Lens
Factory Installed
Bronze
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
6 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1636B)
6 Foot White Cord, 600VAC, 3 Wire, Leads (CPCS1636W)
4 Foot Black Cord, 600VAC, 3 Wire, Leads (CPCS1634B)
6 Foot White Cord, 3 Wire, L5-15P Twist-Lock Plug (CPCS1636P120W)
6 Foot White Cord, 3 Wire, L7-15P Twist-Lock Plug (CPCS1636P277W)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Ships Separately, Field Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens
Internal Microwave Sensor with Dimming for Mounting Heights of 8 to 40'. 120-277VAC, 50/60Hz
Internally Mounted Microwave On/Off Motion Sensor for Mounting Heights of 8' to 19', 120-277VAC, 50/60Hz
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

Anapolis Round Bulkhead Wall Mount -QUICK SHIP

Description:

Bulkhead Type D 12w Grid Frame
 Bulkhead Type D 12w Half Cutoff Frame
 Bulkhead Type D 12w Open Frame

PEMCO 10% LIST
Effective June 1, 2021

Bulkhead Type D 17w Grid Frame
Bulkhead Type D 17w Half Cutoff Frame
Bulkhead Type D 17w Open Frame
Bulkhead Type D 25w Grid Frame
Bulkhead Type D 25w Half Cutoff Frame
Bulkhead Type D 25w Open Frame
Factory Installed
120-277v
347v @ 12w, 17w
347-480v @ 25w
Factory Installed
3000K
4000K
5000K
Factory Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens
Factory Installed
Bronze
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Pencil Photocell, 120VAC (P18110)
Pencil Photocell, 277VAC (P18112)
Pencil Photocell, 120-277VAC (P18114)
Button Photocell, 120-277VAC (P18103)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
120-277V, Pencil Photocell (120-277v Only)

PEMCO 10% LIST
Effective June 1, 2021

p Fee for quantities under 5 pcs

Anapolis Square Bulkhead Wall Mount - QUICK SHIP

Description:

Bulkhead Type IV 12w Grid Frame
Bulkhead Type IV 12w Half Cutoff Frame
Bulkhead Type IV 12w Open Frame
Bulkhead Type IV 17w Grid Frame
Bulkhead Type IV 17w Half Cutoff Frame
Bulkhead Type IV 17w Open Frame
Bulkhead Type IV 25w Grid Frame
Bulkhead Type IV 25w Half Cutoff Frame
Bulkhead Type IV 25w Open Frame

Factory Installed

120-277v
347v-480v @ 12w, 17w
347-480v @ 25w

Factory Installed

3000K
4000K
5000K

Factory Installed

SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens
--

Factory Installed

Bronze
White
Custom Paint Color

Factory Installed

Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Pencil Photocell, 120VAC (P18110)
Pencil Photocell, 277VAC (P18112)
Pencil Photocell, 120-277VAC (P18114)
Button Photocell, 120-277VAC (P18103)

PEMCO 10% LIST
Effective June 1, 2021

Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
120-277VAC Button Photocell
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
120-277V, Pencil Photocell (120-277v Only)

p Fee for quantities under 5 pcs

1AHQ, VAP1AVQ - QUICK SHIP

Description:
VAP1AO Type F 22w Open Face - Class 1 Div 2 Certified
VAP1AO Type F 37w Open Face - Class 1 Div 2 Certified
VAP1AH Type F 22w Horizontal Cutoff Frame - Class 1 Div 2 Certified
VAP1AH Type F 37w Horizontal Cutoff Frame - Class 1 Div 2 Certified
VAP1AV Type F 22w Vertical Cutoff Frame - Class 1 Div 2 Certified
VAP1AV Type F 37w Vertical Cutoff Frame - Class 1 Div 2 Certified
Factory Installed
120-277v
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (LV1ALL)
Factory Installed
Platinum
Custom Paint Color
Ships Separately, Field Installed
Stainless Steel Yokes for LV1A, Includes Hardware.
Stainless Steel Adjustable Bracket (includes 2 brackets)

PEMCO 10% LIST
Effective June 1, 2021

p Fee for quantities under 5 pcs

Hazardous Location EasyLED 24" Linear - QUICK SHIP

Description:

VAP2AO Type F 47w - Class 1 Div 2 Certified

VAP2AO Type F 66w - Class 1 Div 2 Certified

Factory Installed

120-277v

347-480v

Factory Installed

4000K

5000K

Factory Installed

Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (LV2ALL)

Factory Installed

Platinum

Custom Paint Color

Ships Separately, Field Installed

Stainless Steel Yokes for LV2A, Includes Hardware

Stainless Steel Adjustable Bracket **(includes 2 brackets)**

p Fee for quantities under 5 pcs

Hazardous Location EasyLED 48" Linear LED Die Cast - QUICK SHIP

Description:

VAP4AO Type F 112w - Class 1 Div 2 Certified

VAP4AO Type F 136w - Class 1 Div 2 Certified

Factory Installed

120-277v

347-480v

Factory Installed

4000K

5000K

Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (LV4ALL)
Factory Installed
Platinum
Custom Paint Color
Ships Separately, Field Installed
Stainless Steel Yokes for LV4A, Includes Hardware (requires 2)
Wall Mount Bracket for LV Series Linear Die Cast (includes 2 brackets)

p Fee for quantities under 5 pcs

Hazardous Location Explosion Proof Luminaire - QUICK SHIP

Description:
VAP15 Type F 57w 120-277v 4000K Clear Tempered Glass Lens Gray
VAP15 Type F 57w 120-277v 5000K Clear Tempered Glass Lens Gray
Ships Separately, Field Installed
Hazardous Fixture Sand Cast Suspended
Hazardous Fixture Sand Cast Wiring Box (HL15CMG)
Hazardous Fixture Sand Cast 25° Wall Mount Arm (require the Wiring Box) (HL15W25G)
Hazardous Fixture Sand Cast 90° Wall Mount Arm (require the Wiring Box) (HL15W90G)
Hazardous Fixture Sand Cast Stanchion 25° Mount Arm (HL15S25G)
Hazardous Fixture Sand Cast Stanchion 90° Mount Arm (HL15S90G)
Hazardous Fixture Sand Cast Yoke Mount, Grey (HL15YG)
Factory Installed
Surge Protection (120-277v)

Hazardous Location Explosion Proof Flood - QUICK SHIP

Description:
VAP25Q Type F 132w 120-277v 4000K Clear Tempered Glass Lens Gray w/Adjustable Yoke
VAP25Q Type F 132w 120-277v 5000K Clear Tempered Glass Lens Gray w/Adjustable Yoke
Factory Installed
Surge Protection (120-277v)

PEMCO 10% LIST
Effective June 1, 2021

Small KEYI with Shade and Gosseneck Arm - QUICK SHIP

Description:

HRN 1 Type F 23w

Factory Installed

120-277v

Factory Installed

5000K

Factory Installed

Clear Prismatic Array Lens

Factory Installed

Platinum (RAL9006)

Black (RAL9011)

Red (RAL3020)

White (RAL9016)

Custom Paint Color

Factory Installed

Fixed Downlight, Includes 72" of Wire for Arm Feed Through to Wall Box

Adjustable Swivel Includes 72" of Wire for Arm Feed Through to Wall Box

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

Ships Separately, Field Installed

Classic Hook Arm, 36" Standard Length

Straight Arm, 30" Standard Length

Straight Offset Arm, 30" Standard Length

Straight Rise Arm, 30" Standard Length

Round Hook Arm, 30" Standard Length

Factory Installed

Platinum (RAL9006)

Black (RAL9011)

Red (RAL3020)

White (RAL9016)

Custom Paint Color

Ships Separately, Field Installed

Round Wall Mount

Square Oversized Wall Mount

PEMCO 10% LIST
Effective June 1, 2021

No Wall Mount
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount Plate, Powdercoat Finish
Square Oversized Wall Mount Plate, Powdercoat Finish.

p Fee for quantities under 5 pcs

HRN2 Pendant Mount Vaporproof - Gooseneck Series - QUICK SHIP
Description:
HRN2 Type F 23w
Factory Installed
120-277v
Factory Installed
4000K
5000K
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
Fixed Downlight, Includes 72" of Wire for Arm Feed Through to Wall Box
Adjustable Swivel Includes 72" of Wire for Arm Feed Through to Wall Box
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Ships Separately, Field Installed
Classic Hook Arm, 36" Standard Length
Straight Arm, 30" Standard Length

PEMCO 10% LIST
Effective June 1, 2021

Straight Offset Arm, 30" Standard Length
Straight Rise Arm, 30" Standard Length
Round Hook Arm, 30" Standard Length
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount
Square Oversized Wall Mount
No Wall Mount
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Angled Stamped Aluminum Shade, Platinum
Straight Stamped Aluminum Shade, Platinum
Ships Separately, Field Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount Plate, Powdercoat Finish
Square Oversized Wall Mount Plate, Powdercoat Finish.

p Fee for quantities under 5 pcs
e for Arm-Feed-Through

Small Flood Light - Gooseneck Series - QUICK SHIP
Description:
Flood COB 18w

PEMCO 10% LIST
Effective June 1, 2021

Factory Installed
120-277v
Factory Installed
4000K
5000K
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
1/2" NPS Knuckle with Fittings and 72" of Wire for Arm Feed Through to Wall Box
Ships Separately, Field Installed
Classic Hook Arm, 36" Standard Length
Straight Arm, 30" Standard Length
Straight Offset Arm, 30" Standard Length
Straight Rise Arm, 30" Standard Length
Round Hook Arm, 30" Standard Length
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount
Square Oversized Wall Mount
No Wall Mount
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Aluminum Glare Shield, Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed

PEMCO 10% LIST
Effective June 1, 2021

Round Wall Mount Plate, Powdercoat Finish
Square Oversized Wall Mount Plate, Powdercoat Finish.

p Fee for quantities under 5 pcs

reducer Fittings and 72" of wire for Arm-Feed-Through

LED Bullet - Gooseneck Series - QUICK SHIP
Description:
Pendant / Area / Flood COB 20w 70° Reflector
Pendant / Area / Flood COB 20w 100° Reflector
Pendant / Area / Flood COB 20w 30° Reflector
Factory Installed
120-277v
Factory Installed
4100K
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
1/2" NPS Knuckle with Fittings and 72" of Wire for Arm Feed Through to Wall Box
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Ships Separately, Field Installed
Classic Hook Arm, 36" Standard Length
Straight Arm, 30" Standard Length
Straight Offset Arm, 30" Standard Length
Straight Rise Arm, 30" Standard Length
Round Hook Arm, 30" Standard Length
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)

PEMCO 10% LIST
Effective June 1, 2021

White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount
Square Oversized Wall Mount
No Wall Mount
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
Die-Cast Rotatable Visor, Powdercoat Finish
Ships Separately, Field Installed
Round Wall Mount Plate, Powdercoat Finish
Square Oversized Wall Mount Plate, Powdercoat Finish.

p Fee for quantities under 5 pcs
e for Arm-Feed-Through

HRN5 Area Light - Gooseneck Series - QUICK SHIP
Description:
HRN 5 15 Type C 22w
HRN 5 15 Type F 22w
HRN 5 15 Narrow Beam (30°) 22w
HRN 5 15 Type C 37w
HRN 5 15 Type F 37w
HRN 5 15 Narrow Beam (30°) 37w
Optimized HRN 5 15 Type C 56w
Optimized HRN 5 15 Type F 56w
Factory Installed
120-277v
347v @ 37w Only
347v @ 37w (Narrow Beam Only)
Factory Installed
3000K (22w C, F Optic, 37w F Optic Only)
4000K (Use with C, F Optic Only)

PEMCO 10% LIST
Effective June 1, 2021

5000K
Factory Installed
Standard Clear Flat Glass Lens
SoftLED Flat Glass Lens (KH15GLSS)
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
½" NPS Knuckle with Fittings and 72" of Wire for Arm Feed Through to Wall Box.
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Ships Separately, Field Installed
Classic Hook Arm, 36" Standard Length
Straight Arm, 30" Standard Length
Straight Offset Arm, 30" Standard Length
Straight Rise Arm, 30" Standard Length
Round Hook Arm, 30" Standard Length
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Ships Separately, Field Installed
Round Wall Mount
Square Oversized Wall Mount
No Wall Mount
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color

PEMCO 10% LIST
Effective June 1, 2021

Ships Separately, Field Installed
120-277VAC Button Photocell
Aluminum Glare Shield, Powdercoat Finish, Includes Hardware
Wire Guard, Stainless Steel Construction, Includes Hardware.
Ships Separately, Field Installed
Tempered Clear Flat Glass Lens
SoftLED Flat Glass Lens
Ships Separately, Field Installed
Round Wall Mount Plate, Powdercoat Finish
Square Oversized Wall Mount Plate, Powdercoat Finish.

p Fee for quantities under 5 pcs

coupler, Reducer Fittings and 72" of wire for Arm-Feed-Through

ic Only

1' Linear LED Die Cast, Open Frame - Gooseneck Series - QUICK SHIP
Description:
HRN 6 Type F 22w
HRN 6 Type F 37w
Factory Installed
120-277v
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens
Factory Installed
Platinum (RAL9006)
Black (RAL9011)
Red (RAL3020)
White (RAL9016)
Custom Paint Color
Factory Installed
½" NPS Knuckle with Fittings and 72" of Wire for Arm Feed Through to Wall Box.

PEMCO 10% LIST
Effective June 1, 2021

Ships Separately, Field Installed	
Classic Hook Arm, 36" Standard Length	
Straight Arm, 30" Standard Length	
Straight Offset Arm, 30" Standard Length	
Straight Rise Arm, 30" Standard Length	
Round Hook Arm, 30" Standard Length	
Factory Installed	
Platinum (RAL9006)	
Black (RAL9011)	
Red (RAL3020)	
White (RAL9016)	
Custom Paint Color	
Ships Separately, Field Installed	
Round Wall Mount	
Square Oversized Wall Mount	
No Wall Mount	
Factory Installed	
Platinum (RAL9006)	
Black (RAL9011)	
Red (RAL3020)	
White (RAL9016)	
Custom Paint Color	
Factory Installed	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens	
Ships Separately, Field Installed	
Round Wall Mount Plate, Powdercoat Finish	
Square Oversized Wall Mount Plate, Powdercoat Finish.	

p Fee for quantities under 5 pcs

coupler, Reducer Fittings and 72" of wire for Arm-Feed-Through

LED Wallpack - QUICK SHIP	
Description:	
BERM30Q Type D 14w	
BERM30Q Type F 14w	
BERM30Q Type D 22w	
BERM30Q Type F 22w	
Factory Installed	

PEMCO 10% LIST
Effective June 1, 2021

120-277v
347v @ 14w Only
Factory Installed
33000K
4000K
5000K
Factory Installed
Clear Molded UV-Stabilized Polycarbonate Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Button Photocell, 120-277VAC (P18103)
Ships Separately, Field Installed
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
120-277VAC Button Photocell
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

F1AHQ, MRF1AVQ Utility Room 12" Linear LED Die Cast - QUICK SHIP

Description:
MRF1AO Type F 22w Open Frame
MRF1AO Type F 37w Open Frame
MRF1AH Type F 22w Horizontal Cutoff Frame
MRF1AH Type F 37w Horizontal Cutoff Frame
MRF1AV Type F 22w Vertical Cutoff Frame
MRF1AV Type F 37w Vertical Cutoff Frame
Factory Installed

PEMCO 10% LIST
Effective June 1, 2021

120-277v
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (LV1ALL)
Factory Installed
Platinum
Custom Paint Color
Ships Separately, Field Installed
Stainless Steel Yokes for LV1A, Includes Hardware.
Stainless Steel Adjustable Bracket (includes 2 brackets)
Stainless Steel Quick Mount Bracket
½" NPS Threaded Adjustable Knuckle, Gray Finish
Ships Separately, Field Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

p Fee for quantities under 5 pcs

Utility Room 24" Linear LED Die Cast - QUICK SHIP
Description:
MRF2AO Type F 47w
MRF2AO Type F 66w
Factory Installed
120-277v
347-480v
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal- Resistant Lens (LV2ALL)
Factory Installed
Gray

PEMCO 10% LIST
Effective June 1, 2021

Platinum
Custom Paint Color
Factory Installed
Single Fuse (120-277V Only)
Double Fuse (120-277V Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Stainless Steel Yokes for LV2A, Includes Hardware
Stainless Steel Adjustable Bracket (includes 2 brackets)
Stainless Steel Quick Mount Bracket (2 required)
Ships Separately, Field Installed
Battery Backup, Provides 90 Minutes of Backup Power.
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

p Fee for quantities under 5 pcs

Utility Room 48" Linear LED Die Cast - QUICK SHIP
Description:
MRF4AO Type F 112w
MRF4AO Type F 136w
Factory Installed
120-277v
347-480v
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (LV4ALL)
Factory Installed
Platinum
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)

PEMCO 10% LIST
Effective June 1, 2021

Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Battery Backup, 90 Minutes (3EBL120277400012V)
Ships Separately, Field Installed
Stainless Steel Yokes for LV4A, Includes Hardware (2 required)
Stainless Steel Adjustable Bracket (includes 2 brackets)
Stainless Steel Quick Mount Bracket (2 required)
Ships Separately, Field Installed
Battery Backup, Provides 90 Minutes of Backup Power.
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

p Fee for quantities under 5 pcs

Tustin Series Wall Mounting Lighting COB -20w/40w - QUICK SHIP
Description:
Tustin COB 20w
Tustin COB 40w
Factory Installed
120-277v
347-480v
347v (40w Only)
Factory Installed
4100K
Factory Installed
Bronze
Custom Paint Color
Ships Separately, Field Installed
½" NPS Knuckle
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Pencil Photocell, 120-277VAC (P18114)
Battery Backup, 90 Minutes

PEMCO 10% LIST
Effective June 1, 2021

Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Die-cast Post Top Fitter for 2½" to 3½" Poles, Bronze Powdercoat Finish, Three (3) ½" Coin Plugs
Heavy Duty Ground Stake, Built-in Wiring Compartment with ½" NPS Threaded Fitting, Black Plastic
Ships Separately, Field Installed
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
Die-Cast Rotatable Visor, Bronze Powdercoat Finish.
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
Die-Cast Adjustable Knuckle with 1/2" NPS Threads, Bronze Powdercoat Finish.
120-277V, Pencil Photocell (120-277v Only)
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

0.00

p Fee for quantities under 5 pcs

Tustin Series Wall Mounting Lighting COB -60w/80w - QUICK SHIP

Description:
Tustin COB 60w
Tustin COB 80w
Factory Installed
120-277v
Factory Installed
4100K
Factory Installed
Bronze
Custom Paint Color
Ships Separately, Field Installed
1/2" NPS Knuckle (FLST)
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)

PEMCO 10% LIST
Effective June 1, 2021

Pencil Photocell, 120-277VAC (P18114)
Battery Backup, 90 Minutes
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Die-cast Post Top Fitter for 2¾" to 3½" Poles, Bronze Powdercoat Finish, Three (3) ½" Coin Plugs
Heavy Duty Ground Stake, Built-in Wiring Compartment with ½" NPS Threaded Fitting, Black Plastic
Ships Separately, Field Installed
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware
External Mount Die-Cast Adjustable Slipfitter for 2¾" Tenons, Bronze Powdercoat Finish, Includes Hardware
Stem with gasket and wires with four holes
120-277V, Pencil Photocell (120-277v Only)
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

15.00

10.00

p Fee for quantities under 5 pcs

--

Note:	10%
	NC
	NC
14	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$27
	\$207
	\$255
Note:	10%
1	\$70
Note:	10%
	\$25
	\$13
	\$142
	\$194
Note:	10%
20	\$347
20	\$347
Note:	10%
	NC
	\$106
	\$87
Note:	10%
	NC
Note:	10%
	NC
	\$44
	\$53
	\$53

Note:	10%
	NC
Note:	10%
	NC
22	\$75
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$88
	\$13
	\$13
	\$11
	\$29
	\$32
	\$301
Note:	10%
	\$37
Note:	10%
	\$9
	\$19
	\$24
	\$90
Note:	10%
20	\$362
20	\$362
Note:	10%
	NC
	\$106
	\$87
Note:	10%
	NC
Note:	10%

	NC
Note:	10%
	NC
22	\$75
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$88
	\$13
	\$13
	\$11
	\$29
	\$32
	\$301
Note:	10%
	\$37
Note:	10%
	\$9
	\$19
	\$24
	\$90
Note:	10%
20	\$515
20	\$515
Note:	10%
	NC
	\$111
	\$106
Note:	10%
	NC
	NC

Note:	10%
	NC
	\$57
	\$70
	\$60
Note:	10%
	NC
22	\$85
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$88
	\$13
	\$13
	\$11
	\$29
	\$32
	\$301
Note:	10%
	\$19
	\$46
Note:	10%
	\$9
	\$23
	\$53
	\$66
	\$32
	\$56
	\$90
Note:	10%
	\$515
	\$559
Note:	10%

	NC
	\$111
	\$106
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$85
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$88
	\$13
	\$13
	\$11
	\$29
	\$32
	\$301
Note:	10%
	\$19
	\$46
Note:	10%
	\$9
	\$23
	\$32
	\$90
Note:	10%
20	\$537
20	\$582
Note:	10%

	NC
	\$111
	\$106
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$85
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$88
	\$13
	\$13
	\$11
	\$29
	\$32
	\$301
Note:	10%
	\$19
	\$46
Note:	10%
	\$9
	\$23
	\$32
	\$90
Note:	10%
1	\$207
Note:	10%

[illegible]

	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC
14	\$70
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$27
	\$136
	\$184
Note:	10%
	\$25
	\$142
	\$194
Note:	10%
	\$138
	\$138
Note:	10%
	NC
	\$37
Note:	10%
	NC
	NC
Note:	10%

	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$136
	\$184
	\$15
	\$15
	\$23
	\$15
	\$15
Note:	10%
	\$142
	\$194
	\$10
	\$10
	\$19
	\$10
	\$10
Note:	10%
	\$185
	\$185
	\$185
Note:	10%
	NC
Note:	10%
	NC
	NC
	NC
Note:	10%

	NC
21	\$20
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$136
	\$184
	\$27
	\$50
	\$30
Note:	10%
	\$25
	\$22
Note:	10%
	\$142
	\$194
	\$49
	\$28
	\$25
	\$8
	\$16
Note:	10%
	\$251
	\$251
Note:	10%
	NC
	\$25
	\$106
Note:	10%
	NC

	NC
Note:	10%
	NC
21	\$12
Note:	10%
	NC
22	\$70
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$154
	\$27
	\$50
	\$30
Note:	10%
	\$22
Note:	10%
	\$150
	\$49
	\$28
	\$25
	\$8
	\$8
Note:	10%
	\$185
Note:	10%
	NC
	\$25
Note:	10%
	NC
	NC

Note:	10%
	NC
Note:	10%
	NC
22	\$40
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$136
	\$184
	\$50
	\$30
Note:	10%
	\$49
	\$28
	\$142
	\$194
Note:	10%
	\$331
Note:	10%
	NC
	\$93
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
14	\$60

Note:	10%
	\$17
	\$37
	\$14
	\$27
	\$24
	\$126
Note:	10%
	\$142
	\$25
	\$10
Note:	10%
	\$450
Note:	10%
	NC
	\$93
Note:	10%
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$136
	\$184
Note:	10%
	\$142

	\$23
	\$11
	\$11
	\$11
	\$17
	\$13
Note:	10%
	\$11
	\$49
	\$28
	\$25
54, 55	\$150
Note:	10%
	\$455
	\$491
	\$536
Note:	10%
	NC
	\$87
	\$117
Note:	10%
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$29

1	\$184
1	\$184
1	\$184
1	\$215
1	\$215
1	\$215
Note:	10%
	NC
	\$12
	\$50
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
22	\$60
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$136
	\$184
	\$15
	\$15
	\$23
	\$27
	\$50
	\$30
Note:	10%
	\$142
	\$194
	\$49
	\$28
	\$25
	\$10
	\$10
	\$19

	10%
1	\$177
1	\$177
1	\$177
1	\$184
1	\$184
1	\$184
1	\$215
1	\$215
1	\$215
Note:	10%
	NC
	\$12
	\$50
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
	NC
22	\$60
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$136
	\$184
	\$15
	\$15
	\$23
	\$27

	\$50
	\$30
Note:	10%
	\$142
	\$194
	\$49
	\$28
	\$25
	\$10
	\$10
	\$19
Note:	10%
	\$329
	\$340
	\$336
	\$347
	\$336
	\$347
Note:	10%
	NC
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$23
Note:	10%
	NC
22	\$55
Note:	10%
	\$9
	\$34

Note:	10%
	\$455
	\$491
Note:	10%
	NC
	\$93
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$32
Note:	10%
	NC
22	\$65
Note:	10%
	\$13
	\$34
Note:	10%
	\$818
	\$853
Note:	10%
	NC
	\$106
Note:	10%
	NC
	NC
Note:	10%

	NC
	\$51
Note:	10%
	NC
22	\$75
Note:	10%
	\$13
	\$34
Note:	10%
	\$445
	\$445
Note:	10%
	NC
	\$51
	\$89
	\$89
	\$54
	\$54
	\$26
Note:	10%
	\$16
Note:	10%
	\$734
	\$734
Note:	10%
	\$16

Note:	10%
	\$247
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$60
Note:	10%
	NC
	\$25
Note:	10%
	\$18
	\$38
Note:	10%
1	\$74
1	\$70
1	\$76
1	\$76
1	\$74
Note:	10%
	NC
	NC
	NC
	NC
22	\$25
Note:	10%
1	\$46
1	\$73

	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$20
Note:	10%
1	\$46
1	\$73
Note:	10%
1, 26	\$285
Note:	10%
	NC
Note:	10%
	NC
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$75
Note:	10%
	NC
	\$46
Note:	10%
	\$18
	\$38
Note:	10%
1	\$74
1	\$70

1	\$76
1	\$76
1	\$74
Note:	10%
	NC
	NC
	NC
	NC
22	\$25
Note:	10%
1	\$46
1	\$73
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$20
Note:	10%
1	\$51
1	\$54
Note:	10%
	NC
	NC
	NC
	NC
22	\$25
Note:	10%
1	\$46
1	\$73
Note:	10%
1, 26	\$189

Note:	10%
	NC
Note:	10%
	NC
	NC
Note:	10%
	NC
	NC
	NC
	NC
	\$50
Note:	10%
	NC
Note:	10%
1	\$74
1	\$70
1	\$76
1	\$76
1	\$74
Note:	10%
	NC
	NC
	NC
	NC
22	\$25
Note:	10%
1	\$46
1	\$73
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$20
Note:	10%
1	\$13
Note:	10%

1	\$46
1	\$73
Note:	10%
1, 26	\$239
1, 26	\$256
1, 26	\$285
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$60
Note:	10%
	NC
Note:	10%
	\$18
	\$38
	\$16
Note:	10%
1	\$74
1	\$70
1	\$76
1	\$76
1	\$74
Note:	10%
	NC
	NC
	NC

	NC
Note:	10%
	NC
	\$15
Note:	10%
	NC
	NC
	NC
	NC
22	\$80
Note:	10%
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
Note:	10%
1	\$74
1	\$70
1	\$76
1	\$76
1	\$74
Note:	10%
	NC
	NC
	NC
	NC
22	\$25
Note:	10%
1	\$46
1	\$73
	NC
Note:	10%
	NC
	NC
	NC
	NC
22	\$20

[illegible]

[illegible]

[illegible]

	NC
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$23
Note:	10%
	NC
22	\$55
Note:	10%
	\$9
	\$34
	\$22
	\$8
Note:	10%
	\$19
	\$17
	10%
	\$285
	\$311
Note:	10%
	NC
	\$93
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$32
Note:	10%
	NC

	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$154
Note:	10%
	\$13
	\$34
	\$22
Note:	10%
	\$150
	\$28
	\$31
Note:	10%
	\$567
	\$594
Note:	10%
	NC
	\$106
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$51
Note:	10%
	NC
22	\$75
Note:	10%
	\$18

	\$38
	\$16
	\$29
42	\$154
Note:	10%
	\$13
	\$34
	\$22
Note:	10%
42	\$150
	\$47
	\$54
Note:	10%
	\$117
	\$125
Note:	10%
	NC
	\$37
	\$25
Note:	10%
	NC
Note:	10%
	NC
22	\$60
Note:	10%
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$23
	\$207

	\$255
Note:	10%
	\$23
	\$42
Note:	10%
	\$10
	\$10
6	\$16
1	\$70
Note:	10%
	\$16
	\$19
	\$142
	\$194
Note:	10%
	\$194
	\$210
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
6	NC
5	\$27
6	\$50
Note:	10%
	\$18
	\$38
	\$16

	\$23
	\$207
	\$255
Note:	10%
	\$23
	\$42
Note:	10%
	\$10
	\$10
1	\$70
Note:	10%
5	\$23
6	\$46
	\$16
	\$19
	\$142
	\$194

HAR1

Model:
HAR1
HAR1
HAR1
HAR1
Spinning:
B1
B2
Globe/Lens:
NL
TG
FG
Options:
PC
H
Finish:
Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

HAR2

Model:
HAR2
HAR2
HAR2
HAR2
HAR2
HAR2
HAR2
HAR2
HAR2
Spinning:
B1
B2
Globe/Lens:
ADG

ASG
GL
DG
Mounting:
WM
PEN
Options:
PC
H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
OXF1
Model:
OXF1
OXF1
OXF1
Globe/Lens:
PDG
ACS
ADG
PSS
NL
Capital:
PLC5
Shades/Spinning:
C1
C2
C3
C4
W
Options:
PC

Finish:

Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

LUC 1

Model:

LUC 1

LUC 1

LUC 1

Spinning:

PM-2

PM-1

Globe/Lens:

NL

CA

CP

Options:

PC

Finish:

Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

VIC1

Model:

VIC1

VIC1

VIC1

VIC1

VIC1

VIC1

VIC1

VIC1

VIC1
Spinning:
SKT
Globe/Lens:
ADG
ASG
DPG
PDG
PSG
Options:
PC
H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
VIC2
Model:
VIC2
VIC2
VIC2
VIC2
VIC2
VIC2
VIC2
VIC2
VIC2
Spinning:
SKT
Globe/Lens:
ADG
ASG
DPG
PDG
PSG

Options:

PC

H

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

VIC3

Model:

VIC3

VIC3

VIC3

VIC3

Globe/Lens:

NL

Spinning:

N

SKT

Options:

PC

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

VIC4

Model:

VIC4

VIC4

VIC4

VIC4

Globe/Lens:
NL
Spinning:
N
SKT
Options:
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
MESA
Model:
MESA
MESA
MESA
MESA
Shades:
D1
D2
D3
D4
D5
Globe/Lens:
NL
Midsections & Accents:
SMS
4W
16W
LM
NMS
CR
Mounting:
PEN
SMPR
SMPS

SMW
Options:
PC
H
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
SOF3
Model:
SOF3
SOF3
SOF3
SOF3
Globe/Lens:
NL
Options:
H
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
SHG1
Model:
SHG1
SHG1
Globe/Lens:
NL
AM

Options:

H

PC

LG

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

SHG2

Model:

SHG2

SHG2

Globe/Lens:

NL

AM

Options:

H

PC

LG

Finish:

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one tir

JUP 2

Model:

JUP2

JUP2

JUP2

JUP2

Globe/Lens:

NL

Mounting:
PEN
Options:
PC
Finish:
Notes: (1) 347/480v driver - Add (2) Custom Color - one tir
ANA
Model:
ANA
ANA
ANA
ANA
Shades:
W1
W2
W4
Globe/Lens:
NL
Midsections & Accents:
SMS
4W
16W
LM
CR
NMS
Mounting:
PEN
SMPR
SMPS
SMW
Options:
PC
H

S2
Finish:
Notes:
(1) 347/480v driver - Add
(2) Custom Color - one tir

PEMCO PRICE LIST
Effective June 1, 2021

Harvard 1 Pendant Luminaire

Description:	Note:
Harvard 1 Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Harvard 1 Pendant LED - 12" Radiant™ 60W, 70W, 80W	1
Harvard 1 Pendant LED - 13" Radiant™ 90W, 105W, 135W	1
Harvard 1 Pendant LED - Amber, LPS, 22K LED	1
	Note:
Wide shade	
Narrow shade	
	Note:
No Lens	
Clear Flat Glass Lens	
Frosted Flat Glass Lens	
Factory Installed	Note:
Photo Control Button Type	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

no set up fee of \$500; plus 10% per piece adder

Harvard 2 Pendant Luminaire

Description:	Note:
Harvard 2 Opti-FLUX LED - 32W	1
Harvard 2 Opti-FLUX LED - 40W	1
Harvard 2 Opti-FLUX LED - 48W	1
Harvard 2 Opti-FLUX LED - 56W	1
Harvard 2 Opti-FLUX LED - 64W	1
Harvard 2 Opti-FLUX LED - 72W	1
Harvard 2 Opti-FLUX LED - 80W	1
Harvard 2 Opti-FLUX LED - 88W	1
Harvard 2 Opti-FLUX LED - 96W	1
	Note:
Wide shade	
Narrow shade	
	Note:
Clear Acrylic, Deep Globe	

PEMCO PRICE LIST
Effective June 1, 2021

Clear Acrylic, Short Globe	
Glass Lens Short - Type III, V	
Deep Glass Lens - Type III, V	
	Note:
Wall Mount (must select arm)	
Pendant Mount (must select arm)	
Factory Installed	Note:
Photo Control Button Type	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

--

Oxford 1 Luminaire

Description:	Note:
Oxford 1 LED - 6" Radiant 10W, 15W, 20W, 30W	1
Oxford 1 LED - 8" Radiant™ 40W, 50W, 60W	1
Oxford 1 Pendant LED - Amber, LPS, 22K LED	1
	Note:
Polycarbonate Deep Stipple Globe (standard)	
Acrylic Short Stipple Globe	
Acrylic Deep Stipple Globe	
Polycarbonate Short Stipple Globe	
No Lens	
	Note:
PLC5 Capital	
Any other capital choice	
	Note:
23" shade	
26" shade	
18" shade	
21" shade	
White finish underneath shade	
Factory Installed	Note:
Photo Control Button Type	

PEMCO PRICE LIST
Effective June 1, 2021

	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Lucia 1 Pendant Luminaire

Description:	Note:
Lucia Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Lucia Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Lucia Pendant LED - Amber, LPS, 22K LED	1
	Note:
Double shade (standard) Fixture comes with double shade as pictured above.	
Single shade	
	Note:
No Lens	
Clear Acrylic	
Clear Polycarbonate	
Factory Installed	Note:
Photo Control	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Victoria 1 Pendant Luminaire

Description:	Note:
Victoria 1 Optiflux™ LED - 32W	1
Victoria 1 Optiflux™ LED - 40W	1
Victoria 1 Optiflux™ LED - 48W	1
Victoria 1 Optiflux™ LED - 56W	1
Victoria 1 Optiflux™ LED - 64W	1
Victoria 1 Optiflux™ LED - 72W	1
Victoria 1 Optiflux™ LED - 80W	1
Victoria 1 Optiflux™ LED - 88W	1

PEMCO PRICE LIST
Effective June 1, 2021

Victoria 1 Optiflux™ LED - 96W	1
	Note:
Spun Short Skirt	
	Note:
Clear Acrylic Deep Globe	
Clear Acrylic Short Globe	
Deep Borosilicate Glass	
Polycarbonate Deep Globe	
Polycarbonate Short Globe	
Factory Installed	Note:
Photo Control Button Type	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
no set up fee of \$500; plus 10% per piece adder

Victoria 2 Pendant Luminaire

Description:	Note:
Victoria 2 Optiflux™ LED - 32W	1
Victoria 2 Optiflux™ LED - 40W	1
Victoria 2 Optiflux™ LED - 48W	1
Victoria 2 Optiflux™ LED - 56W	1
Victoria 2 Optiflux™ LED - 64W	1
Victoria 2 Optiflux™ LED - 72W	1
Victoria 2 Optiflux™ LED - 80W	1
Victoria 2 Optiflux™ LED - 88W	1
Victoria 2 Optiflux™ LED - 96W	1
	Note:
Spun Short Skirt	
	Note:
Clear Acrylic Deep Globe	
Clear Acrylic Short Globe	
Deep Borosilicate Glass,	
Polycarbonate Deep Globe	
Polycarbonate Short Globe	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
Photo Control Button Type	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Victoria 3 Pendant Luminaire

Description:	Note:
Victoria 3 Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Victoria 3 Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Victoria 3 Pendant LED - 13" Radiant™ 105W, 120W, 135W	1
Victoria 3 Pendant LED - Amber, LPS, 22K LED	1
	Note:
No Secondary Lens	
	Note:
No Skirt	
Spun Short Skirt	
Factory Installed	Note:
Photo Control Button Type	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Victoria 4 Pendant Luminaire

Description:	Note:
Victoria 4 Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Victoria 4 Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Victoria 4 Pendant LED - 13" Radiant™ 105W, 120W, 135W	1
Victoria 4 Pendant LED - Amber, LPS, 22K LED	1

PEMCO PRICE LIST
Effective June 1, 2021

	Note:
No Secondary Lens	
	Note:
No Skirt	
Spun Short Skirt	
Factory Installed	Note:
Photo Control Button Type	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder



Mesa Pendant Luminaire

Description:	Note:
Mesa Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Mesa Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Mesa Pendant LED - 13" Radiant™ 105W, 120W, 135W	1
Mesa Pendant LED - Amber, LPS, 22K LED	1
	Note:
Flared	
Shallow Tapered	
Beveled	
Deep Tapered	
Narrow Tapered	
	Note:
No Secondary Lens	
Factory Installed	Note:
Solid midsection	
Four window midsection	
Sixteen window midsection	
Louvered midsection	
No Midsection	
Cast Rings (4)	
	Note:
Top Mount (standard)	
Side Mount, round pole	
Side Mount, square pole	

PEMCO PRICE LIST
Effective June 1, 2021

Side Mount, wall	
Factory Installed	Note:
Photo Control Button Type	
House Side Shield	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Sofia 3 Pendant Luminaire	
Description:	Note:
Sofia 3 Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Sofia 3 Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Sofia 3 Pendant LED - 13" Radiant™ 105W, 120W, 135W	1
Sofia 3 Pendant LED - Amber, LPS, 22K LED	1
	Note:
No Secondary Lens	
Factory Installed	Note:
House Side Shield	
Photo Control Button Type	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder

Shady Grove 1 Top Entry Pendant Luminaire	
Description:	Note:
Shady Grove 1 Pendant LED 6" Radiant 10W, 15W, 20W, 30W	1
Shady Grove 1 Pendant LED - Amber, LPS, 22K LED	1
	Note:
No secondary lens	
Amber LED	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
House Side Shield	
Photo Control Button Type	
Cast Aluminum Lens Guard	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder



Shady Grove 2 Side Entry Luminaire

Description:	Note:
Shady Grove 2 Side Entry LED 6" Radiant 10W, 15W, 20W, 30W	1
Shady Grove 2 Side Entry LED - Amber, LPS, 22K LED	1
	Note:
No secondary lens	
Amber LED	
Factory Installed	Note:
House Side Shield	
Photo Control Button Type	
Cast Aluminum Lens Guard	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
ne set up fee of \$500; plus 10% per piece adder



Jupiter 2 Pendant Mount

Description:	Note:
Jupiter2 Pendant Mount - 8" Radiant™ 40W, 50W, 60W	1
Jupiter2 Pendant Mount - 12" Radiant™ 60W, 70W, 80W, 90W	1
Jupiter2 Pendant Mount - 13" Radiant™ 105W, 120W, 135W	1
Jupiter2 Pendant Mount LED - Amber, LPS, 22K LED	1
	Note:
No Secondary Lens	

PEMCO PRICE LIST
Effective June 1, 2021

	Note:
Pendant Mount	
Factory Installed	Note:
Photo Control Button Type	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

Anaheim Pendant Luminaire	
Description:	Note:
Anaheim Pendant LED - 8" Radiant™ 40W, 50W, 60W	1
Anaheim Pendant LED - 12" Radiant™ 60W, 70W, 80W, 90W	1
Anaheim Pendant LED - 13" Radiant™ 105W, 120W, 135W	1
Anaheim Pendant Mount LED - Amber, LPS, 22K LED	1
	Note:
Flared	
Rounded	
Non-Flared	
	Note:
No Secondary Lens	
Factory Installed	Note:
Solid midsection	
Four window midsection	
Sixteen window midsection	
Louvered midsection	
Cast Rings (4)	
No Midsection	
	Note:
Top/Pendant Mount (standard)	
Side Mount, round pole	
Side Mount, square pole	
Side Mount, wall	
Factory Installed	Note:
Photo Control Button Type	
House Side Shield	

PEMCO PRICE LIST
Effective June 1, 2021

Motion Sensor (40W & 60W only)	
	Note:
Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)	2

\$50/per fixture
one set up fee of \$500; plus 10% per piece adder

--

10%
\$1,498
\$1,685
\$1,872
contact factory
10%
NC
\$165
10%
NC
N/C
10%
\$53
\$62
10%
NC
10% add
10%
\$1,373
\$1,435
\$1,498
\$1,560
\$1,622
\$1,685
\$1,747
\$1,810
\$1,872
10%
NC
\$166
10%
NC

NC
\$249
\$166
10%
\$178
NC
10%
\$50
\$58
10%
NC
10% add
10%
\$1,087
\$1,177
contact factory
10%
NC
\$62
\$62
\$44
NC
10%
NC
contact factory
10%
\$232
\$232
\$232
\$232
\$135
10%
\$53

10%
NC
10% add
10%
\$1,288
\$1,421
contact factory
10%
NC
-\$27
10%
NC
NC
\$89
10%
\$50
10%
NC
10% add
10%
\$1,278
\$1,312
\$1,348
\$1,383
\$1,417
\$1,451
\$1,487
\$1,521

[illegible]

10%
\$53
\$62
10%
NC
10% add
10%
\$1,321
\$1,423
\$1,498
contact factory
10%
NC
10%
NC
\$266
10%
\$53
10%
NC
10% add
10%
\$1,321
\$1,423
\$1,498
contact factory

10%
NC
10%
NC
\$266
10%
10%
NC
10% add
10%
\$1,257
\$1,378
\$1,500
contact factory
10%
NC
NC
NC
NC
NC
10%
NC
10%
NC
\$144
\$144
\$144
-\$35
\$178
10%
NC
\$355
\$355

\$355
10%
\$53
\$62
10%
NC
10% add
10%
\$1,400
\$1,544
\$1,689
contact factory
10%
NC
10%
\$62
\$53
10%
NC
10% add
10%
\$975
contact factory
10%
NC

10%
\$62
\$53
\$84
10%
NC
10% add
10%
\$1,041
contact factory
10%
NC
\$25
10%
\$62
\$53
\$84
10%
NC
10% add
10%
\$857
\$919
\$981
contact factory
10%
NC

10%
NC
10%
\$53
10%
NC
10% add
10%
\$1,257
\$1,378
\$1,500
contact factory
10%
NC
NC
NC
10%
NC
10%
NC
\$133
\$133
\$133
\$178
-\$35
10%
NC
\$355
\$355
\$355
10%
\$53
\$62

\$161
10%
NC
10% add

PUT

Model:
PUT
PUT
PUT
Options:
5R
PC
GFIP
GFIC
USB

Notes:

(1) 347/480v driver - Adc

(2) Custom Color - one ti

AUS4

Model:
AUS4
AUS4
Lens:
CP
WP
FP
Finish:
Options:
30
36
PC
H
IC
FT
DT
LDT
GFIP
GFIC
USB

Notes:

(1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS6

Model:
AUS6
AUS6
Lens:
CA
Finish:
Options:
30
36
PC
GFIP
GFIC
USB

Notes:
(1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS7

LED Model:
AUS7QC1X12
AUS7QC1X18
Ballast:
U
Color Temp:
3K
4K
5K
Color:
Z
B
C

Options:
SF
DF
SP
GF1
Mounting Accessories:
BREBASE
Replacement Parts:
B9LFB
BOADP1
Notes:
(22) \$150.00 Paint Set-u
AUS11 & AUS12
LED Model:
AUS11QF1X16
AUS11QF1X23
AUS11QF1X34
AUS11BQF1X16
AUS11BQF1X23
AUS11BQF1X34
AUS12QF1X16
AUS12QF1X23
AUS12QF1X34
AUS12CQF1X16
AUS12CQF1X23
AUS12CQF1X34
Ballast:
U
C
Color Temp:
3K
4K
Lens:
C
L
Color:
Z

B
C
Height:
(Leave Blank)
30
Options:
SF
DF
SP
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
BORBASE
BOSBASE
BOADP1
P17121
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
AUS13R & AUS13S
LED Model:
AUS13QF1X16
AUS13QF1X25
AUS14QF1X16
AUS14QF1X25

Ballast:
U
Color Temp:
3K
4K
5K
Lens:
C
L
L
Color:
Z
B
C
Height:
(Leave Blank)
36
30
Options:
SF
DF
SP
SP
GF1
S3
Mounting Accessories:
BREBASE
Accessories:
P17122
Replacement Parts:
BOADP1
P17121
B3LL
B4LL
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u

(45) Custom Color Fee: !

AUS15

LED Model:

AUS15OQF1X12

AUS15OQF1X17

AUS15HQF1X10

AUS15HQF1X16

AUS15TQF1X10

AUS15TQF1X16

Ballast:

U

Color Temp:

3K

4K

5K

Color Temp:

C

Color:

Z

B

C

Height:

Leave Blank

30

Options:

SF

DF

SP

GF1

S3

Mounting Accessories:

BREBASE

Accessories:

P17122

Replacement Parts:

P17121

BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: !
AUS16
LED Model:
AUS16LQF1X10
AUS16LQF1X15
AUS16LQF1X22
AUS16RLQC1X10
AUS16RLQC1X15
AUS16RLQC1X22
AUS16RLQF1X10
AUS16RLQF1X15
AUS16RLQF1X22
AUS16RWQC1X10
AUS16RWQC1X15
AUS16RWQC1X22
AUS16RWQF1X10
AUS16RWQF1X15
AUS16RWQF1X22
Ballast:
U
C
Color Temp:
3K
4K
5K
Lens:
L
Color:
SS
Options:
SF
DF
SP
SP
GF1

AUS17RLQF1X15
AUS17RLQF1X22
AUS17RWQC1X10
AUS17RWQC1X15
AUS17RWQC1X22
AUS17RWQF1X10
AUS17RWQF1X15
AUS17RWQF1X22
Ballast:
U
C
Color Temp:
3K
4K
5K
Lens:
L
Color:
Z
B
C
Height:
Leave Blank
36
30
Options:
SF
DF
SP
SP
GF1
GSB
GSZ
GSC
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12

BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPC
BOLPCLL
BORBASE
BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: !
AUS18
LED Model:
AUS18FGQC1X10
AUS18FGQC1X15
AUS18FGQC1X22
AUS18FGQF1X10
AUS18FGQF1X15
AUS18FGQF1X22
AUS18FLQF1X10
AUS18FLQF1X15
AUS18FLQF1X22
AUS18FRLQC1X10
AUS18FRLQC1X15
AUS18FRLQC1X22
AUS18FRLQF1X10
AUS18FRLQF1X15
AUS18FRLQF1X22
AUS18FRWQC1X10
AUS18FRWQC1X15
AUS18FRWQC1X22
AUS18FRWQF1X10
AUS18FRWQF1X15
AUS18FRWQF1X22
Ballast:
U

C
Color Temp:
3K
4K
5K
Lens:
L
Color:
Z
B
C
Height:
Leave Blank
36
30
Options:
SF
DF
SP
SP
GF1
GSB
GSZ
GSC
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPC

BOLPCLL
BORBASE
BOADP1

Notes:

- (1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: !

--

AUS19

LED Model:
AUS19SFGQC1X10
AUS19SFGQC1X15
AUS19SFGQC1X22
AUS19SFGQF1X10
AUS19SFGQF1X15
AUS19SFGQF1X22
AUS19SFLSQF1X10
AUS19SFLSQF1X15
AUS19SFLSQF1X22
AUS19SFRLQC1X10
AUS19SFRLQC1X15
AUS19SFRLQC1X22
AUS19SFRLQF1X10
AUS19SFRLQF1X15
AUS19SFRLQF1X22
AUS19SFRWQC1X10
AUS19SFRWQC1X15
AUS19SFRWQC1X22
AUS19SFRWQF1X10
AUS19SFRWQF1X15
AUS19SFRWQF1X20

Ballast:
U
C

Color Temp:
3K
4K
5K

Lens:
L

Color:

Z
B
C
Height:
Leave Blank
36
30
Options:
SF
DF
SP
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPCS
BOSPCLL
BOSBASE
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: !

AUS52Q

LED Model:
AUS52QF1X18

Ballast:
U

Color Temp:
3K
4K
5K

Lens:
C

Color:
Z
B
P
C

Options:
SF
DF
SP
GF1

Notes:
(22) \$150.00 Paint Set-u

AUST52Q

LED Model:
AUST52QF1X18
AUST52QF2X18

Ballast:
U

Color Temp:
3K
4K
5K

Lens:
C

Color:
B

Height:

12
10
8
Orientation:
S
180
Options:
LBC
Replacement Parts:
PBR1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u

AUS24Q

LED Model:
AUS24QF1X12U*K
Ballast:
U
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
B
C
Height:
43 1/4
36
30
Options:
SF

DF
SP
Notes:

AUS25Q

LED Model:
AUS25QF2X11U*K
Notes:

AUSXXX

Model:
AUSxxx-LT
AUSxxx-LT
AUSxxx-OF
AUSxxx-UL
Lens:
WA
FA
Finish:
Options:
PC
H
EB
BT
DT
AF
GFIP
GFIC
USB
Notes:
(1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS371

Model:
AUS371
AUS371
AUS371
AUS371

Lens:
CA
WA
FA

Finish:

Options:
PC
H
EB
BT
DT
AF
GFIP
GFIC
USB

Notes:
(1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS412

Model:
AUS412-LT
AUS412-LT
AUS412-OF
AUS412-UL

Lens:
WA
FA

Finish:

Options:

PC
H
EB
BT
DT
AF
GFIP
GFIC
USB

Notes:

- (1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS416

Model:

AUS416-LT
AUS416-LT

Lens:

WA
FA

Finish:

Options:

PC
H
EB
BT
DT
AF
GFIP
GFIC
USB

Notes:

- (1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS460

AUS460

Model:
AUS460-LT
AUS460-LT
AUS460-OF
AUS460-OF
Lens:
WA
FA
Finish:
Options:
PC
H
EB
BT
DT
AF
GFIP
GFIC
USB

Notes:
(1) 347/480v driver - Adc
(2) Custom Color - one ti

AUS512

Model:
AUS512-LT
AUS512-LT
AUS512-UL
Lens:
WA
FA
Finish:
Options:
PC

GFI
EB
BT
DT
AF
GFIP
GFIC
USB

Notes:

(1) 347/480v driver - Add

(2) Custom Color - one ti

AUST51

LED Model:

AUST51QF1X24
AUST51QF1X36
AUST51QF1X48

Ballast:

U

Color Temp:

3K
4K
5K

Lens:

L

Color:

B
P
C

Height:

12
60
C

Options:

SF
DF
SP
LBC

Replacement Parts:

PBR1

Notes:

(1) Specify Color

(22) \$150.00 Paint Set-u

STRB1Q, STRB2Q**LED Model:**

STRB1Q*1X22

STRB1Q*1X37

STRB2Q*2X22

STRB2Q*2X37

Ballast:

U

C

Color Temp:

3K

4K

5K

Lens:

C

S

Color:

Z

C

Height:

Leave Blank

36

30

Options:

SF

DF

SP

SP

GF1

S3

Mounting Accessories:

BREBASE

Accessories:
P17122
Replacement Parts:
KH15GL
KH15GLSS
P17121
Notes:
(22) \$150.00 Paint Set-u
VOYR/SB
LED Model:
VOYRBF1X12
VOYSBF1X12
VOYRBF1X17
VOYSBF1X17
VOYRBF1X25
VOYSBF1X25
Ballast:
U
C
Color Temp:
3K
4K
5K
Lens:
L
Color:
Z
B
C
Height:
(Leave Blank)
36
30
Options:
GF1
S3

Mounting Accessories:

BREBASE

Accessories:

P17122

Replacement Parts:

P17121

BOADP1

Notes:

(1) Specify Color

(22) \$150.00 Paint Set-u

**VOYRBT20Q,
VOYSBT20Q**

LED Model:

VOYRBT20QF1X12

VOYSBT20QF1X12

VOYRBT20QF1X17

VOYSBT20QF1X17

VOYRBT20QF1X25

VOYSBT20QF1X25

Ballast:

U

C

Color Temp:

3K

4K

5K

Lens:

L

Color:

B

Height:

12

10

8

C

Base Cover:

RBC
SBC
Options:
LRBC
LSBC
Replacement Parts:
PBR1
PBS1
Notes:

MARI

LED Model:
MARIQF1X26U4K*
MARIQF1X26U5K*

PEMCO PRICE LIST
Effective June 1, 2021

PUT Bollard

Description:	Note:
PUT Bollard LED - Radiant 6" 10W, 15W, 20W, 30W	1, 2
PUT Bollard LED - Radiant 8" 40W, 50W, 60W	1, 2
PUT Bollard - Amber, LPS, 22K LED	1
Factory Installed (adders)	Note:
5 Rings	
Photo Control Button Type	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	
1 \$50/per fixture me set up fee of \$500; plus 10% per piece adder	

Austin 4 - 8" Round Bollard

Description:	Note:
Austin 4- 8" Round Bollard - LED - Radiant 6" 10W, 15W, 20W, 30W (42" standard height)	1
Austin 4 Bollard - Amber, LPS, 22K LED	1
Lens:	Note:
Clear Poly	
White (Opal) Poly	
Frosted Poly	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2
Factory Installed	Note:
30" high bollard	
36" high bollard	
Photo Control Button	
House Side Shield	
Internal Cone - polished	
Flat top casting (standard)	
Domed top casting	
lit dome top with cage (opal acrylic dome), no lower lens	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

PEMCO PRICE LIST
Effective June 1, 2021

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

Austin 6 - 8" Round Bollard

Description:	Note:
Austin 6 - 8" Round Bollard - LED - Radiant 10W, 15W, 20W, 30W (42" standard height)	1
Austin 6 Bollard - Amber, LPS, 22K LED	1
Lens:	Note:
Clear Acrylic	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2
Factory Installed	Note:
30" high bollard	
36" high bollard	
Photo Control Button	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

Austin 7 Curve Bollard - QUICK SHIP

Description:	Note:
AUS7Q Sand Cast Bollard 12w	
AUS7Q Sand Cast Bollard 18w	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed		Note:
Single Fuse (120-277v Only)		
Double Fuse (120-277v Only)		
Surge Protection (120-277v)		
Ground Fault Circuit Interrupt 15A, 120V		
Ships Separately, Field Installed		Note:
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware		1, 45
Ships Separately, Field Installed		Note:
Lens Frame, Black Finish		
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.		1

Shipping Fee for quantities under 5 pcs

Austin 11 Round & Austin 12 Square Bollard - QUICK SHIP	
Description:	Note:
AUS11Q Round Bollard, Flat Top Type F 16w	1
AUS11Q Round Bollard, Flat Top Type F 23w	1
AUS11Q Round Bollard, Flat Top Type F 34w	1
AUS11BQ Round Bollard, Dome Top Type F 16w	1
AUS11BQ Round Bollard, Dome Top Type F 23w	1
AUS11BQ Round Bollard, Dome Top Type F 34w	1
AUS12Q Square Bollard, Flat Top Type F 16w	1
AUS12Q Square Bollard, Flat Top Type F 23w	1
AUS12Q Square Bollard, Flat Top Type F 34w	1
AUS12CQ Square Bollard, Pyramid Top Type F 16w	1
AUS12CQ Square Bollard, Pyramid Top Type F 23w	1
AUS12CQ Square Bollard, Pyramid Top Type F 34w	1
Factory Installed	Note:
120-277v	
347v	
Factory Installed	Note:
3000K	
4000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens	
Factory Installed	Note:
Bronze	

PEMCO PRICE LIST
Effective June 1, 2021

Black	
Custom Paint Color	22
Factory Installed	Note:
34-3/4" Standard Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating. Fits B1.	1
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating. Fits B2.	
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

ip Fee for quantities under 5 pcs

Austin Round - QUICK SHIP	
Description:	Note:
Bollard Round Type F 16w (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Round Type F 25w (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Square Type F 16w (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Square Type F 25w (Includes Mounting kit with 8" zinc-plated anchor bolts)	1

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens (B3LL)	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens (B4LL)	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
43-1/8" Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	

ip Fee for quantities under 5 pcs

PEMCO PRICE LIST
Effective June 1, 2021

\$30.00

Austin 15 Architectural Bollard - QUICK SHIP

Description:	Note:
AUS15Q 360° Type F 12w	1
AUS15Q 360° Type F 17w	1
AUS15Q 180° Shield Type F 10w	1
AUS15Q 180° Shield Type F 16w	1
AUS15Q 120° Shield Type F 10w	1
AUS15Q 120° Shield Type F 16w	1
Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
40-1/8" Standard Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	

PEMCO PRICE LIST
Effective June 1, 2021

Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	1
---	----------

ip Fee for quantities under 5 pcs

\$30.00

Austin 16 Stainless Steel Bollard - QUICK SHIP

Description:	Note:
Bollard Type F 10w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1

Factory Installed	Note:
120-277v	
347v @ 15w Only	

Factory Installed	Note:
3000K	
4000K	
5000K	

Factory Installed	Note:
Replacement LumaLens Lens (BORWQ Only)	

Factory Installed (Required)	Note:
Stainless Steel Body	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	

PEMCO PRICE LIST
Effective June 1, 2021

180° Glare Shield - Black (BOGSB)	
180° Glare Shield - Bronze (BOGSZ)	
180° Glare Shield - Custom Color, Consult Factory (BOGS)	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Polycarbonate Lens	
Replacement LumaLens Lens (BORW Only)	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

ip Fee for quantities under 5 pcs

\$30.00

Austin 17 Round Dome Top Bollard - QUICK SHIP

Description:	Note:
Bollard Type C 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1

PEMCO PRICE LIST
Effective June 1, 2021

Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Factory Installed	Note:
120-277v	
347v @ 15w Only	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Replacement LumaLens Lens (BORWQ Only)	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
180° Glare Shield - Black (BOGSB)	
180° Glare Shield - Bronze (BOGSZ)	
180° Glare Shield - Custom Color, Consult Factory (BOGS)	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	

PEMCO PRICE LIST
Effective June 1, 2021

Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Polycarbonate Lens	
Replacement LumaLens Lens (BORW Only)	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

ip Fee for quantities under 5 pcs
\$30.00

--

Austin 18 Round Flat Top Bollard - QUICK SHIP

Description:	Note:
Bollard Type C 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Factory Installed	Note:
120-277v	

PEMCO PRICE LIST
Effective June 1, 2021

347v @ 15w Only	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Replacement LumaLens Lens (BOFRWQ Only)	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
180° Glare Shield - Black (BOGSB)	
180° Glare Shield - Bronze (BOGSZ)	
180° Glare Shield - Custom Color, Consult Factory (BOGS)	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Polycarbonate Lens	

PEMCO PRICE LIST
Effective June 1, 2021

Replacement LumaLens Lens (BOFRW Only)	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

ip Fee for quantities under 5 pcs
\$30.00

Austin 19 Square Flat Bollard - QUICK SHIP

Description:	Note:
Bollard Type C 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type C 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 10w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 22w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1

Factory Installed	Note:
120-277v	
347v @ 15w Only	

Factory Installed	Note:
3000K	
4000K	
5000K	

Factory Installed	Note:
Square LumaLens Vandal-Resistant Lens (Type F, White Cone Reflector Only)	

Factory Installed	Note:
-------------------	-------

PEMCO PRICE LIST
Effective June 1, 2021

Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Square Polycarbonate Vandal-Resistant Lens	
Replacement Square LumaLens Vandal-Resistant Lens (Type F, White Cone Reflector Only)	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1

ip Fee for quantities under 5 pcs

\$30.00

Sidelight Bollard - QUICK SHIP

Description:	Note:
AUS52 18w Type F (Asymmetric)	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Clear Molded UV-Stabilized Polycarbonate Lens	
Factory Installed	Note:
Bronze	
Black	
Platinum	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Ground Fault Circuit Interrupt 15A, 120V	

ip Fee for quantities under 5 pcs

Side Light Column - QUICK SHIP	
Description:	Note:
AUST52 Type F (Asymmetric) 18w	
AUST52 Type F (Asymmetric) 36w	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Clear Molded UV-Stabilized Polycarbonate Lens	
Factory Installed	Note:
Black	
Factory Installed	Note:

PEMCO PRICE LIST
Effective June 1, 2021

12' Standard Height	
10' Standard Height	
8' Standard Height	
Factory Installed	Note:
Same Side	
Offset 180°	
Factory Installed	Note:
Less Base Cover	
Ships Separately, Field Installed	Note:
Decorative Clamshell Base Cover, 16 $\frac{5}{8}$ " Diameter, Powdercoat Finish	1

Ship Fee for quantities under 5 pcs

Triangle Bollard - QUICK SHIP	
Description:	Note:
Triangle Bollard 12w Type F 120-277v 3000K, 4000K, 5000K	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
Clear Molded UV-Stabilized Polycarbonate Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	
Factory Installed	Note:
43-1/4 Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	

PEMCO PRICE LIST
Effective June 1, 2021

Double Fuse (120-277v Only)	
Surge Protection (120-277v)	

--

Round Bollard - QUICK SHIP - COMING SOON

Description:	Note:
AUS25 1100mm Bollard Type F 22w 120-277v 3K, 4K, 5K LumaLens Black, Platinum	

--

Austin 014, 102, 112, 130, 193, 220, 381, 402 LED Lantern Top

Description:	Note:
Austin LED Bollard (Lantern Top) - Radiant 6" 10W, 15W, 20W, 30W	1
Austin Bollard - Amber, LPS, 22K LED	1
Austin LED Bollard (Open Flutes)	1
Unlit	

Finish:	Note:
White (Opal) Acrylic	
Frosted Acrylic	

	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2

Factory Installed	Note:
Photo Control Button	
House Side Shield	
Eyebolt mounted on bollard	
Ball Top (available on unlit version only)	
Dome Top (available on unlit version only)	
Acorn Finial (available on unlit version only)	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

--

PEMCO PRICE LIST
Effective June 1, 2021

Austin 371 Lantern Top

Description:	Note:
Austin 371 LED Bollard - Radiant 6" 10W, 15W, 20W, 30W	1
Austin 371 LED Bollard - Radiant 8" 40W, 50W, 60W	1
Austin 371 Bollard - Amber, LPS, 22K LED	1
Austin 371 Unlit Bollard	
	Note:
Clear Acrylic	
White (Opal) Acrylic	
Frosted Acrylic	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2
Factory Installed	Note:
Photo Control Button	
House Side Shield	
Eyebolt mounted on bollard	
Ball Top (available on unlit version only)	
Dome Top (available on unlit version only)	
Acorn Finial (available on unlit version only)	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

Austin 412 LED Lantern Top

Description:	Note:
Austin 412 LED Bollard (Lantern Top) - Radiant 6" 10W, 15W, 20W, 30W	1
Austin 412 Bollard - Amber, LPS, 22K LED	1
Austin LED Bollard (Open Flutes)	1
Unlit	
	Note:
White (Opal) Acrylic	
Frosted Acrylic	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed		Note:
Photo Control Button		
House Side Shield		
Eyebolt mounted on bollard		
Ball Top (available on unlit version only)		
Dome Top (available on unlit version only)		
Acorn Finial (available on unlit version only)		
GFI Reinforced Casting Welded Into Bollard With Plastic Cover		
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard		
Dual USB Port		
1 \$50/per fixture me set up fee of \$500; plus 10% per piece adder		

Austin 416 LED Lantern Top

Description:		Note:
Austin 416 LED Bollard - Radiant 6" 10W, 15W, 20W, 30W		1
Austin 416 Bollard - Amber, LPS, 22K LED		1
		Note:
White (Opal) Acrylic		
Frosted Acrylic		
Finish:		Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)		
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)		2
Factory Installed		Note:
Photo Control Button		
House Side Shield		
Eyebolt mounted on bollard		
Ball Top (available on unlit version only)		
Dome Top (available on unlit version only)		
Acorn Finial (available on unlit version only)		
GFI Reinforced Casting Welded Into Bollard With Plastic Cover		
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard		
Dual USB Port		
1 \$50/per fixture me set up fee of \$500; plus 10% per piece adder		

Austin 460 LED Lantern Top

PEMCO PRICE LIST
Effective June 1, 2021

Austin 460 LED Lantern Top

Description:	Note:
Austin 460 LED Bollard - Radiant 6" 10W, 15W, 20W, 30W	1
Austin 460 Bollard - Amber, LPS, 22K LED	1
Austin LED Bollard (Open Flutes)	1
Unlit	
	Note:
White (Opal) Acrylic	
Frosted Acrylic	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Silver Metallic (SM), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2
Factory Installed	Note:
Photo Control Button	
House Side Shield	
Eyebolt mounted on bollard	
Ball Top (available on unlit version only)	
Dome Top (available on unlit version only)	
Acorn Finial (available on unlit version only)	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

Austin 512 LED Lantern Top

Description:	Note:
Austin 512 LED Bollard - Radiant 6" 10W, 15W, 20W, 30W	1
Austin 512 Bollard - Amber, LPS, 22K LED	1
Unlit	
	Note:
White (Opal) Acrylic	
Frosted Acrylic	
Finish:	Note:
Black (BK), Med. Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Textured Black (TBK)	
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Custom Finish (CC)	2
Factory Installed	Note:
Photo Control Button	

PEMCO PRICE LIST
Effective June 1, 2021

Ground Fault Recept. Cast & welded	
Eyebolt mounted on bollard	
Ball Top (available on unlit version only)	
Dome Top (available on unlit version only)	
Acorn Finial (available on unlit version only)	
GFI Reinforced Casting Welded Into Bollard With Plastic Cover	
GFI Reinforced Casting Welded Into Bollard With Cast Cover Powder Coated To Match Bollard	
Dual USB Port	

1 \$50/per fixture

me set up fee of \$500; plus 10% per piece adder

--	--

Round Light Column - QUICK SHIP

Description:	Note:
AUST51 Type F 24w	
AUST51 Type F 36w	
AUST51 Type F 48w	

Factory Installed	Note:
120-277v	

Factory Installed	Note:
3000K	
4000K	
5000K	

Factory Installed	Note:
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Lens	

Factory Installed	Note:
Black	
Platinum	
Custom Paint Color	22

Factory Installed	Note:
12' Standard Height	
60" Height	
Custom Height of less than 8' (Consult Factory)	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Less Base Cover	

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed	Note:
Decorative Clamshell Base Cover, 16 ^{5/8} " Diameter, Powdercoat Finish	1

Ship Fee for quantities under 5 pcs

Stratus Bollards - Quick Ship

Description:	Note:
Mini Stratus Bollard 1 *(Type C, F) 22w	
Mini Stratus Bollard 1 *(Type C, F) 37w	
Mini Stratus Bollard 2 *(Type C, F) 44w	
Mini Stratus Bollard 2 *(Type C, F) 74w	

Factory Installed	Note:
120-277v	
347v @ 37w, 74w Only	

Factory Installed	Note:
3000K (37w, 74w Type F Only)	
4000K	
5000K	

Factory Installed	Note:
Standard Clear Flat Glass Lens	
SoftLED Flat Glass Lens (KH15GLSS)	

Factory Installed	Note:
Bronze	
Custom Paint Color	22

Factory Installed	Note:
48" Standard Height	
36" Height	
30" Height	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	

Ships Separately, Field Installed	Note:
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed		Note:
Remote Programming Tool for P17121		
Ships Separately, Field Installed		Note:
Standard Clear Flat Glass Lens		
SoftLED Flat Glass Lens		
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.		

ip Fee for quantities under 5 pcs

Voyager Round & Square Bollard - QUICK SHIP

Description:	Note:
VOYRB Voyager Round Type F 12w	1
VOYSB Voyager Square Type F 12w	1
VOYRB Voyager Square Type F 17w	1
VOYSB Voyager Round Type F 17w	1
VOYRB Voyager Round Type F 25w	1
VOYSB Voyager Square Type F 25w	1

Factory Installed	Note:
120-277v	
347v	

Factory Installed	Note:
3000K	
4000K	
5000K	

Factory Installed	Note:
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	

Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	

Factory Installed	Note:
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed	Note:
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

ip Fee for quantities under 5 pcs

Voyager Round and Square Tall Bollard - QUICK SHIP	
Description:	Note:
VOYRBT20 Tall Bollard 12w Round	
VOYSBT20 Tall Bollard 12w Square	
VOYRBT20 Tall Bollard 17w Round	
VOYSBT20 Tall Bollard 17w Square	
VOYRBT20 Tall Bollard 25w Round	
VOYSBT20 Tall Bollard 25w Square	
Factory Installed	Note:
120-277v	
347v @ 17w Only	
Factory Installed	Note:
3000K	
4000K	
5000K	
Factory Installed	Note:
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Factory Installed	Note:
12' Standard Height	
10' Height	
8' Height	
Custom (Consult Factory)	
Factory Installed	Note:

PEMCO PRICE LIST
Effective June 1, 2021

Round Base Cover	
Square Base Cover	
Factory Installed	Note:
Less Round Base Cover	
Less Square Base Cover	
Ships Separately, Field Installed	Note:
Decorative Clamshell Base Cover, 16 ⁵ / ₈ " Diameter, Powdercoat Finish	
Decorative Clamshell Base Cover, 12 ⁵ / ₈ " Square, Powdercoat Finish	

Maritime Sand Cast Bollard w/ Light House Top Design - QUICK SHIP - COMING SOON	
Description:	Note:
Maritime Sand Cast Bollard w/Light House Top Design 26w 120-277v 4K Black, Platinum, Bronze	
Maritime Sand Cast Bollard w/Light House Top Design 26w 120-277v 5K Black, Platinum, Bronze	

10%
\$1,308
\$1,475
contact factory
10%
\$144
\$38
\$206
\$206
\$206
10%
\$947
contact factory
10%
NC
\$38
\$38
10%
NC
10% add
10%
\$61
\$61
\$38
\$68
\$53
NC
\$37
\$114
\$188
\$188
\$188

10%
\$947
contact factory
10%
NC
10%
NC
10% add
10%
\$61
\$61
\$38
\$188
\$188
\$188
10%
\$733
\$733
10%
NC
10%
NC
NC
NC
10%
NC
NC
\$85

10%
\$18
\$38
\$16
\$140
10%
\$102
10%
\$5
\$12
10%
\$377
\$377
\$377
\$495
\$495
\$508
\$377
\$377
\$377
\$495
\$495
\$508
10%
NC
\$12
10%
NC
NC
10%
NC
\$40
10%
NC

NC
\$85
10%
NC
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$102
\$136
\$184
10%
\$13
\$23
\$32
\$37
\$102
10%
\$57
10%
\$19
\$13
\$12
\$72
\$142
\$194
10%
\$534
\$546
\$534
\$546

10%
NC
10%
NC
NC
NC
10%
NC
\$17
\$17
10%
NC
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$102
10%
\$102
10%
\$57
10%
\$12
\$72
\$13
\$13

10%
\$305
\$305
\$340
\$340
\$340
\$340
10%
NC
10%
NC
NC
NC
10%
NC
10%
NC
NC
\$85
10%
NC
\$25
10%
\$18
\$38
\$16
\$140
\$102
10%
\$102
10%
\$57
10%
\$72

[illegible]

\$416
\$467
\$395
\$397
\$446
\$395
\$397
\$446
10%
NC
\$12
10%
NC
NC
NC
10%
\$37
10%
NC
NC
\$85
10%
NC
\$25.00
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$35
\$35
\$62
\$102
\$136
\$184
10%
\$13
\$23
\$32

\$37
\$102
10%
\$57
10%
\$142
\$194
\$72
\$42
\$33
\$19
\$12
10%
\$367
\$369
\$413
\$367
\$369
\$413
\$358
\$360
\$405
\$412
\$414
\$465
\$412
\$414
\$465
\$394
\$396
\$445
\$394
\$396
\$445
10%
NC

\$12
10%
NC
NC
NC
10%
\$37
10%
NC
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$35
\$35
\$62
\$102
\$136
\$184
10%
\$13
\$23
\$32
\$37
\$102
10%
\$57
10%
\$142
\$194
\$72
\$42

\$33
\$19
\$12
10%
\$449
\$451
\$506
\$449
\$451
\$506
\$467
\$469
\$526
\$529
\$531
\$595
\$529
\$531
\$595
\$510
\$512
\$574
\$510
\$512
\$574
10%
NC
\$12
10%
NC
NC
NC
10%
\$16
10%

[illegible]

10%
NC
10%
NC
NC
NC
10%
NC
10%
NC
NC
NC
TBD
10%
\$18
\$38
\$16
\$140
10%
\$1,873
\$2,248
10%
NC
10%
NC
NC
NC
10%
NC
10%
NC
10%

NC
NC
NC
10%
NC
NC
10%
-\$332
10%
\$332
10%
\$230
10%
NC
10%
NC
NC
NC
10%
NC
\$14
10%
NC
NC
TBD
10%
NC
\$25
\$25
10%
\$18

[illegible]

10%
\$1,254
contact factory
contact factory
\$1,079
10%
NC
NC
NC
10%
NC
10% add
10%
\$50
\$58
contact factory
contact factory
contact factory
contact factory
\$206
\$206
\$206
10%
\$1,321
contact factory
contact factory
\$1,124
10%
\$141
\$141
10%
NC
10% add

10%
\$41
contact factory
contact factory
contact factory
contact factory
contact factory
\$206
\$206
\$206
10%
\$1,207
contact factory
10%
\$141
\$141
10%
NC
10% add
10%
\$41
contact factory
contact factory
contact factory
contact factory
contact factory
\$206
\$206
\$206

10%
\$1,207
contact factory
contact factory
\$1,124
10%
\$141
\$141
10%
NC
10% add
10%
\$41
contact factory
contact factory
contact factory
contact factory
contact factory
\$206
\$206
\$206
10%
\$1,341
contact factory
\$1,274
10%
\$141
\$141
10%
NC
10% add
10%
\$41

contact factory
contact factory
contact factory
contact factory
contact factory
\$206
\$206
\$206
10%
\$1,672
\$1,732
\$1,807
10%
NC
10%
NC
NC
NC
10%
NC
10%
NC
NC
TBD
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
-\$332

10%
\$332
10%
\$435
\$476
\$695
\$748
10%
NC
\$12
10%
NC
NC
NC
10%
NC
\$15
10%
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$102
10%
\$102

10%
\$57
10%
\$20
\$11
\$72
10%
\$467
\$467
\$467
\$556
\$478
\$478
10%
NC
\$68
10%
NC
NC
NC
10%
NC
10%
NC
NC
\$70
10%
NC
\$25
\$25
10%
\$140
\$102

10%
\$102
10%
\$57
10%
\$72
\$12
10%
\$1,331
\$1,425
\$1,331
\$1,425
\$1,331
\$1,425
10%
NC
\$12
10%
NC
NC
NC
10%
NC
10%
NC
\$25
\$25
\$50
10%

[illegible]

THB

LED Model:

THB*268

THB*536

Ballast:

U

H

H

Color Temp:

4K

5K

Color:

G

C

Mount:

Y

Options:

SF

DF

C53600B

Mounting Accessories:

CVMAG

Notes:

(9) Custom Color Fee: \$1

(22) \$150.00 Paint Set-u

KEY35Q

LED Model:

KEY35Q*1X174

KEY35Q*1X262

KEY35QF1X174

KEY35QF1X262

KEY35QI1X174

KEY35QI1X262

KEY35Q*1X136

KEY35Q*1X225

Ballast:

U
H
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
Color:
Z
C
Mounting:
BR
LY
MA
SF
WM
NM
Options:
SF
DF
SP
SP
R3
R5
R7
Mounting Accessories:
FLEM6
FLEM10
FLEM12
FLEMWM
PTASUNV
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ

Accessories:
AL35GSZ
AL35WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157

Replacement Parts:
AL35GL
ALMAAZ
AL35YZ
FL73BRZ
FL73SFXZ
WBR2Z

- Notes:**
- (1) Specify Color
 - (2) Specify Mounting: R=
 - (3) Photocell option not
 - (4) Special order item. C
 - (5) Custom Color Fee: \$1
 - (6) Custom Color Fee: \$2
 - (9) Custom Color Fee: \$1
 - (11) Custom Color Fee: \$
 - (19) CPCS164B and CPLT
 - (22) \$150.00 Paint Set-u
 - (56) 4000K Only

KEY55Q
LED Model:
KEY55Q*2X174
KEY55Q*2X262
KEY55QF2X174
KEY55QF2X262
KEY55QI2X174
KEY55QI2X262

Ballast:
U
H
H

Color Temp:
4K
5K
Lens:
C
Color:
Z
C
Mounting:
SF
Options:
SF
DF
SP
SP
R3
R5
R7
Accessories:
AL35GSZ
AL73WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
AL35GL
FL90SFX
Notes:
(3) Photocell option not
(6) Custom Color Fee: \$2
(22) \$150.00 Paint Set-u
(23) Requires 2 units
(56) 4000K Only

BAJMF
LED Model:
BAJMFAC31X20U
BAJMFBC31X20U
BAJMFDC31X20U
BAJMF*C31X20V
*Reflector Type:
A
B
D
Color Temp:
41K
Color:
Z
C
Mounting:
KN
Options:
SF
DF
SP
Mounting Accessories:
FLPTF
CPSPR
CPSPS
NA04
FLSTK
Accessories:
CPRC1
FB1VZ
NT150BK
NT300SS
NT300SSM
Notes:
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(22) \$150.00 Paint Set-u

BAJBLT

LED Model:

BAJBLT*C31X10U

BAJBLT*C31X10V

*Reflector Type:

D

Color Temp:

41K

Color:

Z

C

Mounting Accessories:

FLPTF

NA04

FLSTK

Accessories:

NT150BK

NT300SS

NT300SSM

Notes:

(22) \$150.00 Paint Set-u

STR15Q

LED Model:

STR15QC1X22

STR15QC1X37

STR15QI1X22

STR15QI1X37

STR15QF1X22

STR15QF1X37

STR15QC1X56

STR15QF1X56

Ballast:

U

C

C

Color Temp:

3K
4K
5K
Lens:
C
S
Color:
Z
C
Mounts:
BR
EH
KA
MA
SF
Y
KN
NM
Options:
SF
DF
SP
SP
M1
M2
PC3
P10
P12
P14
BU4
BUC4
Mounting Accessories:
KH20RP
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z

KH15GSZ
KH15WG
ACCHSG4
Replacement Parts:
ALMAAZ
FL73BRZ
FL73SFXZ
FLSTZ
KH15GL
KH15GLSS
KH15YZ
KH25AZ
KHEHZ
P18103
P18110
P18112
P18114
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(3) Photocell option not
(4) Special order item. C
(5) Custom Color Fee: \$1
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(9) Custom Color Fee: \$1
(17) Includes L4 Lens, AC
(18) Includes L3 Lens, AC
(22) \$150.00 Paint Set-u
(57) 5000K Only
STR25Q
LED Model:
STR25Q*1X65
STR25Q*1X81
STR25Q*1X112
STR25QI1X81
STR25QI1X112
Ballast:
U
H
H

Color Temp:
3K
4K
5K
Lens:
C
S
Color:
Z
C
Mounts:
BR
EH
KA
MA
SF
Y
NM
Options:
SF
DF
SP
SP
M1
M2
R3
R5
R7
S23
S43
Mounting Accessories:
KH20RP
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
ACCHSG1ZM1

ACCHSG3
KH25GSZ
KH25WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157

Replacement Parts:
ALMAAZ
FL73BRZ
FL73SFXZ
KH25AZ
KH25GL
KH25GLSS
KH25YZ
KHEHZ
P17117
P17123

- Notes:**
- (3) Photocell option not
 - (4) Special order item. C
 - (5) Custom Color Fee: \$1
 - (6) Custom Color Fee: \$2
 - (7) Custom Color Fee: \$2
 - (8) Custom Color Fee: \$1
 - (9) Custom Color Fee: \$1
 - (17) Includes L4 Lens, AC
 - (18) Includes L3 Lens, AC
 - (19) CPCS164B and CPLT
 - (22) \$150.00 Paint Set-u
 - (59) Use with 81w & 112
 - (60) Use with D Optic 30
 - (68) Use with 65w D Opt

STR45Q
LED Model:
STR45Q*1X99
STR45Q*1X111
STR45Q*1X133
STR45Q*1X167

STR45Q*1X183
STR45Q*1X199
STR45Q*1X256
STR45QI1X99
STR45QI1X111
STR45QI1X133
STR45QI1X167
STR45QI1X183
STR45QI1X199
STR45QI1X256
STR45Q*1X136
STR45Q*1X225
Ballast:
U
H
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
S
P
Color:
Z
C
Mounts:
BR
KA
MA
SF
Y
WM
NM
Options:
SF
DF
SP
SP

M1
M2
R3
R5
R7
S23
S43

--

Mounting Accessories:
KH40RP
KH40WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ

--

Accessories:
ACCHSG1Z
ACCHSG1ZM1
ACCHSG3
KH45GSZ
KH45WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157

--

Replacement Parts:
ALMAAZ
FL73BRZ
FL73SFXZ
KH45AZ
KH45GL
KH45GLSS
KH45GLP
KH45YZ
WBR2Z
P17117
P17123

--

Notes:
(3) Photocell option not

- (4) Special order item. C
- (5) Custom Color Fee: \$1
- (6) Custom Color Fee: \$2
- (7) Custom Color Fee: \$2
- (8) Custom Color Fee: \$1
- (9) Custom Color Fee: \$1
- (17) Includes L4 Lens, AC
- (18) Includes L3 Lens, AC
- (19) CPCS164B and CPLT
- (21) For "F" Option Only
- (22) \$150.00 Paint Set-u
- (29) 3K, Only for Type C
- (57) 5000K Only

STR45Q
LED Model:
STR45Q*1X225
STR45Q*1X256
Ballast:
U
H
Color Temp:
5K
Lens:
C
Color:
Z
C
Mounts:
KARD
KALD
SFRD
SFLD
MARD
MALD
Options:
SF
DF
SP
SP

R3
R5
R7
Mounting Accessories:
KH40RP
KH40WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
ACCHSG1ZM1
ACCHSG3
KH45GSZ
KH45WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
KH45GL
P17117
P17123
Notes:
(3) Photocell option not
(4) Special order item. C
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(22) \$150.00 Paint Set-u
STR45Q-Twin
LED Model:
STR45Q*2X167
STR45QI2X167
STR45Q*2X256

STR45QI2X256
Ballast:
U
H
H
Color Temp:
3K
4K
5K
Lens:
C
S
P
Color:
Z
C
Mounting:
SF
Required Options:
TM
Options:
SF
DF
SP
SP
R3
R5
R7
S23
S43
Mounting Accessories:
PTSB1SZ
PTSB2180SZ
Accessories:
ACCHSG1Z
ACCHSG1ZM1
ACCHSG3
KH45GSZ
KH45WG

P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
KH45GL
KH45GLP
KH45GLSS
FL90SFX
P17117
P17123
Notes:
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(21) For "F" Option Only
(22) \$150.00 Paint Set-u
(23) Requires 2 units
(41) 3K For "F" and "C" (
STR55Q
LED Model:
STR55Q*2X167
STR55Q*2X256
STR55QI2X167
STR55QI2X256
STR55Q*2X136
STR55Q*2X225
Ballast:
U
H
H
Color Temp:
3K
4K
5K
Lens:
C

S
P
Color:
Z
C
Mounting:
SF
Options:
SF
DF
SP
SP
R3
R5
R7
S23
S43
Mounting Accessories:
PTSB1SZ
PTSB2180SZ
Accessories:
ACCHSG1Z
ACCHSG1ZM1
ACCHSG3
KH45GSZ
KH45WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
KH45GL
KH45GLP
KH45GLSS
FL90SFX
P17117
P17123
Notes:

(6) Custom Color Fee: \$2
(22) \$150.00 Paint Set-u
(21) For "F" Option Only
(41) For "F" and "C" Opt
(57) 5000K Only

CIRR

Model:

CIRR

CIRR

Finish:

Options:

PC

Notes:

(1) 347/480v driver - Add
(2) Custom Color - one tir

VOYR20

LED Model:

VOYR20QF1X17

Ballast:

U

C

Color Temp:

3K

4K

5K

Lens:

L

Color:

Z

B

C

Options:

PC3
EH
BU4
BUC4
Mounting Options:
KH20RP
Accessories:
ACCHSG4
Replacement Parts:
KHEHZ
3EBLX1055190A
3EBLX10T1555CPA
Notes: (1) Specify Color (3) Photocell option not (8) Custom Color Fee: \$1 (22) \$150.00 Paint Set-u
VOYS20
LED Model:
VOYS20QF1X17
Ballast:
U
C
Color Temp:
3K
4K
5K
Lens:
L
Color:
B
Z
C
Options:
PC3
EH

BU4
BUC4
Mounting Accessories:
KH20RP
Accessories:
ACCHSG4
Replacement Parts:
KHEHZ
3EBLX1055190A
3EBLX10T1555CPA
Notes: (1) Specify Color (3) Photocell option not (8) Custom Color Fee: \$1 (22) \$150.00 Paint Set-u
VOYR
LED Model:
VOYR30Q*1X37
VOYR30Q*1X65
VOYR30Q*1X100
VOYR30Q*1X140
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
B
C

Mounting:
(Leave Blank)
MA
Options:
SF
DF
SP
SP
S2
S4
R3
R5
R7
BU
BUC
Mounting Accessories:
KH20RP
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
AF31HS*
Replacement Parts:
AF30MAB
ALMAA
AF30PCLL
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
VOYS30

LED Model:
VOYS30Q*1X37
VOYS30Q*1X65
VOYS30Q*1X100
VOYS30Q*1X140
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
B
C
Mounting:
(Leave Blank)
MA
Options:
SF
DF
SP
SP
S2
S4
R3
R5
R7
BU
BUC
Mounting Accessories:
KH20RP
Accessories:
P18131

P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
AF30MAB
ALMAA
AF30PCLL
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
MAL50Q
MAL70Q
DLP2Q, DLP3Q
LED Model:
DLP2QF1X23
DLP3QF1X37
Ballast:
U
Color Temp:
5K
Lens:
C
Color:
Z
W

Mounting:
KN
BR

Options:
SF
DF
SP

Mounting Accessories:
FLSTK

Notes:
(22) \$150.00 Paint Set-u

CLL 1, 2, 4

LED Model:
CLL1AOQF22
CLL1AOQF37
CLL2AOQF47
CLL2AOQF66
CLL4AOQF112
CLL4AOQF136

Ballast:
U
H
H

Color Temp:
4K
5K

Lens:
C
L
L
L

Color:
P
Z
B
C
C

C
Mounting Type:
SFE
SFM
Options:
SF
DF
SP
SP
Mounting Accessories:
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Replacement Parts:
LV1ALL
LV2ALL
LV4ALL
LV1APC
LV2APC
LV4APC
FL73SFX
FL90SFX
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(62) LV2, LV4 Only
PMP16Q
LED Model:
PMP16QF1X112
Ballast:
U
H
Color Temp:

4K
5K
Lens:
C
Color:
W
C
Options:
SF
DF
SP
Notes:
(22) \$150.00 Paint Set-u
PMP20Q
LED Model:
PMP20QF1X186
Ballast:
U
H
Color Temp:
5K
Lens:
C
Color:
W
C
Options:
SF
DF
SP
Notes:
(22) \$150.00 Paint Set-u

JUP1

Model:

JUP1

JUP1

JUP1

Globe/Lens:

NL

Mounting:

SM

Options:

PC

PCR3

PCR7

S2

Finish:

Notes:

- (1) 347/480v driver - Add
- (2) Custom Color - one tir

PEMCO PRICE LIST
Effective June 1, 2021

Thunderbolt LED Flood Light - QUICK SHIP

Description:

Sports Lighter *(22 = NEMA 2, 33 = NEMA 3, 44 = NEMA 4, 55 = NEMA 5 Lens) 268w

Sports Lighter *(22 = NEMA 2, 33 = NEMA 3, 44 = NEMA 4, 55 = NEMA 5 Lens) 536w

Factory Installed

120-277v

347-480v @ 268w

347-480v @ 536w

Factory Installed

4000K

5000K

Factory Installed

Gray

Custom Paint Color

Factory Installed

Powder Painted Steel Yoke (included)

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

3 Foot Black Cord, 600VAC, 5 Wire, Includes 1-10V Dimming Wires (CPC1653600B)

Ships Separately, Field Installed

Die-Cast Adaptor for 2 3/8" Tenons, Gray Powdercoat Finish, Includes Hardware

14.00

14.00 Fee for quantities under 5 pcs

Keystone 16" Area/Flood/Wall Light - QUICK SHIP

Description:

16" Area Light 35 *(Type A, B, C, D) 174w

16" Area Light 35 *(Type A, B, C, D) 262w

16" Area Light 35 Type F 174w

16" Area Light 35 Type F 262w

16" Area Light 35 Narrow Beam (30°) 174w

16" Area Light 35 Narrow Beam (30°) 262w

Optimized 16" Area Light 35 *(Type C, F) 136w

Optimized 16" Area Light 35 *(Type C, F) 225w

Factory Installed

PEMCO PRICE LIST
Effective June 1, 2021

120-277v
347-480v @ 174w
347-480v @ 174w Type D
347-480v @ 136w, 262w
347-480v @ 225w
Factory Installed
3000K (Type F Only)
4000K
5000K
Factory Installed
Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (AL35YZ)
Pole Mounting Arm Adaptor, Fits 2 3/8" Arm, Includes Hardware (ALMAA)
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware (WBR2)
No Mount
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Ships Separately, Field Installed
6" Aluminum Extruded Mounting Arm, Powdercoat Finish, Gasket & Hardware (FLEM6)
10" Aluminum Extruded Mounting Arm, Powdercoat Finish, Gasket & Hardware (FLEM10)
12" Aluminum Extruded Mounting Arm, Powdercoat Finish, Gasket & Hardware (FLEM12)
Heavy-duty Steel Wall Bracket for FLEM Mounting Arms, Powdercoat Finish.
Square Pole Tenon Adaptor Allows Installation of up to 4 Fixtures, Fits 2 3/8" Diameter Vertical Tenon, Powdercoat Finish. Use with
Single Pole Tenon Spoke Bracket, 2 3/8" Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 3/8" Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 3/8" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 3/8" Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 3/8" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Quad Pole Tenon Spoke Bracket, 2 3/8" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed	
Aluminum Glare/House Side Shield, Bronze Powdercoat Finish, Includes Hardware.	
Wire Guard, Stainless Steel Construction, Includes Hardware.	
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	
Tempered Clear Flat Glass Lens	
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Stamped Heavy-Duty Steel Yoke, Powdercoat Finish, Includes Hardware	
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware	
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware	
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware	

-Round Pole, AS=15° Angled Arm for Square Poles, AR=15° Angled Arm for Round Poles. Round Arms Fit 4" Diameter Poles available with Wall Mount configuration

ontact Sales or Customer Service Representative

15.00

10.00

14.00

19.00

1 required when using Bracket or Large Yoke

p Fee for quantities under 5 pcs

Keystone PowerBolt Area/Flood Light - QUICK SHIP	
Description:	
PowerBolt *(Type A, B, C, D) 348w	
PowerBolt *(Type A, B, C, D) 524w	
PowerBolt Type F 348w	
PowerBolt Type F 524w	
PowerBolt Narrow Beam (30°) 348w	
PowerBolt Narrow Beam (30°) 524w	
Factory Installed	
120-277v	
347-480v @ 348w	
347-480v @ 524w	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed
4000K
5000K
Factory Installed
Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL90SFX)
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Ships Separately, Field Installed
Aluminum Glare/House Side Shield, Bronze Powdercoat Finish, Includes Hardware.
Aluminum Glare/House Side Shield, Bronze Powdercoat Finish, Includes Hardware. AL55 Requires Two.
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Ships Separately, Field Installed
Tempered Clear Flat Glass Lens.
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware

available with Wall Mount configuration.

0.00

p Fee for quantities under 5 pcs

--

PEMCO PRICE LIST
Effective June 1, 2021

Baja Mini Flood - QUICK SHIP

Description:

Pendant / Area / Flood COB 20w 120-277v 70° Reflector

Pendant / Area / Flood COB 20w 120-277v 100° Reflector

Pendant / Area / Flood COB 20w 120-277v 30° Reflector

Pendant / Area / Flood COB 20w 12v

Factory Installed

70° Reflector

100° Reflector

30° Reflector

Factory Installed

4100K

Factory Installed

Bronze

Custom Paint Color

Factory Installed

1/2" NPS Knuckle (FLST)

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

Surge Protection (120-277v)

Ships Separately, Field Installed

Die-cast Post Top Fitter for 2 3/8" to 3 1/2" Poles, Bronze Powdercoat Finish, Three (3) 1/2" Coin Plugs.

Swivel Pendant Mount - Round, for Angled or Straight Ceilings, Fits 3/4" Conduit, Includes Reducer Bushing (to 1/2") & Set Screw

Swivel Pendant Mount - Square, for Angled or Straight Ceilings, Fits 3/4" Conduit; Includes Reducer Bushing (to 1/2") & Set Screw

Plastic Ground Stake with 1/2" NPT Threads, 11" H x 3" Diameter. For LowVoltage Applications.

Heavy-Duty Ground Stake with 1/2" NPS Threaded Hub. Built-In Wiring Compartment with 1/2" Coin Plugs. Black Molded Plastic. 19"

Ships Separately, Field Installed

Backplate, 1/2" Coin Plugs

Die-Cast Rotatable Visor, Bronze Powdercoat Finish.

150w, 120V Black Powdercoat Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, Multi-Tap 12 / 14 / 17V, with Timer and Photocell

0.00

0.00

p Fee for quantities under 5 pcs

PEMCO PRICE LIST
Effective June 1, 2021

Baja LED Bullet - QUICK SHIP

Description:

Area / Flood COB 10w 120-277v

Area / Flood COB 10w 12v

Factory Installed

30°

Factory Installed

4100K

Factory Installed

Bronze

Custom Paint Color

Ships Separately, Field Installed

Die-cast Post Top Fitter for 2 $\frac{3}{8}$ " to 3 $\frac{1}{2}$ " Poles, Bronze Powdercoat Finish, Three (3) $\frac{1}{2}$ " Coin Plugs

Plastic Ground Stake with $\frac{1}{2}$ " NPT Threads, 11" H x 3" Diameter. For Low Voltage Applications.

Heavy-Duty Ground Stake with $\frac{1}{2}$ " NPS Threaded Hub. Built-In Wiring Compartment with $\frac{1}{2}$ " Coin Plugs. Black Molded Plastic. 19"

Ships Separately, Field Installed

150w, 120V Black Powdercoat Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, Multi-Tap 12 / 14 / 17V, with Timer and Photocell

p Fee for quantities under 5 pcs

Stratus Series Mini Area Light - QUICK SHIP

Description:

Stratus 15 Type C 22w

Stratus 15 Type C 37w

Stratus 15 Narrow Beam (30°) 22w

Stratus 15 Narrow Beam (30°) 37w

Stratus 15 Type F 22w

Stratus 15 Type F 37w

Optimized Stratus 15 Type C 56w

Optimized Stratus 15 Type F 56w

Factory Installed

120-277v

347v @ 37w Only

347v @ 37w (Narrow Beam Only)

Factory Installed

PEMCO PRICE LIST
Effective June 1, 2021

3000K (22w C, F Optic, 37w F Optic Only)
4000K (C, F Optic Only)
5000K
Factory Installed
Standard Clear Flat Glass Lens
SoftLED Flat Glass Lens (KH15GLSS)
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)
Easy-Hang Wall Bracket (KHEH)
Stratus Mounting Arm, Mounts Directly to Square Poles (KH25A)
Pole Mounting Arm Adaptor, Fits 2 $\frac{3}{8}$ " Arm, Includes Hardware (ALMAA)
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH15Y)
1/2" NPS Knuckle (FLST)
No Mount
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'
Button Photocell, 120-277VAC (P18103)
Pencil Photocell, 120VAC (P18110)
Pencil Photocell, 277VAC (P18112)
Pencil Photocell, 120-277VAC (P18114)
Battery Backup, 90 Minutes
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm Only.
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with KH25A Stratus Mounting Arm only.
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish

PEMCO PRICE LIST
Effective June 1, 2021

Glare Shield, Aluminum, Bronze Powdercoat Finish
Wire Guard, Stainless Steel Construction
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware
Die-Cast Adjustable Knuckle with 1/2" NPS Threads, Bronze Powdercoat Finish.
Tempered Clear Flat Glass Lens
SoftLED Flat Glass Lens
Stamped Heavy-Duty Steel Yoke, Bronze Powdercoat Finish, Includes Hardware
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware
120-277VAC Button Photocell
110-130V 120VAC Pencil Photocell (120-277v Only)
208-277V 240VAC Pencil Photocell (120-277v Only)
120-277V, Pencil Photocell (120-277v Only)
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

available with Wall Mount configuration.

Contact Sales or Customer Service Representative

15.00

10.00

10.00

14.00

1CHSG1Z Housing, 3FSP211

1CHSG1Z Housing, 3FSP211

1p Fee for quantities under 5 pcs

Stratus Series Small Area Light - QUICK SHIP
Description:
Stratus 25 *(Type C, D, F) 65w (includes Mount)
Stratus 25 *(Type A, B, C, D, F) 81w (includes Mount)
Stratus 25 *(Type A, B, C, D, F) 112w (includes Mount)
Stratus 25 Narrow Beam (30°) 81w (includes Mount)
Stratus 25 Narrow Beam (30°) 112w (includes Mount)
Factory Installed
120-277v
347-480v @ 65w
347-480v @ 81w

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	
3000K	
4000K	
5000K	
Factory Installed	
Standard Clear Flat Glass Lens	
SoftLED Flat Glass Lens (KH25GLSS)	
Factory Installed	
Bronze	
Custom Paint Color	
Factory Installed	
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)	
Easy-Hang Wall Bracket (KHEH)	
Stratus Mounting Arm, Mounts Directly to Square Poles (STR25A)	
Pole Mounting Arm Adaptor, Fits 2 $\frac{3}{8}$ " Arm, Includes Hardware (ALMAAZ)	
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)	
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH25Y)	
No Mount	
Factory Installed	
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.	
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with KH25A Stratus Mounting Arm only.	
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Ships Separately, Field Installed	
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	
Die Cast Housing Only with Sensor Mounting Bracket w/ Motion Sensor, IR for max mounting heights of 40ft (3FSPL7)	

PEMCO PRICE LIST
Effective June 1, 2021

Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware
Wire Guard, Stainless Steel Construction
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Ships Separately, Field Installed
Die-Cast Adaptor for 2¾" Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware
External Mount Die-Cast Adjustable Slipfitter for 2¾" Tenons, Bronze Powdercoat Finish, Includes Hardware
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.
Clear Flat Glass Lens
SoftLED Flat Glass Lens
Yoke, Stamped Heavy-Duty Steel, Bronze Powdercoat Finish
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

available with Wall Mount configuration.

Contact Sales or Customer Service Representative

15.00

20.00

15.00

10.00

14.00

1 CHSG1Z Housing, 3FSP211

1 CHSG1Z Housing, 3FSP211

1 required when using Bracket or Large Yoke

per Fee for quantities under 5 pcs

1w 5K Model Only

100K; C & F Optics 4000K & 5000K Models

112w B, C, D, F Optics; or 112w D & F Optics

--

Stratus Series Large Area Light - QUICK SHIP

Description:

Stratus 45 *(Type A, B, C, D, F) 99w (includes Mount)

Stratus 45 *(Type A, B, C, D, F) 111w (includes Mount)

Stratus 45 *(Type A, B, C, D, F) 133w (includes Mount)

Stratus 45 *(Type A, B, C, D, F) 167w (includes Mount)

PEMCO PRICE LIST
Effective June 1, 2021

Stratus 45 *(Type A, B, C, D, F) 183w (includes Mount)
Stratus 45 *(Type A, B, C, D, F) 199w (includes Mount)
Stratus 45 *(Type A, B, C, D, F) 256w (includes Mount)
Stratus 45 Narrow Beam (30°) 99w (includes Mount)
Stratus 45 Narrow Beam (30°) 111w (includes Mount)
Stratus 45 Narrow Beam (30°) 133w (includes Mount)
Stratus 45 Narrow Beam (30°) 167w (includes Mount)
Stratus 45 Narrow Beam (30°) 183w (includes Mount)
Stratus 45 Narrow Beam (30°) 199w (includes Mount)
Stratus 45 Narrow Beam (30°) 256w (includes Mount)
Optimized Stratus 45 *(Type C, D, F) 136w (includes Mount)
Optimized Stratus 45 *(Type C, D, F) 225w (includes Mount)
Factory Installed
120-277v
347-480v @ 99w, 111w, 133w, 136w, 256w
347-480v @ 167w
347-480v @ 183w, 199w
347-480v @ 272w, 290w, 315w
Factory Installed
3000K
4000K
5000K
Factory Installed
Standard Clear Flat Glass Lens
SoftLED Flat Glass Lens (KH45GLSS)
Clear Flat Prismatic Glass Lens (KH45GLP)
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)
Stratus Mounting Arm, Mounts Directly to Square Poles (KH45A)
Pole Mounting Arm Adaptor, Fits 2 3/8" Arm, Includes Hardware (ALMAAZ)
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH45YZ)
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware (WBR2)
No Mount
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)

PEMCO PRICE LIST
Effective June 1, 2021

Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Round Pole Adapter. Fits 4" or 6" O.D. Round Poles, Bronze Finish
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.
Single Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Quad Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish
Die Cast Housing Only with Sensor Mounting Bracket w/ Motion Sensor, IR for max mounting heights of 40ft (3FSPL7)
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware
Wire Guard, Stainless Steel Construction
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Ships Separately, Field Installed
Die-Cast Adaptor for 2 ³ / ₈ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware
External Mount Die-Cast Adjustable Slipfitter for 2 ³ / ₈ " Tenons, Bronze Powdercoat Finish, Includes Hardware
Stratus Mounting Arm, Mounts Directly to Square Poles, Bronze Powdercoat Finish
Tempered Clear Flat Glass Lens
SoftLED Flat Glass Lens
Prismatic Flat Glass Lens
Yoke, Stamped Heavy-Duty Steel, Bronze Powdercoat Finish
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

available with Wall Mount configuration.

PEMCO PRICE LIST
Effective June 1, 2021

Contact Sales or Customer Service Representative

\$15.00

\$10.00

\$15.00

\$10.00

\$14.00

1 CHSG1Z Housing, 3FSP211

1 CHSG1Z Housing, 3FSP211

1 required when using Bracket or Large Yoke

1 p Fee for quantities under 5 pcs

& F Optics

Auto Dealership Large Stratus Area/Wall/Flood Light - QUICK SHIP
Description:
STR45 Optimized *(Type C, D) 225w
STR45 *(Type C, D) 256w
Factory Installed
120-277v
347-480v
Factory Installed
5000K
Factory Installed
Standard Clear Flat Glass Lens
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Stratus Arm, Optics Rotated Right
Stratus Arm, Optics Rotated Left
Slipfitter, Optics Rotated Right
Slipfitter, Optics Rotated Left
Mounting Arm Adapter, Optics Rotated Right
Mounting Arm Adapter, Optics Rotated Left
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)

PEMCO PRICE LIST
Effective June 1, 2021

3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Ships Separately, Field Installed
Round Pole Adapter. Fits 4" or 6" O.D. Round Poles, Bronze Finish
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.
Single Pole Tenon Spoke Bracket, 2⅜" Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2⅜" Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2⅜" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2⅜" Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2⅜" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Quad Pole Tenon Spoke Bracket, 2⅜" Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish
Die Cast Housing Only with Sensor Mounting Bracket w/ Motion Sensor, IR for max mounting heights of 40ft (3FSPL7)
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware
Wire Guard, Stainless Steel Construction
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Ships Separately, Field Installed
Tempered Clear Flat Glass Lens
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

available with Wall Mount configuration.

Contact Sales or Customer Service Representative

\$0.00

\$0.00

per Fee for quantities under 5 pcs

Stratus Series Stratus Twin - QUICK SHIP

Description:

Stratus Twin *(Type A, B, C, D, F) 334w

Stratus Twin Narrow Beam (30°) 334w

Stratus Twin *(Type A, B, C, D, F) 512w

PEMCO PRICE LIST
Effective June 1, 2021

Stratus Twin Narrow Beam (30°) 512w
Factory Installed
120-277v
347-480v @ 334w
347-480v @ 512w
Factory Installed
3000K
4000K
5000K
Factory Installed
Standard Clear Flat Glass Lens
SoftLED Flat Glass Lens (KH45GLSS) (two required)
Clear Flat Prismatic Glass Lens (KH45GLP) (two required)
Factory Installed
Bronze
Custom Paint Color
Factory Installed
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL90SFX)
Factory Installed
Twin Mount Bracket Assembly, Factory Installed
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish
Die Cast Housing Only with Sensor Mounting Bracket w/ Motion Sensor, IR for max mounting heights of 40ft (3FSPL7)
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware
Wire Guard, Stainless Steel Construction

PEMCO PRICE LIST
Effective June 1, 2021

Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Time Delay Twist Lock Photocell.
Ships Separately, Field Installed
Tempered Clear Flat Glass Lens
Prismatic Flat Glass Lens
SoftLED Flat Glass Lens
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

0.00

0.00

,

p Fee for quantities under 5 pcs

Optics Only

Stratus Series PowerBolt Area Light - QUICK SHIP
Description:
Stratus PowerBolt *(Type A, B, C, D, F) 334w
Stratus PowerBolt *(Type A, B, C, D, F) 512w
Stratus PowerBolt Narrow Beam (30°) 334w
Stratus PowerBolt Narrow Beam (30°) 512w
Optimized Stratus PowerBolt *(Type C, F) 272w
Optimized Stratus PowerBolt *(Type C, F) 450w
Factory Installed
120-277v
347-480v @ 334w
347-480v @ 512w
Factory Installed
3000K
4000K
5000K
Factory Installed
Standard Clear Flat Glass Lens

PEMCO PRICE LIST
Effective June 1, 2021

SoftLED Flat Glass Lens (KH45GLSS) (two required)
Clear Flat Prismatic Glass Lens (KH45GLP) (two required)
Factory Installed
Bronze
Custom Paint Color
Factory Installed
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL90SFX)
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480v)
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.
Ships Separately, Field Installed
Single Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 ³ / ₈ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish
Die Cast Housing Only with Sensor Mounting Bracket w/ Motion Sensor, IR for max mounting heights of 40ft (3FSPL7)
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware (two required)
Wire Guard, Stainless Steel Construction (two required)
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Time Delay Twist Lock Photocell.
Ships Separately, Field Installed
Tempered Clear Flat Glass Lens (two required)
Prismatic Flat Glass Lens (two required)
SoftLED Flat Glass Lens (two required)
External Mount Die-Cast Adjustable Slipfitter for 2 ³ / ₈ " Tenons, Bronze Powdercoat Finish, Includes Hardware
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

PEMCO PRICE LIST
Effective June 1, 2021

\$0.00

per Fee for quantities under 5 pcs

Accessories Only

Cirrus Area & Roadway Luminaire
Description:
Cirrus Area & Roadway LED - 8" Radiant™ 40W, 50W, 60W
Cirrus Area & Roadway LED - 12" Radiant™ 60W, 70W, 80W, 90W
Black (BK), Medium Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR) or Silver Metallic (SM)
Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), Textured Black (TBK) or Custom Finish (CC)
Factory Installed
Button Eye Photo Control

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

Voyager Small Round Pole / Wall Mount - QUICK SHIP
Description:
VOYR20Q Voyager Type F 17w (Includes Arm)
Factory Installed
120-277v
347v
Factory Installed
3000K
4000K
5000K
Factory Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens
Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed

PEMCO PRICE LIST
Effective June 1, 2021

Button Photocell, 120-277VAC (P18103)
Easy-Hang Wall Bracket (KHEH)
Battery Backup, 90 Minutes
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Die-Cast Adaptor for 3" to 4" Round Poles, Powdercoat Finish.
Ships Separately, Field Installed
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

available with Wall Mount configuration.

0.00

p Fee for quantities under 5 pcs

Voyager Small Square Pole / Wall Mount - QUICK SHIP
Description:
VOYS20Q Voyager Type F 17w
Factory Installed
120-277v
347v
Factory Installed
3000K
4000K
5000K
Factory Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens
Factory Installed
Black
Bronze
Custom Paint Color
Factory Installed
Button Photocell, 120-277VAC (P18103)
Easy-Hang Wall Bracket (KHEH)

PEMCO PRICE LIST
Effective June 1, 2021

Battery Backup, 90 Minutes
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)
Ships Separately, Field Installed
Die-Cast Adaptor for 3" to 4" Round Poles, Powdercoat Finish. Use with Stratus Mounting Arm Only.
Ships Separately, Field Installed
Empty Die Cast Accessory Housing, Powdercoat Finish
Ships Separately, Field Installed
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

available with Wall Mount configuration.

0.00

p Fee for quantities under 5 pcs

Voyager Round Pole / Wall Mount - QUICK SHIP
Description:
VOYR30Q Voyager *(Type A, B, C, D, F) 37w
VOYR30Q Voyager *(Type A, B, C, D, F) 65w
VOYR30Q Voyager *(Type A, B, C, D, F) 100w
VOYR30Q Voyager *(Type A, B, C, D, F) 140w
Factory Installed
120-277v
347-480v @ 37w
347-480v @ 65w
347-480v @ 100w, 140w
Factory Installed
3000K (37w, 65w Only)
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Array Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)
Factory Installed
Bronze
Black
Custom Paint Color

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed

Pole/Wall Arm

Mounting Arm Adaptor

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

Surge Protection (120-277v)

Surge Protection (347-480v)

Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.

Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

3-Pin Twist Lock Photocell Receptacle (P18130)

5-Pin Twist Lock Photocell Receptacle (P18130R5)

7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)

Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)

Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)

Ships Separately, Field Installed

Die-Cast Adaptor for 3" to 4" Round Poles, Powdercoat Finish.

Ships Separately, Field Installed

Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).

Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten

110-120VAC Instant Twist Lock Photocell

120VAC Time Delay Twist Lock Photocell

277VAC Time Delay Twist Lock Photocell

120-277VAC Universal Twist Lock Photocell

480VAC Twist Lock Photocell

Stamped Aluminum House Side Shield, Powdercoat Finish.

Ships Separately, Field Installed

Pole Mounting Arm Adaptor Bracket, fits ALMAA Adaptor, Includes Hardware, Powdercoat Finish, Requires ALMAA Pole Mounting Arm Adaptor

Pole Mounting Arm Adaptor, Fits 2³/₈" Arm, Includes Hardware, Powdercoat Finish, Requires AF30MAB Bracket

SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)

Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.

Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.

Provides 90 Minutes of Backup Power (120-277v Only)

Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

Voyager Square Pole / Wall Mount - QUICK SHIP

PEMCO PRICE LIST
Effective June 1, 2021

Description:
VOYS30Q Voyager *(Type A, B, C, D, F) 37w
VOYS30Q Voyager *(Type A, B, C, D, F) 65w
VOYS30Q Voyager *(Type A, B, C, D, F) 100w
VOYS30Q Voyager *(Type A, B, C, D, F) 140w
Factory Installed
120-277v
347-480v @ 37w,
347-480v @ 65w
347-480v @ 100w, 140w
Factory Installed
3000K (37w, 65w Only)
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Array Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)
Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed
Pole/Wall Arm
Mounting Arm Adaptor
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
3-Pin Twist Lock Photocell Receptacle (P18130)
5-Pin Twist Lock Photocell Receptacle (P18130R5)
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)
Ships Separately, Field Installed
Die-Cast Adaptor for 3" to 4" Round Poles, Powdercoat Finish. Use with Stratus Mounting Arm Only.
Ships Separately, Field Installed
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).

PEMCO PRICE LIST
Effective June 1, 2021

Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten
110-120VAC Instant Twist Lock Photocell
120VAC Time Delay Twist Lock Photocell
277VAC Time Delay Twist Lock Photocell
120-277VAC Universal Twist Lock Photocell
480VAC Twist Lock Photocell
Ships Separately, Field Installed
Pole Mounting Arm Adaptor Bracket, fits ALMAA Adaptor, Includes Hardware, Powdercoat Finish, Requires ALMAA Pole Mounting
Pole Mounting Arm Adaptor, Fits 2 3/8" Arm, Includes Hardware, Powdercoat Finish, Requires AF30MAB Bracket
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.
Provides 90 Minutes of Backup Power (120-277v Only)
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)

p Fee for quantities under 5 pcs

12" Square Shoebox Area / Flood Light - QUICK SHIP
16" Square Shoebox Area / Flood Light - QUICK SHIP
Round Back Linear Flood Light - QUICK SHIP
Description:
DLP2 2' Flood Type F 23w
DLP3 3' Flood Type F 37w
Factory Installed
120-277v
Factory Installed
5000K
Factory Installed
Clear Flat Glass Lens
Factory Installed
Bronze
White

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed
2' Knuckle Mount
2' Bracket Mount (White Only)
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Ships Separately, Field Installed
Heavy-Duty Ground Stake with ½" NPS Threaded Hub. Built-In Wiring Compartment with ½" Coin Plugs. Black Molded Plastic. Use for Line Voltage Applications. 19" Tall with 9" Wide Stabilizer.

p Fee for quantities under 5 pcs

Linear LED Die Cast Area Light - QUICK SHIP
Description:
CLL1AO Type F 22w Open Frame Area Light (includes Slipfitter Mount)*
CLL1AO Type F 37w Open Frame Area Light (includes Slipfitter Mount)*
CLL2AO Type F 47w Open Frame Area Light (includes Slipfitter Mount)*
CLL2AO Type F 66w Open Frame Area Light (includes Slipfitter Mount)*
CLL4AO Type F 112w Open Frame Area Light (includes Slipfitter Mount)*
CLL4AO Type F 136w Open Frame Area Light (includes Slipfitter Mount)*
Factory Installed
120-277v
347-480v @ 47w, 66w
347-480v @ 112w, 136w
Factory Installed
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV1A)
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV2A)
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV4A)
Factory Installed
Platinum (Silver Grey)
Bronze
Black
Custom Paint Color (for LV1A)
Custom Paint Color (for LV2A)

PEMCO PRICE LIST
Effective June 1, 2021

Custom Paint Color (for LV4A)
Factory Installed *(Required for Area Light)
End Mount Slipfitter
Center Mount Slipfitter
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277V)
Surge Protection (347-480V)
Ships Separately, Field Installed
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware
Ships Separately, Field Installed
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV1A)
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV2A)
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Lens (for LV4A)
Clear Polycarbonate Vandal-Resistant Lens (for LV1A)
Clear Polycarbonate Vandal-Resistant Lens (for LV2A)
Clear Polycarbonate Vandal-Resistant Lens (for LV4A)
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Powdercoat Finish, Includes Hardware. (for LV1A, LV2A)
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Powdercoat Finish, Includes Hardware. (for LV4AO)

p Fee for quantities under 5 pcs

16" Gas Station Canopy - QUICK SHIP
Description:
16" Canopy PMP16Q Type F 112w
Factory Installed
120-277v
347-480v
Factory Installed

PEMCO PRICE LIST
Effective June 1, 2021

4000K
5000K
Factory Installed
Tempered Clear Flat Glass
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)

p Fee for quantities under 5 pcs

20" Gas Station Canopy - QUICK SHIP
Description:
20" Canopy PMP16Q Type F 186w
Factory Installed
120-277v
347-480v
Factory Installed
5000K
Factory Installed
Tempered Clear Flat Glass
Factory Installed
White
Custom Paint Color
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)

p Fee for quantities under 5 pcs

--

PEMCO PRICE LIST
Effective June 1, 2021

Jupiter 1 Area Luminaire

Description:

Jupiter1 Area Light - 8" Radiant™ 40W, 50W, 60W

Jupiter1 Area Light - 12" Radiant™ 60W, 70W, 80W, 90W

Jupiter1 Area Light - 13" Radiant™ 105W, 120W, 135W

No Secondary Lens

Side Mount, Horizontal Tenon

Factory Installed

Photo Control Button Type

3 Pin Twist Lock Receptacle (photo cell not included)

7 Pin Twist Lock Receptacle (photo cell not included)

Motion Sensor (40W & 60W only)

Black (BK), Med Bronze (BZ), Dark Bronze (DBZ), White (WH), Green (GR), Grey (GY), Textured Black (TBK) or Silver Metallic (SM)

Verde Patina (VP), Pewter Patina (PP), Silver Sparkle (SS), or Custom Color (CC)

\$50/per fixture

one set up fee of \$500; plus 10% per piece adder

[illegible]

	NC
	\$117
	\$143
	\$106
	\$111
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$90
Note:	10%
5, 19	\$27
11, 19	\$53
9	\$38
6	\$50
5	\$32
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$14
	\$20
	\$23
Note:	10%
2, 5	\$23
2, 5	\$31
2, 5	\$34
1	\$55
1	\$43
	\$132
	\$205
	\$205
4	\$305
4	\$307
4	\$373

Note:	10%
1	\$51
1	TBD
	\$23
	\$23
3	\$11
3	\$11
3	\$11
	\$17
	\$27

Note:	10%
	\$16
9	\$34
11	\$49
5	\$23
6	\$46
5	\$28

Note:	10%
	\$1,659
	\$2,074
	\$1,659
	\$2,074
56	\$1,688
56	\$2,104

Note:	10%
	NC
	\$234
	\$212

Note:	10%
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$120
Note:	10%
6	\$71
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$14
	\$20
	\$23
Note:	10%
23	\$51
23	\$26
	\$23
	\$23
3	\$11
3	\$11
3	\$11
	\$17
	\$27
Note:	10%
	\$16
	\$67

Note:	10%
	\$151
	\$174
	\$180
	\$173
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$60
Note:	10%
6	NC
Note:	10%
	\$18
	\$38
	\$16
Note:	10%
	\$23
8	\$10
8	\$10
	\$8
	\$42
Note:	10%
8	\$8
	\$16
	\$143
	\$226
	\$226

Note:	10%
	\$84
	\$105
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$60
Note:	10%
	\$23
	\$8
	\$42
Note:	10%
	\$143
	\$226
	\$226
Note:	10%
	\$260
	\$272
57	\$272
57	\$298
	\$260
	\$272
	\$284
	\$284
Note:	10%
	NC
	\$25
	\$87
Note:	10%

	NC
	NC
	NC
Note:	10%
	NC
	\$15
Note:	10%
	NC
22	\$80
Note:	10%
5	NC
8	NC
6	NC
9	NC
6	NC
9	NC
8	NC
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
8, 17	\$110
8, 18	\$110
3	\$27
3	\$15
3	\$15
3	\$23
	\$207
	\$255
Note:	10%
8	\$16
	\$19
	\$132
	\$205
	\$205
4	\$305
4	\$307
4	\$373
Note:	10%
8	\$22

Note:	10%
68	NC
	NC
	NC
Note:	10%
	NC
	\$15
Note:	10%
	NC
22	\$80
Note:	10%
5	NC
8	NC
6	NC
9	NC
6	NC
7, 19	NC
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
8, 17	\$110
8, 18	\$110
	\$14
	\$20
	\$23
	\$68
	\$33
Note:	10%
8	\$16
	\$19
	\$132
	\$205
	\$205
4	\$305
4	\$307
4	\$373
Note:	10%
8	\$22
	\$124

	\$11
6	\$29
	\$20
	\$23
	\$23
3	\$11
3	\$11
3	\$11
	\$17
	\$27
Note:	10%
9	\$34
5	\$23
6	\$46
6	\$38
	\$8
	\$11
7	\$38
8	\$42
	\$49
	\$28

--

Note:	10%
	\$462
	\$462
	\$462
	\$462

	\$675
	\$675
	\$676
57	\$489
57	\$489
57	\$489
57	\$489
57	\$703
57	\$703
57	\$703
	\$462
	\$676
Note:	10%
	NC
	\$106
	\$117
	\$111
	\$68
Note:	10%
29	NC
	NC
	NC
Note:	10%
	NC
	\$27
21	\$23
Note:	10%
	NC
22	\$90
Note:	10%
5, 19	NC
6	NC
9	NC
6	NC
7, 19	NC
5	NC
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29

8, 17	\$110
8, 18	\$110
	\$14
	\$20
	\$23
	\$68
	\$33
Note:	10%
6	\$22
6	\$26
	\$132
	\$205
	\$205
4	\$305
4	\$307
4	\$373
Note:	10%
8	\$22
	\$124
	\$11
	\$51
	\$26
	\$23
	\$23
3	\$11
3	\$11
3	\$11
	\$17
	\$27
Note:	10%
9	\$34
5	\$23
6	\$46
7	\$49
	\$10
	\$23
	\$19
7	\$49
5	\$28
	\$49
	\$28

Note:	10%
	\$675
	\$675
Note:	10%
	NC
	\$87
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$90
Note:	10%
	NC
	NC
	NC
	NC
	NC
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29

	\$14
	\$20
	\$23
Note:	10%
6	\$22
6	\$26
	\$132
	\$205
	\$205
4	\$305
4	\$307
4	\$373
Note:	10%
8	\$22
	\$124
	\$11
	\$51
	\$26
	\$23
	\$23
3	\$11
3	\$11
3	\$11
	\$17
	\$27
Note:	10%
	\$10
	\$49
	\$28

Note:	10%
	\$1,102
	\$1,155
	\$1,476

	\$1,529
Note:	10%
	NC
	\$117
	\$106
Note:	10%
41	NC
	NC
	NC
Note:	10%
	NC
	\$27
21	\$23
Note:	10%
	NC
22	\$106
Note:	10%
6	NC
Note:	10%
	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$14
	\$20
	\$23
	\$68
	\$33
Note:	10%
	\$132
	\$205
Note:	10%
8	\$22
	\$124
	\$11
23	\$51
	\$26

[illegible]

	\$27
21	\$23
Note:	10%
	NC
22	\$106
Note:	10%
6	NC
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$14
	\$20
	\$23
	\$68
	\$33
Note:	10%
	\$132
	\$205
Note:	10%
8	\$22
	\$124
	\$11
	\$51
	\$26
	\$23
	\$23
	\$11
	\$11
	\$11
	\$17
	\$27
Note:	10%
	\$10
	\$19
	\$23
	\$67
	\$49
	\$28

Note:	10%
1	\$1,735
1	\$1,880
Note:	10%
	NC
2	10% add
Note:	10%
	\$41
Note:	10%
1	\$317
Note:	10%
	NC
	\$68
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC
22	\$90
Note:	10%

3	\$27
1, 8	\$46
	\$207
	\$255
Note:	10%
1	\$16
Note:	10%
1	\$70
Note:	10%
1, 8	\$42
	\$142
	\$194
Note:	10%
1	\$290
Note:	10%
	NC
	\$68
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC
22	\$90
Note:	10%
3	\$27
1, 8	\$46

[illegible]

Note:	10%
	NC
	\$66
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$50
	\$30
	\$14
	\$20
	\$23
	\$136
	\$184
Note:	10%
1	\$16
Note:	10%
	\$23
	\$23
	\$11
	\$11
	\$11
	\$17
	\$27
1	\$9
Note:	10%
1	\$26
1	\$34
	\$28
	\$49
	\$28
	\$142
	\$194

Note:	10%
1	\$502
1	\$567
1	\$589
1	\$611
Note:	10%
	NC
	\$25
	\$93
	\$106
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
	\$32
Note:	10%
	NC
	NC
22	\$90
Note:	10%
	NC
	\$66
Note:	10%
	\$18
	\$38
	\$16
	\$29
	\$50
	\$30
	\$14
	\$20
	\$23
	\$136
	\$184
Note:	10%
1	\$16
Note:	10%
	\$23

	\$23
	\$11
	\$11
	\$11
	\$17
	\$27
Note:	10%
1	\$26
1	\$34
	\$28
	\$49
	\$28
	\$142
	\$194
Call for Quote	
Call for Quote	
Note:	10%
	\$211
	\$248
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
	NC

Note:	10%
	NC
	NC
Note:	10%
	\$18
	\$38
	\$16
Note:	10%
	\$42
Note:	10%
1	\$318
1	\$318
1	\$455
1	\$455
1	\$760
1	\$760
Note:	10%
	NC
	\$93
	\$106
Note:	10%
	NC
	NC
Note:	10%
	NC
	\$23
	\$32
	\$51
Note:	10%
	NC
	NC
	NC
22	\$55
22	\$65

22	\$75
Note:	10%
	NC
	NC
Note:	10%
62	\$18
62	\$38
62	\$16
62	\$29
Note:	10%
1	\$132
1	\$205
1	\$205
1	\$305
1	\$307
1	\$373
Note:	10%
	\$19
	\$28
	\$47
	\$17
	\$31
	\$54
1	\$46
1	\$67
Note:	10%
	\$390
Note:	10%
	NC
	\$87
Note:	10%

	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16
Note:	10%
	\$472
Note:	10%
	NC
	\$87
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$18
	\$38
	\$16

Note:	10%
1	\$835
1	\$895
1	\$956
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	\$52
	\$49
	\$49
	\$157
Note:	10%
	NC
2	10% add

ADM30

LED Model:
ADM30Q*1X37
ADM30Q*1X65
ADM30Q*1X84

Ballast:
U
H
H
H

Color Temp:
3K
4K
5K

Lens:
C
L

Color:
B
C

Options:
SF
DF
SP
SP
S2
S4
BU
BUC

Accessories:
AS301S

Replacement Parts:
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA

Notes:
(22) \$150.00 Paint Set-u

ADM32

LED Model:
ADM32QC1X100
ADM32QF1X100
ADM32QC1X176
ADM32QF1X176
ADM32QF1X276

Ballast:
U
C
C

Color Temp:
3K
4K
5K

Lens:
C
L

Color:
B
C

Options:
SF
DF
SP
SP
S2
S4

Accessories:
AS322S

Replacement Parts:
P17117
P17123

Notes:
(22) \$150.00 Paint Set-u

ADM34

ADMI34

LED Model:

ADM34QF1X34

Ballast:

U

H

Color Temp:

4K

5K

Lens:

LP

Color:

Z

C

Options:

SF

DF

SP

SP

BU

BUC

S2

S4

Replacement Parts:

P17117

P17123

3EBLX1055190A

3EBLX10T1555CPA

Notes:

ADMS40

LED Model:

ADMS40QF1X40

ADMS40QF1X60

ADMS40QF1X84

Ballast:

U

H
Color Temp:
4K
Color:
Z
C
Mounting:
NM
T
PA
Options:
SF
DF
SP
SP
S2
S4
BU
BUC
Replacement Parts:
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(22) \$150.00 Paint Set-u
ADM44
LED Model:
ADM44QF1X45
Ballast:
U
H
Color Temp:
4K
5K
Lens:

LP
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
PC3
S2
S4
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
Notes:
(22) \$150.00 Paint Set-u

ADM 55

LED Model:
ADM55QF1X30
ADM55QF1X37
ADM55QF1X48
ADM55QF1X65
Ballast:
U
H
C
Color Temp:
3K
4K
5K
Color:
Z

W
C
Options:
SF
DF
SP
SP
BU
BUC
PC3
QM
S2
S4
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
VNQM
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
VOYRG30Q
LED Model:
VOYRG30Q*1X37
VOYRG30Q*1X65
VOYRG30Q*1X100
VOYRG30Q*1X140
Ballast:
U
H
H
H
Color Temp:
3K
4K
5K

Lens:
C
L

Color:
Z
W
C

Mounting:
NM
T
PA

Options:
SF
DF
SP
SP
S2
S4
BU
BUC

Replacement Parts:
AF30T
PK3415
P17117
P17123
AF30PCLL
3EBLX1055190A
3EBLX10T1555CPA

Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u

VOYSG30Q

LED Model:
VOYSG30Q*1X37
VOYSG30Q*1X65
VOYSG30Q*1X100
VOYSG30Q*1X140

Ballast:
U

H
H
H
Color Temp:
3K
4K
5K
Lens:
C
L
Color:
Z
W
C
Mounting:
NM
T
PA
Options:
SF
DF
SP
SP
S2
S4
BU
BUC
Replacement Parts:
AF30T
PK3415
AF30PCLL
P17117
P17123
3EBLX1055190A
3EBLX10T1555CPA
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u

PEMCO PRICE LIST
Effective June 1, 2021

Admiral 30 Small Round Garage Lighting - QUICK SHIP

Description:	Note:
Round Canopy ADM30Q *(Type C, F) 37w	
Round Canopy ADM30Q *(Type C, F) 65w	
Round Canopy ADM30Q *(Type C, F) 84w	
Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	
347-480v @ 84w	
Factory Installed	Note:
3000K (37w, 65w Type C / 37w, 84w Type F Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Factory Installed	Note:
Spun Aluminum Shade with Powdercoat Finish, Hardware Included	
Factory Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

PEMCO PRICE LIST
Effective June 1, 2021

Admiral 32 Large Round Garage Lighting - QUICK SHIP

Description:	Note:
Round Canopy ADM32Q Type C 100w	
Round Canopy ADM32Q Type F 100w	
Round Canopy ADM32Q Type C 176w	
Round Canopy ADM32Q Type F 176w	
Round Canopy ADM32Q Type F 276w	

Factory Installed	Note:
120-277v	
347v @ 100w	
347v @ 176w	

Factory Installed	Note:
3000K (176w Type V Only)	
4000K	
5000K	

Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Array Lens	

Factory Installed	Note:
Black	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

Factory Installed	Note:
Spun Aluminum Shade with Powdercoat Finish, Hardware Included	

Factory Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

Admiral 34 Large Round Garage Lighting - QUICK SHIP

PEMCO PRICE LIST
Effective June 1, 2021

Admiral 34 Large Round Garage Lighting - QUICK SHIP

Description:	Note:
Canopy Type F 34w	
Factory Installed	Note:
120-277v	
347-480v	
Factory Installed	Note:
4000K	
5000K	
Factory Installed	Note:
SoftLED Low Profile LumaLens Opal UV-Stabilized Polycarbonate Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

Admiral 40 Square LED Garage Light - QUICK SHIP

Description:	Note:
ADMS40 Type VS 40w	
ADMS40 Type VS 60w	
ADMS40 Type VS 84w	
Factory Installed	Note:
120-277v	

PEMCO PRICE LIST
Effective June 1, 2021

347-480v	
Factory Installed	Note:
4000K	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Ships Separately, Field Installed	Note:
Easy-Hang Bracket Only	
Trunnion	
Pendant	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

Admiral 44 Shallow Garage Lighting	
Description:	Note:
Canopy Type F 45w	
Factory Installed	Note:
120-277v	
347-480v	
Factory Installed	Note:
4000K	
5000K	
Factory Installed	Note:

PEMCO PRICE LIST
Effective June 1, 2021

SoftLED Low Profile LumaLens Opal UV-Stabilized Polycarbonate Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
120-277VAC Button Photocell	

p Fee for quantities under 5 pcs

Admiral 55 Large Square Garage Lighting - QUICK SHIP	
Description:	Note:
Canopy Type VS 30w	1
Canopy Type VS 37w	1
Canopy Type VS 48w	1
Canopy Type VS 65w	1
Factory Installed	Note:
120-277v	
347-480v	
347v	
Factory Installed	Note:
3000K @ 30w Only	
4000K @ 30w, 37w, 48w, 65w Only	
5000K @ 48w Only	
Factory Installed	Note:
Bronze	

PEMCO PRICE LIST
Effective June 1, 2021

White	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Quick-Mount Bracket (VNQM)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
120-277VAC Button Photocell	
Hinged Quick-Mount Bracket, Stamped Steel, Mount over Recessed Electrical Box, or Use ¾" NPS Downrod for Pendant Mounting. CSA Listed for Damp Location Mounting.	

p Fee for quantities under 5 pcs

Voyager 30 Round Canopy Garage - QUICK SHIP	
Description:	Note:
VOYRG30Q Voyager *(Type A, B, C, D, F) 37w	1
VOYRG30Q Voyager *(Type A, B, C, D, F) 65w	1
VOYRG30Q Voyager *(Type A, B, C, D, F) 100w	1
VOYRG30Q Voyager *(Type A, B, C, D, F) 140w	1
Factory Installed	Note:
120-277v	
347-480v @ 37w	
347-480v @ 65w	
347-480v @ 100w, 140w	
Factory Installed	Note:
3000K (37w, 65w Only)	
4000K	
5000K	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Factory Installed	Note:
Bronze	
White	
Custom Paint Color	22
Ships Separately, Field Installed	Note:
Easy-Hang Bracket Only	
Trunnion	1
Pendant	1
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Height Adjustable Trunnion, Stamped Heavy Duty Steel, Powdercoat Finish	1
Pendant Mount Kit Includes Top & Bottom Cover, Brackets, ¾" Dia X 15" L Downrod, and Hardware. Powdercoat Finish	1
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

Voyager 30 Square Canopy Garage	
Description:	Note:
VOYSG30Q Voyager *(Type A, B, C, D, F) 37w	1
VOYSG30Q Voyager *(Type A, B, C, D, F) 65w	1
VOYSG30Q Voyager *(Type A, B, C, D, F) 100w	1
VOYSG30Q Voyager *(Type A, B, C, D, F) 140w	1
Factory Installed	Note:
120-277v	

PEMCO PRICE LIST
Effective June 1, 2021

347-480v @ 37w	
347-480v @ 65w	
347-480v @ 100w, 140w	
Factory Installed	Note:
3000K (37w, 65w Only)	
4000K	
5000K	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Factory Installed	Note:
Bronze	
White	
Custom Paint Color	22
Ships Separately, Field Installed	Note:
Easy-Hang Bracket Only	
Trunnion	1
Pendant	1
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Height Adjustable Trunnion, Stamped Heavy Duty Steel, Powdercoat Finish	1
Pendant Mount Kit Includes Top & Bottom Cover, Brackets, ¾" Dia X 15" L Downrod, and Hardware. Powdercoat Finish	1
SoftLED LumaLens Opal UV-Stabilized Polycarbonate Vandal-Resistant Drop Lens (Type F Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	

p Fee for quantities under 5 pcs

--

10%
\$609
\$729
\$729
10%
NC
\$25
\$93
\$68
10%
NC
NC
NC
10%
NC
\$28
10%
NC
\$75
10%
\$18
\$38
\$16
\$29
\$50
\$30
\$136
\$184
10%
\$36
10%
\$49
\$28
\$142
\$194

10%
\$748
\$748
\$785
\$785
\$1,002
10%
NC
\$111
\$117
10%
NC
NC
NC
10%
NC
\$70
10%
NC
\$85
10%
\$18
\$38
\$16
\$29
\$50
\$30
10%
\$109
10%
\$49
\$28

10%
\$185
10%
NC
\$25
10%
NC
NC
10%
NC
10%
NC
\$40
10%
\$18
\$38
\$16
\$29
\$136
\$184
\$50
\$30
10%
\$49
\$28
\$142
\$194
10%
\$216
\$230
\$276
10%
NC

\$25
10%
NC
10%
NC
\$65
10%
NC
\$44
\$74
10%
\$18
\$38
\$16
\$29
\$50
\$30
\$136
\$184
10%
\$49
\$28
\$142
\$194
10%
\$202
10%
NC
\$93
10%
NC
NC
10%

[illegible]

\$25
\$93
\$106
10%
NC
NC
NC
10%
NC
\$32
10%
NC
NC
\$90
10%
NC
\$44
\$74
10%
\$18
\$38
\$16
\$29
\$50
\$30
\$136
\$184
10%
\$40
\$70
\$28
\$49
\$28
\$142
\$194

AUS18
LED Model:
AUS18FG3QF1X15
AUS18FG5QF1X15
AUS18FLQF1X15
AUS18FRLQF1X15
AUS18FRWQF1X15
Ballast:
U
C
Color Temp:
AM
Color:
Z
B
C
Height:
(Leave Blank)
36
30
Options:
SF
DF
SP
SP
GF1
GSB
GSZ
GSC
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:

P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPC
BORBASE
BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: \$
AUS17
LED Model:
AUS17G3QF1X15
AUS17G5QF1X15
AUS17LQF1X15
AUS17RLQF1X15
AUS17RWQF1X15
Ballast:
U
C
Color Temp:
AM
Color:
Z
B
C
Height:
Leave Blank
36
30
Options:
SF
DF
SP
SP
GF1

GSB
GSZ
GSC
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPC
BORBASE
BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: \$
AUS16
LED Model:
AUS16LQF1X15
AUS16RLQF1X15
AUS16RWQF1X15
Ballast:
U
C
Color Temp:
AM
Color:
SS

Options:
SF
DF
SP
SP
GF1
GSB
GSZ
GSC
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPC
BORBASE
BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: \$
AUS19
LED Model:
AUS19SFG3QF1X15
AUS19SFG5QF1X15
AUS19SFLSQF1X15
AUS19SFRLQF1X15
AUS19SFRWQF1X15
Ballast:

U
C
Color Temp:
AM
Color:
Z
B
C
Height:
Leave Blank
36
30
Options:
SF
DF
SP
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BOLPCS
BOSBASE
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: \$

Admiral30
LED Model:
ADM30F1X46
ADM30F1X78
Ballast:
U
Color Temp:
AM
Lens:
C
L
Color:
B
C
Options:
SF
DF
SP
SP
S2
S4
Accessories:
AS301S
Replacement Parts:
P17117
P17123
Notes:
(22) \$150.00 Paint Set-u
STR15
LED Model:
STR15QF1X22UAMC
STR15QF1X37*AMC
STR15QI1X22UAMC
STR15QI1X37*AMC
*Ballast:

U
C
Color:
Z
C
Mounts:
BR
EH
KA
MA
SF
Y
KN
NM
Options:
SF
DF
SP
SP
M1
M2
PC3
P10
P12
P14
Mounting Accessories:
KH20RP
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
KH15GSZ
KH15WG
KH15BFZ
Replacement Parts:
ALMAAZ
FL73BRZ

FL73SFXZ
FLSTZ
KH15GL
KH15YZ
KH25AZ
KHEHZ
P18103
P18110
P18112
P18114

Notes:

- (3) Photocell option not
- (4) Special order item. C
- (5) Custom Color Fee: \$1
- (6) Custom Color Fee: \$2
- (8) Custom Color Fee: \$1
- (9) Custom Color Fee: \$1
- (17) Includes L4 Lens, AC
- (18) Includes L3 Lens, AC
- (22) \$150.00 Paint Set-u

STR25

LED Model:

STR25QF1X81*AMC
STR25QI1X81*AMC

***Ballast:**

U
H

Color:

Z
C

Mounts:

BR
EH
KA
MA
SF
Y
NM

Options:

SF

DF
SP
SP
M1
M2
R3
R5
R7
S23
S43
Mounting Accessories:
KH20RP
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
ACCHSG3
KH25GSZ
KH25WG
KH25BFZ
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
ALMAAZ
FL73BRZ
FL73SFXZ
KH25AZ
KH25GL
KH25YZ
KHEHZ
P17117
P17123
Notes:

- (3) Photocell option not
- (4) Special order item. C
- (5) Custom Color Fee: \$1
- (6) Custom Color Fee: \$2
- (7) Custom Color Fee: \$2
- (8) Custom Color Fee: \$1
- (9) Custom Color Fee: \$1
- (19) CPCS164B and CPLT
- (22) \$150.00 Paint Set-u

STR45

LED Model:

STR45QF1X167*AM

STR45QI1X167*AM

*Ballast:

U

H

Lens:

C

Color:

Z

C

Mounts:

BR

KA

MA

SF

Y

WM

NM

Options:

SF

DF

SP

SP

M1

M2

R3

R5

R7

S23

S43
Mounting Accessories:
KH40RP
KH40WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
ACCHSG3
KH45GSZ
KH45WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
ALMAAZ
FL73BRZ
FL73SFXZ
KH45AZ
KH45GL
KH45YZ
WBR2Z
P17117
P17123
Notes:
(3) Photocell option not
(4) Special order item. C
(5) Custom Color Fee: \$1
(6) Custom Color Fee: \$2
(7) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(9) Custom Color Fee: \$1
(19) CPCS164B and CPLT
(22) \$150.00 Paint Set-u

STR55
LED Model:
STR55QI2X167*AMC
*Ballast:
U
H
Color:
Z
C
Mounting:
SF
Options:
SF
DF
SP
SP
R3
R5
R7
S23
S43
Mounting Accessories:
PTSB1SZ
PTSB2180SZ
Accessories:
ACCHSG1Z
ACCHSG3
KH45GSZ
KH45WG
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
KH45GL
KH45GLP

FL90SFX
P17117
P17123
Notes: (6) Custom Color Fee: \$2 (7) Custom Color Fee: \$2 (8) Custom Color Fee: \$1 (22) \$150.00 Paint Set-u (23) Requires 2 units
MRF4AOQ
LED Model:
MRF4AOQF87
Ballast:
U
Color Temp:
AM
Lens:
C
Color:
P
C
Options:
SF
DF
SP
BU
Mounting Accessories:
LV2AYSS
LVABRSS
LVAQM
Replacement Parts:
3EBL120277400012V
Notes: (22) \$150.00 Paint Set-u

RLY70
LED Model:
RLY70QF1X46
RLY70QF1X78
Ballast:
U
Color Temp:
AM
Lens:
C
L
Color:
B
Z
C
Options:
SF
DF
SP
R3
R5
R7
S2
S4
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132
P18140
P18150
P18152
P18156
P18157
Replacement Parts:
PF70ALL

P17117
P17123
Notes: (3) Photocell option not (22) \$150.00 Paint Set-u
RLY71
LED Model:
RLY71QF1X46
RLY71QF1X78
Ballast:
U
Color Temp:
AM
Lens:
C
L
Color:
B
Z
C
Options:
SF
DF
SP
R3
R5
R7
S2
S4
P2AB
P2AC
Mounting Accessories:
PSRTN*
Accessories:
P18131
P18132

P18140
P18150
P18152
P18156
P18157
Replacement Parts:
PF70PC
PF70PCL
P17117
P17123
Notes:
(3) Photocell option not
(22) \$150.00 Paint Set-u
TUS2C3
LED Model:
TUS2C32X10*AM
TUS2C32X20*AM
*Ballast:
U
H
C
Color:
Z
C
Mount:
KN
Options:
SF
DF
SP
P14
Mounting Accessories:
FLPTF
FLSTK
FLSTZ
Accessories:
P18110

P18112
Replacement Parts:
P18114
Notes:
(22) \$150.00 Paint Set-u
ADM55
LED Model:
ADM55QF1X39
ADM55QF1X52
Ballast:
U
C
Color Temp:
AM
Color:
Z
W
C
Options:
SF
DF
SP
SP
BU
BUC
PC3
QM
S2
S4
Accessories:
VN55BF
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103

VNQM
Notes: (1) Specify Color (22) \$150.00 Paint Set-u
BAJRS
LED Model:
BAJRSAC31X20UAM
BAJRSBC31X20UAM
BAJRSDC31X20UAM
Color:
Z
B
C
Options:
SF
DF
SP
SP
PC3
BU
BUC
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P18103
Notes: (1) Specify Color (22) \$150.00 Paint Set-u
ORB12
LED Model:
ORB12F1X22
Ballast:
U
H

Color Temp:
AM
Lens:
C
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
P10
P12
P14
P20
P22
Accessories:
WPC12BFZ
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P18110
P18112
P18114
P18120
P18122
Notes:
(22) \$150.00 Paint Set-u
ORB15
LED Model:
ORB15F1X37
Ballast:
U

Color Temp:
AM
Lens:
C
P
Color:
Z
C
Options:
SF
DF
SP
BU
BUC
PC3
Accessories:
WPC15LG
WPC15WG
WPC15BFZ
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117
P17123
P18103
WPC15GLC
WPC15GLP
Notes:
(22) \$150.00 Paint Set-u

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Flat Top Bollards - QUICK SHIP

Description:	Note:
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1

Factory Installed	Note:
120-277v	
347v	

Factory Installed	Note:
Amber	

Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
180° Glare Shield - Black (BOGSB)	
180° Glare Shield - Bronze (BOGSZ)	
180° Glare Shield - Custom Color, Consult Factory (BOGS)	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	

Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1, 45

Ships Separately, Field Installed	Note:
-----------------------------------	-------

PEMCO PRICE LIST
Effective June 1, 2021

Remote Programming Tool for P17121	
Ships Separately, Field Installed	
Provides 90 Minutes of Backup Power (120-277v Only)	Note:
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Polycarbonate Lens	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

p Fee for quantities under 5 pcs

30.00

AmberLED Dome Bollards - QUICK SHIP	
Description:	Note:
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F 15w with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Factory Installed	
120-277v	
347v	
Factory Installed	
Amber	
Factory Installed	
Bronze	
Black	
Custom Paint Color	22
Factory Installed	
42" Standard Height	
36" Height	
30" Height	
Factory Installed	
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	

PEMCO PRICE LIST
Effective June 1, 2021

180° Glare Shield - Black (BOGSB)	
180° Glare Shield - Bronze (BOGSZ)	
180° Glare Shield - Custom Color, Consult Factory (BOGS)	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Polycarbonate Lens	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

p Fee for quantities under 5 pcs

30.00

AmberLED Stainless Steel Dome Bollards - QUICK SHIP

Description:	Note:
Bollard Type F with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	
Bollard Type F with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	
Bollard Type F with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	
Factory Installed	Note:
120-277v	
347v	
Factory Installed	Note:
Amber	
Factory Installed (Required)	Note:
Stainless Steel Body	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed		Note:
Single Fuse (120-277v Only)		
Double Fuse (120-277v Only)		
Surge Protection (120-277v)		
Surge Protection (347-480v)		
Ground Fault Circuit Interrupt 15A, 120V		
180° Glare Shield - Black (BOGSB)		
180° Glare Shield - Bronze (BOGSZ)		
180° Glare Shield - Custom Color, Consult Factory (BOGS)		
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.		
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)		
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)		
Ships Separately, Field Installed		Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts		
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts		
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts		
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts		
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware		1, 45
Ships Separately, Field Installed		Note:
Remote Programming Tool for P17121		
Ships Separately, Field Installed		Note:
Provides 90 Minutes of Backup Power (120-277v Only)		
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)		
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.		
Replacement Polycarbonate Lens		
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.		1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.		

p Fee for quantities under 5 pcs

\$30.00

AmberLED Square Bollards - QUICK SHIP

Description:	Note:
Bollard Type F with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F with Glass Refractor (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F with Louvers (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F with Aluminum Finish LED Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Bollard Type F with White Cone Reflector (Includes Mounting kit with 8" zinc-plated anchor bolts)	1
Factory Installed	Note:

PEMCO PRICE LIST
Effective June 1, 2021

120-277v	
347v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22
Factory Installed	Note:
42" Standard Height	
36" Height	
30" Height	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Replacement Square Polycarbonate Vandal-Resistant Lens	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1

p Fee for quantities under 5 pcs

30.00

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Small Round Canopy - QUICK SHIP

Description:	Note:
ADM30 Type F 46w	
ADM30 Type F 78w	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Spun Aluminum Shade with Powdercoat Finish, Hardware Included	
Factory Installed	Note:
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

p Fee for quantities under 5 pcs

AmberLED Mini Stratus Area/Flood/Wall Light - QUICK SHIP

Description:	Note:
Stratus 15 Type F 22w 120-277v AMBER Clear Flat Glass Lens	
Stratus 15 Type F 37w AMBER Clear Flat Glass Lens	
Stratus 15 Narrow Beam (30°) 22w 120-277v AMBER Clear Flat Glass Lens	
Stratus 15 Narrow Beam (30°) 37w AMBER Clear Flat Glass Lens	
Factory Installed	Note:

PEMCO PRICE LIST
Effective June 1, 2021

120-277v	
347v @ 37w	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)	5
Easy-Hang Wall Bracket (KHEH)	8
Stratus Mounting Arm, Mounts Directly to Square Poles (KH25A)	6
Pole Mounting Arm Adaptor, Fits 2 $\frac{3}{8}$ " Arm, Includes Hardware (ALMAA)	9
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)	6
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH15Y)	9
1/2" NPS Knuckle (FLST)	8
No Mount	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	8, 17
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	8, 18
Button Photocell, 120-277VAC (P18103)	3
Pencil Photocell, 120VAC (P18110)	3
Pencil Photocell, 277VAC (P18112)	3
Pencil Photocell, 120-277VAC (P18114)	3
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm Only.	8
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with KH25A Stratus Mounting Arm only.	
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Ships Separately, Field Installed	Note:
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	8
Glare Shield, Aluminum, Bronze Powdercoat Finish	
Wire Guard, Stainless Steel Construction	
Baffle, Aluminum with Bronze Powdercoat Finish	
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	9
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware	5

PEMCO PRICE LIST
Effective June 1, 2021

External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware	6
Die-Cast Adjustable Knuckle with $\frac{1}{2}$ " NPS Threads, Bronze Powdercoat Finish.	
Tempered Clear Flat Glass Lens	
Stamped Heavy-Duty Steel Yoke, Bronze Powdercoat Finish, Includes Hardware	
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.	6
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware	8
120-277VAC Button Photocell	3
110-130V 120VAC Pencil Photocell (120-277v Only)	3
208-277V 240VAC Pencil Photocell (120-277v Only)	3
120-277V, Pencil Photocell (120-277v Only)	3

available with Wall Mount configuration.

contact Sales or Customer Service Representative

15.00

10.00

10.00

14.00

CHSG1Z Housing, 3FSP211

CHSG1Z Housing, 3FSP211

p Fee for quantities under 5 pcs

--

AmberLED Small Stratus Area/Flood/Wall Light - QUICK SHIP

Description:	Note:
Stratus 25 Type F 81w AMBER Clear Flat Glass Lens	
Stratus 25 Narrow Beam (30°) 81w AMBER Clear Flat Glass Lens	

Factory Installed	Note:
120-277v	
347-480v	

Factory Installed	Note:
Bronze	
Custom Paint Color	22

Factory Installed	Note:
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)	5
Easy-Hang Wall Bracket (KHEH)	8
Stratus Mounting Arm, Mounts Directly to Square Poles (KH25A)	6
Pole Mounting Arm Adaptor, Fits 2 $\frac{3}{8}$ " Arm, Includes Hardware (ALMAAZ)	9
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)	6
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH25Y)	7, 19
No Mount	

Factory Installed	Note:
Single Fuse (120-277v Only)	

PEMCO PRICE LIST
Effective June 1, 2021

Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	8
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	8
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.	8
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only	
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Ships Separately, Field Installed	Note:
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	8
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket	
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware	6
Wire Guard, Stainless Steel Construction	
Baffle, Aluminum with Bronze Powdercoat Finish	
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	3
120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	9
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware	5
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware	6
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.	6
Clear Flat Glass Lens	
Yoke, Stamped Heavy-Duty Steel, Bronze Powdercoat Finish	7
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware	8
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

PEMCO PRICE LIST
Effective June 1, 2021

available with Wall Mount configuration.

Contact Sales or Customer Service Representative

\$5.00

\$0.00

\$5.00

\$0.00

\$4.00

1 required when using Bracket or Large Yoke

Setup Fee for quantities under 5 pcs

AmberLED Large Stratus Area/Flood Light - QUICK SHIP

Description:	Note:
Stratus 45 Type F 167w AMBER	
Stratus 45 Narrow Beam (30°) 167w AMBER	
Factory Installed	Note:
120-277v	
347-480v	
Factory Installed	Note:
Standard Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Two-Piece Swivel Bracket, Stamped, Powdercoat Finish (FL73BR)	5, 19
Stratus Mounting Arm, Mounts Directly to Square Poles (KH45A)	6
Pole Mounting Arm Adaptor, Fits 2 3/8" Arm, Includes Hardware (ALMAAZ)	9
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL73SFX)	6
Yoke, Stamped Heavy-Duty Steel, Powdercoat Finish (KH45YZ)	7, 19
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware (WBR2)	5
No Mount	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	8
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	8
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	

PEMCO PRICE LIST
Effective June 1, 2021

Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	
Round Pole Adapter. Fits 4" or 6" O.D. Round Poles, Bronze Finish	6
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.	6
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Ships Separately, Field Installed	
Die Cast Accessory Housing for Installing Sensors or Other Lighting Control, Bronze Powdercoat Finish	8
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket	
Aluminum House Side Shield, Bronze Powdercoat Finish, Includes Hardware	
Wire Guard, Stainless Steel Construction	
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	3
120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	9
Two-Piece Stamped Steel Adjustable Bracket, Bronze Powdercoat Finish, Includes Hardware	5
External Mount Die-Cast Adjustable Slipfitter for 2 $\frac{3}{8}$ " Tenons, Bronze Powdercoat Finish, Includes Hardware	6
Stratus Mounting Arm, Mounts Directly to Square Poles, Bronze Powdercoat Finish	7
Tempered Clear Flat Glass Lens	
Yoke, Stamped Heavy-Duty Steel, Bronze Powdercoat Finish	7
Wall Bracket, Heavy-Duty Stamped Steel, Powdercoat Finish, Includes Hardware	5
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

available with Wall Mount configuration.

contact Sales or Customer Service Representative

\$5.00

\$10.00

\$15.00

\$10.00

\$14.00

1 required when using Bracket or Large Yoke

per Fee for quantities under 5 pcs

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Stratus PowerBolt Area/Flood Light - QUICK SHIP

Description:	Note:
Stratus PowerBolt Narrow Beam (30°) 334w AMBER Clear Glass	
Factory Installed	Note:
120-277v	
347-480v	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
External Mount Slipfitter, Die Cast with Hardware & Angle Indicator (FL90SFX)	6
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277V)	
Surge Protection (347-480v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Ships Separately, Field Installed	Note:
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	8
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket	
Aluminum Glare Shield, Bronze Powdercoat Finish, Includes Hardware	23
Wire Guard, Stainless Steel Construction	
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off).	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	
120VAC Time Delay Twist Lock Photocell	
277VAC Time Delay Twist Lock Photocell	
120-277VAC Universal Twist Lock Photocell	
480VAC Time Delay Twist Lock Photocell.	
Ships Separately, Field Installed	Note:
Tempered Clear Flat Glass Lens	23
Tempered Prismatic Flat Glass Lens	23

PEMCO PRICE LIST
Effective June 1, 2021

External Mount Die-Cast Adjustable Slipfitter for 2 3/4" Tenons, Bronze Powdercoat Finish, Includes Hardware	7
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

0.00

5.00

0.00

p Fee for quantities under 5 pcs

AmberLED 48" Linear LED Die Cast - QUICK SHIP

Description:	Note:
MRF4A Type F 87w	

Factory Installed	Note:
120-277v	

Factory Installed	Note:
Amber	

Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens	

Factory Installed	Note:
Platinum	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277V)	
Battery Backup, 90 Minutes (3EBL120277400012V)	

Ships Separately, Field Installed	Note:
Stainless Steel Yokes for LV4A, Includes Hardware (2 required)	
Stainless Steel Adjustable Bracket (includes 2 brackets)	
Stainless Steel Quick Mount Bracket (2 required)	

Ships Separately, Field Installed	Note:
Battery Backup, Provides 90 Minutes of Backup Power.	

p Fee for quantities under 5 pcs

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Small Post Top Area Light - QUICK SHIP

Description:	Note:
Small Post - Open Type F 46w	
Small Post - Open Type F 78w	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Array Lens	
SoftLED LumaLens Opal Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3" Tenon	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	3
120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
SoftLED LumaLens Opal Polycarbonate Array Lens	

PEMCO PRICE LIST
Effective June 1, 2021

Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

available with Wall Mount configuration.

p Fee for quantities under 5 pcs

AmberLED Small Post Top Area Light - QUICK SHIP

Description:	Note:
Small Post - Enclosed Type F 46w	
Small Post - Enclosed Type F 78w	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens	
SoftLED LumaLens Opal Polycarbonate Array Lens	
Factory Installed	Note:
Black	
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
PSRTN* Tenon Adaptor, Black	
PSRTN* Tenon Adaptor, Custom Color (Consult Factory)	
Ships Separately, Field Installed	Note:
Retrofit Tenon Adaptor, Die Cast with Powdercoat Finish, Hardware Included. Converts a 2-3/8" x 4" Pole Tenon to a 2-7/8" x 3"	
Ships Separately, Field Installed	Note:
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	

PEMCO PRICE LIST
Effective June 1, 2021

110-120VAC Instant Twist Lock Photocell	3
120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	

Ships Separately, Field Installed	Note:
Clear UV-Stabilized Polycarbonate Outer Conical Lens	
SoftLED LumaLens Opal Polycarbonate Array Lens	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

available with Wall Mount configuration.

p Fee for quantities under 5 pcs

AmberLED Flood/Wall Light - QUICK SHIP

Description:	Note:
TUS2 20w COB AMBER	
TUS2 40w COB AMBER	

Factory Installed	Note:
120-277v	
347-480v	
347v @ 40w	

Factory Installed	Note:
Bronze	
Custom Paint Color	22

Ships Separately, Field Installed	Note:
½" NPS Knuckle	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Pencil Photocell, 120-277VAC (P18114)	

Ships Separately, Field Installed	Note:
Die-cast Post Top Fitter for 2¾" to 3½" Poles, Bronze Powdercoat Finish, Three (3) ½" Coin Plugs	
Heavy Duty Ground Stake, Built-in Wiring Compartment with ½" NPS Threaded Fitting, Black Plastic	
Die-Cast Adjustable Knuckle with ½" NPS Threads, Bronze Powdercoat Finish.	

Ships Separately, Field Installed	Note:
110-130V 120VAC Pencil Photocell (120-277v Only)	

PEMCO PRICE LIST
Effective June 1, 2021

208-277V 240VAC Pencil Photocell (120-277v Only)	
Ships Separately, Field Installed	Note:
120-277V, Pencil Photocell (120-277v Only)	

p Fee for quantities under 5 pcs

AmberLED Garage Lighter - QUICK SHIP	
Description:	Note:
Admiral Type VS 39w	1
Admiral Type VS 52w	1
Factory Installed	Note:
120-277v	
347v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Bronze	
White	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Quick-Mount Bracket (VNQM)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Baffle, Aluminum with Powdercoat Finish	1
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
120-277VAC Button Photocell	

PEMCO PRICE LIST
Effective June 1, 2021

Hinged Quick-Mount Bracket, Stamped Steel, Mount over Recessed Electrical Box, or Use 3/4" NPS Downrod for Pendant Mounting.
 CSA Listed for Damp Location Mounting.

p Fee for quantities under 5 pcs

AmberLED Up or Down LED Cylinder - QUICK SHIP

Description:	Note:
BAJRS 70° 20w 120-277v AMBER COB	1
BAJRS 100° 20w 120-277v AMBER COB	1
BAJRS 30° 20w 120-277v AMBER COB	1

Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Button Photocell, 120-277VAC (P18103)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	

Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
120-277VAC Button Photocell	

p Fee for quantities under 5 pcs

AmberLED Small Full Cutoff Wall Pack - QUICK SHIP

Description:	Note:
Wall Pack Type F 22w	

Factory Installed	Note:
120-277v	
347-480v	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Pencil Photocell, 120VAC (P18110)	
Pencil Photocell, 277VAC (P18112)	
Pencil Photocell, 120-277VAC (P18114)	
Swivel Photocell, 120VAC (P18120)	
Swivel Photocell, 208-277VAC (P18122)	
Ships Separately, Field Installed	Note:
Baffle, Aluminum with Bronze Powdercoat Finish	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
110-130V 120VAC Pencil Photocell (120-277v Only)	
208-277V 240VAC Pencil Photocell (120-277v Only)	
120-277V, Pencil Photocell (120-277v Only)	
110-130V, 120VAC Swivel Photocell (120-277v Only)	
208-277V, 240VAC Swivel Photocell (120-277v Only)	

p Fee for quantities under 5 pcs

AmberLED Medium Full Cutoff Wall Pack - QUICK SHIP	
Description:	Note:
Wall Pack Type F 37w	
Factory Installed	Note:
120-277v	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear Flat Glass Lens	
Clear Flat Prismatic Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Ships Separately, Field Installed	Note:
Clear UV-Stabilized Polycarbonate Vandal-Resistant Guard, Includes Hardware.	
Wire Guard, Stainless Steel Construction	
Baffle, Aluminum with Bronze Powdercoat Finish	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
120-277VAC Button Photocell	
Tempered Clear Flat Glass Lens	
Tempered Prismatic Flat Glass Lens	

p Fee for quantities under 5 pcs

--

10%
\$449
\$449
\$439
\$505
\$483
10%
NC
\$12
10%
NC
10%
NC
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$35
\$35
\$62
\$102
\$136
\$184
10%
\$13
\$23
\$32
\$37
\$102
10%

[illegible]

[illegible]

NC
\$12
10%
NC
10%
NC
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$29
\$140
\$102
\$136
\$184
10%
\$13
\$23
\$32
\$37
\$102
10%
\$57
10%
\$142
\$194
\$72
\$42
\$13

10%
\$744
\$888
10%
NC
10%
NC
10%
NC
\$28
10%
NC
\$75
10%
\$18
\$38
\$16
\$29
\$50
\$30
10%
\$36
10%
\$49
\$28
10%
\$319
\$332
\$348
\$363
10%

NC
\$117
10%
NC
\$80
10%
NC
NC
NC
NC
NC
NC
NC
NC
10%
\$18
\$38
\$16
\$29
\$110
\$110
\$27
\$15
\$15
\$23
10%
\$16
\$19
\$132
\$205
\$205
\$305
\$307
\$373
10%
\$22
\$19
\$11
\$84
10%
\$34
\$23

\$38
\$16
\$29
\$110
\$110
\$14
\$20
\$23
\$68
\$33
10%
\$16
\$19
\$132
\$205
\$205
\$305
\$307
\$373
10%
\$22
\$11
\$29
\$20
\$96
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$34
\$23
\$46
\$38
\$8
\$38
\$42
\$49
\$28

[illegible]

\$33
10%
\$22
\$26
\$132
\$205
\$205
\$305
\$307
\$373
10%
\$22
\$11
\$51
\$26
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$34
\$23
\$46
\$49
\$10
\$49
\$28
\$49
\$28

10%
\$1,345
10%
NC
\$234
10%
NC
\$160
10%
NC
10%
\$18
\$38
\$16
\$29
\$14
\$20
\$23
\$68
\$33
10%
\$132
\$205
10%
\$22
\$11
\$51
\$26
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$10
\$19

10%
\$607
\$673
10%
NC
10%
NC
10%
NC
\$28
10%
NC
NC
\$105
10%
\$18
\$38
\$16
\$14
\$20
\$23
\$50
\$30
\$30
\$50
10%
\$25
10%
\$23
\$23
\$11
\$11
\$11
\$17
\$27
10%
\$24

\$11
\$11
\$11
\$17
\$27
10%
\$37
\$35
\$49
\$28
10%
\$142
\$151
10%
NC
TBD
TBD
10%
NC
\$60
10%
NC
10%
\$18
\$38
\$16
\$23
10%
\$23
\$42
\$16
10%
\$10

\$10
10%
\$19
10%
\$248
\$264
10%
NC
\$93
10%
NC
10%
NC
NC
\$65
10%
\$18
\$38
\$16
\$29
\$136
\$184
\$27
\$39
\$50
\$30
10%
\$95
10%
\$142
\$194
\$49
\$28
\$25

10%
NC
10%
NC
10%
NC
\$65
10%
\$18
\$38
\$16
\$29
\$136
\$184
\$15
\$15
\$23
\$15
\$15
10%
\$75
10%
\$142
\$194
\$10
\$10
\$19
\$10
\$10
10%
\$226
10%
NC

10%
NC
10%
NC
\$20
10%
NC
\$65
10%
\$18
\$38
\$16
\$136
\$184
\$27
10%
\$25
\$22
\$80
10%
\$142
\$194
\$49
\$28
\$25
\$8
\$16

AUS18
LED Model:
AUS18WFLQF1X15
AUS18WFRLQF1X15
Ballast:
U
Color Temp:
AM
Color:
Z
B
C
Height:
Leave Blank
30
36
Options:
SF
DF
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BORBASE
BOADP1

Notes: (1) Specify Color (22) \$150.00 Paint Set-u (45) Custom Color Fee: \$
AUS16
LED Model:
AUS16WLQF1X15
AUS16WRLQF1X15
Ballast:
U
Color Temp:
AM
Color:
SS
Options:
SF
DF
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BORBASE
BOADP1

Notes: (1) Specify Color (22) \$150.00 Paint Set-u (45) Custom Color Fee: \$
AUS17
LED Model:
AUS17WLQF1X15
AUS17WRLQF1X15
Ballast:
U
Color Temp:
AM
Color:
Z
B
C
Height:
Leave Blank
30
36
Options:
SF
DF
SP
GF1
S3
BU
BUC
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
BREBASE
Accessories:
P17122

Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17121
BORBASE
BOADP1
Notes:
(1) Specify Color
(22) \$150.00 Paint Set-u
(45) Custom Color Fee: \$
STR15
LED Model:
STR15QF1X22
STR15QF1X37
Ballast:
U
C
Color Temp:
AM
Lens:
C
Color:
Z
C
Mounts:
EH
KA
MA
Options:
SF
DF
SP
SP
M1
M2
PC3
P10
P12

P14
Baffles:
BF
Mounting Accessories:
KH20RPZ
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
Replacement Parts:
ALMAAZ
KH25AZ
KH15GL
KHEHZ
P18103
P18110
P18112
P18114
Notes:
(3) Photocell option not
(4) Special order item. C
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(9) Custom Color Fee: \$1
(22) \$150.00 Paint Set-u
(47) Custom Color Fee: \$
(48) (BF) Baffle Requirec
STR25
LED Model:
STR25QF1X81
Ballast:
U
H

Color Temp:
AM
Lens:
C
Color:
Z
C
Mounts:
EH
KA
MA
Options:
SF
DF
SP
SP
M1
M2
R3
R5
R7
S23
S43
Baffles:
BF
Mounting Accessories:
KH20RP
KH20WM
PTSB1SZ
PTSB2180SZ
PTSB290SZ
PTSB3120SZ
PTSB390SZ
PTSB490SZ
Accessories:
ACCHSG1Z
ACCHSG3
P18131
P18132
P18140

P18150
P18152
P18156
P18157
Replacement Parts:
ALMAAZ
KH25AZ
KH25GL
KHEHZ
P17117
P17123
Notes:
(3) Photocell option not
(4) Special order item. C
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(9) Custom Color Fee: \$1
(22) \$150.00 Paint Set-u
(47) Custom Color Fee: \$
(48) (BF) Baffle Requirec
TUS2C3
LED Model:
TUS2C32X20
Ballast:
U
H
C
Color Temp:
AM
Color:
Z
C
Options:
SF
DF
SP
SP
P14

Baffles:
BF
Accessories:
P18110
P18112
Replacement Parts:
P18114
Notes:
(22) \$150.00 Paint Set-u
(47) Custom Color Fee: \$
(48) (BF) Baffle Requirec
VB53Q, VP53Q,
LED Model:
VB53QF1X23
VP53QF1X23
VW53QF1X23
Ballast:
U
Color Temp:
AM
Color:
P
C
Options:
SF
DF
Shades:
AS
SS
Accessories:
VS30A
VS30S
VWGA
VWGS
CPRB
CPRB1

CPRB3
CPRC1
Mounting Accessories:
CPSPR
CSPSP
Notes: (8) Custom Color Fee: \$1 (22) \$150.00 Paint Set-up (48) (AS) or (SS) Shade Fee
ADM55
LED Model:
ADMF1X39
ADMF1X52
Ballast:
U
Color Temp:
AM
Color:
W
Z
C
Options:
SF
DF
SP
BU
BUC
PC3
QM
S2
S4
Baffles:
BF
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P17117

P17123
P18103
VNQM
Notes: (1) Specify Color (22) \$150.00 Paint Set-u (47) Custom Color Fee: \$ (48) (BF) Baffle Required
BAJRS
LED Model:
BAJRSAC31X20UAM
BAJRSBC31X20UAM
BAJRSDC31X20UAM
Color:
B
Z
C
Options:
SF
DF
SP
BU
BUC
PC3
Visors:
VS
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P18103
Notes: (1) Specify Color (22) \$150.00 Paint Set-u (48) (VS) Visor Required
ORB12
LED Model:

ORB12F1X22
Ballast:
U
H
Color Temp:
AM
Lens:
C
Color:
Z
C
Options:
SF
DF
SP
SP
BU
BUC
P10
P12
P14
P20
P22
Baffles:
BF
Replacement Parts:
3EBLX1055190A
3EBLX10T1555CPA
P18110
P18112
P18114
P18120
P18122
Notes:
(22) \$150.00 Paint Set-u
(47) Custom Color Fee: \$
(48) (BF) Baffle Requirec
ORB15

ORB15	
LED Model:	
ORB15F1X37	
Ballast:	
U	
Color Temp:	
AM	
Lens:	
C	
Color:	
Z	
C	
Options:	
SF	
DF	
SP	
BU	
BUC	
PC3	
Baffles:	
BF	
Replacement Parts:	
3EBLX1055190A	
3EBLX10T1555CPA	
P18103	
WPC15GLC	
Notes:	
(22) \$150.00 Paint Set-u	
(47) Custom Color Fee: \$	
(48) (BF) Baffle Required	

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Round Flat Bollards - Turtle Friendly - QUICK SHIP

Description:	Note:
Bollard 270° Shield Type F 15w with Louvers	1
Bollard 270° Shield Type F 15w with Aluminum Finish LED Cone Reflector	1

Factory Installed	Note:
120-277v	

Factory Installed	Note:
Amber	

Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

Factory Installed	Note:
42" Standard Height	
30" Height	
36" Height	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	

Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware	1, 45

Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	

Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

PEMCO PRICE LIST
Effective June 1, 2021

p Fee for quantities under 5 pcs

\$30.00

AmberLED Round Stainless Steel Dome - Turtle Friendly - QUICK SHIP

Description:	Note:
Bollard 270° Shield Type F 15w with Louvers	
Bollard 270° Shield Type F 15w with Aluminum Finish LED Cone Reflector	
Factory Installed	Note:
120-277v	
Factory Installed	Note:
Amber	
Factory Installed (Required)	Note:
Stainless Steel Body	
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1, 45
Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

PEMCO PRICE LIST
Effective June 1, 2021

p Fee for quantities under 5 pcs

\$30.00

AmberLED Round Dome Bollard with LED Cone Reflector - Turtle Friendly - QUICK SHIP

Description:	Note:
Bollard 270° Shield Type F 15w with Louvers	1
Bollard 270° Shield Type F 15w with Aluminum Finish LED Cone Reflector	1

Factory Installed	Note:
120-277v	

Factory Installed	Note:
Amber	

Factory Installed	Note:
Bronze	
Black	
Custom Paint Color	22

Factory Installed	Note:
42" Standard Height	
30" Height	
36" Height	

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Ground Fault Circuit Interrupt 15A, 120V	
Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	

Ships Separately, Field Installed	Note:
Mounting Kit, includes Bracket & Three (3) 4" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 8" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 12" Zinc-plated Anchor Bolts	
Mounting Kit, includes Bracket & Three (3) 15" Zinc-plated Anchor Bolts	
Retrofit Base Adapts New Bollards to Most Existing Bolt Patterns. Fits all Bollards. Die Cast with Powdercoat Finish, Hardware Included. 11½" Dia. x 1½" H	1, 45

Ships Separately, Field Installed	Note:
Remote Programming Tool for P17121	

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming and Remote Programming, 120-277V Only. See P17121 Spec Page for Details.	
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating.	1
Adapter Plate with Gaskets for Outlet Boxes. Fits Round Bollards. Die Cast with Bronze Powdercoat Finish.	

p Fee for quantities under 5 pcs

\$30.00

AmberLED Mini Stratus Area/Wall Light - Turtle Friendly - QUICK SHIP

Description:	Note:
Stratus 15 Type F 22w (includes Baffle)	48
Stratus 15 Type F 37w (includes Baffle)	48
Factory Installed	Note:
120-277v	
347v @ 37w	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Standard Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Easy-Hang Wall Bracket (KHEH)	8
Stratus Mounting Arm, Mounts Directly to Square Poles (KH25A)	6
Pole Mounting Arm Adaptor, Fits 2 3/8" Arm, Includes Hardware (ALMAA)	9
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	8
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	8
Button Photocell, 120-277VAC (P18103)	3
Pencil Photocell, 120VAC (P18110)	3
Pencil Photocell, 277VAC (P18112)	3

PEMCO PRICE LIST
Effective June 1, 2021

Pencil Photocell, 120-277VAC (P18114)	3
Ships Separately, Field Installed	Note:
Baffle (Required for FWC Certification)	47, 48
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.	8
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with KH25A Stratus Mounting Arm only.	
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Ships Separately, Field Installed	Note:
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	8
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 2 $\frac{3}{8}$ " Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	9
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.	6
Tempered Clear Flat Glass Lens	
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware	8
120-277VAC Button Photocell	
110-130V 120VAC Pencil Photocell (120-277v Only)	3
208-277V 240VAC Pencil Photocell (120-277v Only)	3
120-277V, Pencil Photocell (120-277v Only)	3

available with Wall Mount configuration.

contact Sales or Customer Service Representative

\$0.00

\$0.00

\$4.00

per Fee for quantities under 5 pcs

\$6.00

1 for FWC Certification

AmberLED Small Stratus Area/Wall Light - Turtle Friendly - QUICK SHIP	
Description:	Note:
Stratus 25 Type F 81w	48
Factory Installed	Note:
120-277v	
347-480v	

PEMCO PRICE LIST
Effective June 1, 2021

Factory Installed	Note:
Amber	
Factory Installed	Note:
Standard Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Easy-Hang Wall Bracket (KHEH)	8
Stratus Mounting Arm, Mounts Directly to Square Poles (KH25A)	6
Pole Mounting Arm Adaptor, Fits 2 $\frac{3}{8}$ " Arm, Includes Hardware (ALMAA)	9
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Motion Sensor IR with Lens, 120-277V Only, for heights up to 40'	8
Motion Sensor IR with Lens, 120-277V Only, for heights up to 20'	8
3-Pin Twist Lock Photocell Receptacle (P18130)	
5-Pin Twist Lock Photocell Receptacle (P18130R5)	
7-Pin ANSI C136.41—2013 Twist Lock Photocell Receptacle (P18130R7)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO Dimming, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	Note:
Baffle (Required for FWC Certification)	47, 48
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 3" to 4" Round Poles, Bronze Powdercoat Finish. Use with Stratus Mounting Arm only.	8
Die-Cast Wall Mount Adaptor, Bronze Powdercoat Finish. Use with KH25A Stratus Mounting Arm only.	
Single Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal Mounting Arm, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 180° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Twin Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 120° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Triple Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Quad Pole Tenon Spoke Bracket, 2 $\frac{3}{8}$ " Horizontal 90° Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	4
Ships Separately, Field Installed	Note:
Die Cast Accessory Housing for Installing Sensors or Other Lighting Controls, Bronze Powdercoat Finish	8
Bronze UV-Stabilized Polycarbonate Housing for Installing Sensors, Includes Sensor Bracket and Gasket	
Twist Lock Non-Shorting (Open) Cap Disconnects Service to Fixture for Temporary or Permanent Disabling (Fixture Always Off). IP65, 480V Maximum	
Twist Lock Shorting Cap Provides Fixed Service to Fixture (Fixture Always on). IP65, Rated Load 7200w Tungsten	
110-120VAC Instant Twist Lock Photocell	3

PEMCO PRICE LIST
Effective June 1, 2021

120VAC Time Delay Twist Lock Photocell	3
277VAC Time Delay Twist Lock Photocell	3
120-277VAC Universal Twist Lock Photocell	
480VAC Twist Lock Photocell	
Ships Separately, Field Installed	Note:
Die-Cast Adaptor for 2 3/8" Horizontal Mounting Arms, Bronze Powdercoat Finish, Includes Hardware	9
Stratus Die-Cast Mounting Arm, Bronze Powdercoat Finish, Includes Hardware. Mounts Directly to Square Poles.	6
Clear Flat Glass Lens	
Die-Cast Easy-Hang Wall Bracket, Bronze Powdercoat Finish, Includes Hardware	8
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	

available with Wall Mount configuration.

contact Sales or Customer Service Representative

\$0.00

\$0.00

\$4.00

per Fee for quantities under 5 pcs

\$6.00

for FWC Certification

AmberLED Small LED Tustin Wall Accent Light - Turtle Friendly - QUICK SHIP

Description:	Note:
Tustin COB 40w	48
Factory Installed	Note:
120-277v	
347-480v	
347v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Pencil Photocell, 120-277VAC (P18114)	

PEMCO PRICE LIST
Effective June 1, 2021

Ships Separately, Field Installed		Note:
Baffle	(Required for FWC Certification)	47, 48
Ships Separately, Field Installed		Note:
110-130V 120VAC Pencil Photocell (120-277v Only)		
208-277V 240VAC Pencil Photocell (120-277v Only)		
Ships Separately, Field Installed		Note:
120-277V, Pencil Photocell (120-277v Only)		

p Fee for quantities under 5 pcs

is6.00

I for FWC Certification

VW53Q AmberLED Box Mount Vaporproof - Turtle Friendly - QUICK SHIP		Note:
Description:		Note:
Vaporproof Type F 23w Box Mount		48
Vaporproof Type F 23w Pendant Mount		48
Vaporproof Type F 23w Wall Mount		48
Factory Installed		Note:
120-277v		
Factory Installed		Note:
Amber		
Factory Installed		Note:
Platinum		
Custom Paint Color		22
Factory Installed		Note:
Single Fuse (120-277v Only)		
Double Fuse (120-277v Only)		
Ships Separately, Field Installed		Note:
Angled Shield (Required for FWC Certification)		48
Straight Shield (Required for FWC Certification)		48
Ships Separately, Field Installed		Note:
Angled Stamped Aluminum Shade		
Straight Stamped Aluminum Shade		
Wire Guard for Angled Shade, Stainless Steel		
Wire Guard for Straight Shade, Stainless Steel		
Reducer Bushing, 3/4" to 1/2", use with Swivel Mount		
Die Cast Round Electrical Box with Five (5) 1/2" Coin Plugs		

PEMCO PRICE LIST
Effective June 1, 2021

Die Cast Round Electrical Box with Five (5) ¼" Coin Plugs	
Backplate, ½" Coin Plugs	
Ships Separately, Field Installed	
Swivel Pendant Mount - Round, for Angled or Straight Ceilings, Fits ¾" Conduit, Includes Reducer Bushing (to ½") & Set Screw	8
Swivel Pendant Mount - Square, for Angled or Straight Ceilings, Fits ¾" Conduit; Includes Reducer Bushing (to ½") & Set Screw	8

0.00

p Fee for quantities under 5 pcs

Required for FWC Certification

AmberLED Garage Lighter - Turtle Friendly

Description:	Note:
Admiral Type VS 39w	1, 48
Admiral Type VS 52w	1, 48
Factory Installed	
120-277v	
Factory Installed	
Amber	
Factory Installed	
White	
Bronze	
Custom Paint Color	22
Factory Installed	
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Quick-Mount Bracket (VNQM)	
Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	
Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
Ships Separately, Field Installed	
Baffle (Required for FWC Certification)	47, 48
Ships Separately, Field Installed	
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
Internal Microwave Sensor with Dimming, 120-277V Only. See P17117 Spec Page for Details.	

PEMCO PRICE LIST
Effective June 1, 2021

Internal Microwave On/Off Motion Sensor – NO DIMMING, 120-277V Only. See P17123 Spec Page for Details.	
120-277VAC Button Photocell	
Hinged Quick-Mount Bracket, Stamped Steel, Mount over Recessed Electrical Box, or Use 3/4" NPS Downrod for Pendant Mounting.	

p Fee for quantities under 5 pcs

\$6.00

l for FWC Certification

AmberLED Up or Down Baja LED Wall Cylinder - Turtle Friendly - QUICK SHIP

Description:	Note:
BAJRS 70° 20w 120-277v AMBER COB	1, 48
BAJRS 100° 20w 120-277v AMBER COB	1, 48
BAJRS 30° 20w 120-277v AMBER COB	1, 48

Factory Installed	Note:
Black	
Bronze	
Custom Paint Color	22

Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	

Ships Separately, Field Installed	Note:
Visor (Required for FWC Certification)	1, 48

Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
120-277VAC Button Photocell	

p Fee for quantities under 5 pcs

for FWC Certification

AmberLED Orbit Small Full Cutoff Wall Pack - Turtle Friendly - QUICK SHIP

Description:	Note:
--------------	-------

PEMCO PRICE LIST
Effective June 1, 2021

Wall Pack Type F 22w	48
Factory Installed	Note:
120-277v	
347-480v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Surge Protection (347-480v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Pencil Photocell, 120VAC (P18110)	
Pencil Photocell, 277VAC (P18112)	
Pencil Photocell, 120-277VAC (P18114)	
Swivel Photocell, 120VAC (P18120)	
Swivel Photocell, 208-277VAC (P18122)	
Ships Separately, Field Installed	Note:
Baffle (Required for FWC Certification)	47, 48
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
110-130V 120VAC Pencil Photocell (120-277v Only)	
208-277V 240VAC Pencil Photocell (120-277v Only)	
120-277V, Pencil Photocell (120-277v Only)	
110-130V, 120VAC Swivel Photocell (120-277v Only)	
208-277V, 240VAC Swivel Photocell (120-277v Only)	

p Fee for quantities under 5 pcs

\$6.00

l for FWC Certification

Amber LED Orbit Medium Full Cutoff Wall Pack - Turtle Friendly - QUICK SHIP

PEMCO PRICE LIST
Effective June 1, 2021

AmberLED Orbit Medium Full Cutoff Wall Pack - Turtle Friendly - QUICK SHIP

Description:	Note:
Wall Pack Type F 37w	48
Factory Installed	Note:
120-277v	
Factory Installed	Note:
Amber	
Factory Installed	Note:
Clear Flat Glass Lens	
Factory Installed	Note:
Bronze	
Custom Paint Color	22
Factory Installed	Note:
Single Fuse (120-277v Only)	
Double Fuse (120-277v Only)	
Surge Protection (120-277v)	
Battery Backup, 90 Minutes (120-277v Only) (3EBLX1055190A)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only) (3EBLX10T1555CPA)	
Button Photocell, 120-277VAC (P18103)	
Ships Separately, Field Installed	Note:
Baffle (Required for FWC Certification)	47, 48
Ships Separately, Field Installed	Note:
Provides 90 Minutes of Backup Power (120-277v Only)	
Cold Start Battery Backup, -20°C, 90 Minutes (120-277v Only)	
120-277VAC Button Photocell	
Clear Glass	

p Fee for quantities under 5 pcs

6.00

I for FWC Certification

10%
\$462
\$530
10%
NC
10%
NC
10%
NC
NC
\$85
10%
NC
\$25
\$25
10%
\$18
\$38
\$16
\$140
\$102
\$136
\$184
10%
\$13
\$23
\$32
\$37
\$102
10%
\$57
10%
\$142
\$194
\$72
\$19
\$12

[illegible]

[illegible]

10%
\$142
\$194
\$72
\$19
\$12
10%
\$403
\$416
10%
NC
\$117
10%
NC
10%
NC
10%
NC
\$80
10%
NC
NC
NC
10%
\$18
\$38
\$16
\$29
\$110
\$110
\$27
\$15
\$15

[illegible]

10%
NC
10%
NC
10%
NC
\$80
10%
NC
NC
NC
10%
\$18
\$38
\$16
\$29
\$110
\$110
\$14
\$20
\$23
\$68
\$33
10%
NC
10%
\$16
\$19
\$132
\$205
\$205
\$305
\$307
\$373
10%
\$22
\$11
\$23
\$23
\$11

[illegible]

\$10
\$8
10%
\$10
\$10
10%
\$343
\$359
10%
NC
10%
NC
10%
NC
NC
\$65
10%
\$18
\$38
\$16
\$136
\$184
\$27
\$39
\$50
\$30
10%
NC
10%
\$142
\$194
\$46

10%
\$306
10%
NC
10%
NC
10%
NC
10%
NC
\$65
10%
\$18
\$38
\$16
\$136
\$184
\$27
10%
NC
10%
\$142
\$194
\$25
\$8

AUS15-D

LED Model:
AUS15DOQF1X12
AUS15DOQF1X17
AUS15DHQF1X10
AUS15DHQF1X16
AUS15DTQF1X10
AUS15DTQF1X16

Ballast:
U

Color Temp:
3K
4K
5K

Lens:
C

Color:
B
C

Notes:
(22) \$150.00 Paint Set-u

BAJBLT

LED Model:
BAJBLT*C31X10U
BAJBLT*C31X10V

*Reflector Type:
D

Color Temp:
41K

Color:
Z
C

Mounting Accessories:
FLPTF
NA04

FLSTK
Accessories:
NT150BK
NT300SS
NT300SSM
Notes:
(22) \$150.00 Paint Set-u
BAJMF
LED Model:
BAJMFAC31X20U
BAJMFBC31X20U
BAJMFDC31X20U
BAJMF*C31X20V
*Reflector Type:
A
B
D
Color Temp:
41K
Color:
Z
C
Mounting:
KN
Options:
SF
DF
SP
Mounting Accessories:
FLPTF
CPSPR
CPSPS
NA04
FLSTK
Accessories:

CPRC1
FB1VZ
NT150BK
NT300SS
NT300SSM
Notes:
(6) Custom Color Fee: \$2
(8) Custom Color Fee: \$1
(22) \$150.00 Paint Set-u
PWB1C3, PWB2
LED Model:
PWB1C34X5
PWB2C34X5
Ballast:
U
C
Color Temp:
41K
Color:
Z
B
C
Height:
10
C
Options:
SF
DF
SP
SP
Mounting Accessories:
BOLAN4
BOLAN8
BOLAN12
BOLAN15
Replacement Parts:
BORBASE

BOSBASE
Notes: (1) Specify Color (22) \$150.00 Paint Set-u (63) Consult factory. Mir
PWB5Q
LED Model:
PWB5OQF1X12U
PWB5OQF1X17U
PWB5HQF1X10U
PWB5HQF1X16U
PWB5TQF1X10U
PWB5TQF1X16U
Color Temp:
3K
4K
5K
Lens:
C
Color:
Z
B
C
Height:
10
C
Options:
SF
DF
SP
Notes: (1) Specify Color (22) \$150.00 Paint Set-u (63) Consult factory. Mir
PWP5Q

LED Model:
PWP5OQF1X12U
PWP5OQF1X17U
PWP5HQF1X10U
PWP5HQF1X16U
PWP5TQF1X10U
PWP5TQF1X16U
Color Temp:
3K
4K
5K
Lens:
C
Color:
B
C
Mounting Accessories:
FLSTK
Notes: (22) \$150.00 Paint Set-u
PWP20Q
LED Model:
PWP200920QF14U
PWP200920QF14V
Color Temp:
4K
Lens:
L
C
Color:
Z
C
Mounting Accessories:
FLSTK

Notes: (22) \$150.00 Paint Set-u
TUS2C3
LED Model:
TUS2C32X10
Ballast:
V
Color Temp:
4K
Color:
Z
C
Mounting:
KN
Mounting Accessories:
FLPTF
NA04
FLSTK
Accessories:
NT150BK
NT300SS
NT300SSM
Replacement Parts:
FLSTZ
Notes: (6) Custom Color Fee: \$2 (22) \$150.00 Paint Set-u

PEMCO PRICE LIST
Effective June 1, 2021

Deck/Wall Lights - QUICK SHIP

Description:

Deck / Wall Light AUS15D - 360° Type F 12w

Deck / Wall Light AUS15D - 360° Type F 17w

Deck / Wall Light AUS15D - 180° Shield Type F 10w

Deck / Wall Light AUS15D - 180° Shield Type F 16w

Deck / Wall Light AUS15D - 120° Shield Type F 10w

Deck / Wall Light AUS15D - 120° Shield Type F 16w

Factory Installed

120-277v

Factory Installed

3000K

4000K

5000K

Factory Installed

Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

Factory Installed

Black

Custom Paint Color

p Fee for quantities under 5 pcs

LED Small Baja Bullet/Flood Light - QUICK SHIP

Description:

Area / Flood COB 10w 120-277v

Area / Flood COB 10w 12v

Factory Installed

30°

Factory Installed

4100K

Factory Installed

Bronze

Custom Paint Color

Ships Separately, Field Installed

Die-cast Post Top Fitter for 2³/₈" to 3¹/₂" Poles, Bronze Powdercoat Finish, Three (3) 1/2" Coin Plugs

Plastic Ground Stake with 1/2" NPT Threads, 11" H x 3" Diameter. For LowVoltage Applications.

PEMCO PRICE LIST
Effective June 1, 2021

Heavy-Duty Ground Stake with ½" NPS Threaded Hub. Built-In Wiring Compartment with ½" Coin Plugs. Black Molded Plastic. 19" Tall with 9" Wide Stabilizer.

Ships Separately, Field Installed

150w, 120V Black Powdercoat Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, 12V , with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, Multi-Tap 12 / 14 / 17V, with Timer and Photocell

p Fee for quantities under 5 pcs

LED Baja Mini Flood - QUICK SHIP

Description:

Pendant / Area / Flood COB 20w 120-277v 70° Reflector

Pendant / Area / Flood COB 20w 120-277v 100° Reflector

Pendant / Area / Flood COB 20w 120-277v 30° Reflector

Pendant / Area / Flood COB 20w 12v

Factory Installed

70° Reflector

100° Reflector

30° Reflector

Factory Installed

4100K

Factory Installed

Bronze

Custom Paint Color

Factory Installed

1/2" NPS Knuckle (FLST)

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

Surge Protection (120-277v)

Ships Separately, Field Installed

Die-cast Post Top Fitter for 2¾" to 3½" Poles, Bronze Powdercoat Finish, Three (3) ½" Coin Plugs.

Swivel Pendant Mount - Round, for Angled or Straight Ceilings, Fits ¾" Conduit, Includes Reducer Bushing (to ½") & Set Screw

Swivel Pendant Mount - Square, for Angled or Straight Ceilings, Fits ¾" Conduit; Includes Reducer Bushing (to ½") & Set Screw

Plastic Ground Stake with ½" NPT Threads, 11" H x 3" Diameter. For LowVoltage Applications.

Heavy-Duty Ground Stake with ½" NPS Threaded Hub. Built-In Wiring Compartment with ½" Coin Plugs. Black Molded Plastic. 19" Tall with 9" Wide Stabilizer.

Ships Separately, Field Installed

PEMCO PRICE LIST
Effective June 1, 2021

Backplate, ½" Coin Plugs
Die-Cast Rotatable Visor, Bronze Powdercoat Finish.
150w, 120V Black Powdercoat Steel Landscape Transformer, 12V, with Timer and Photocell
300w, 120V Stainless Steel Landscape Transformer, 12V, with Timer and Photocell
300w, 120V Stainless Steel Landscape Transformer, Multi-Tap 12 / 14 / 17V, with Timer and Photocell

0.00

0.00

p Fee for quantities under 5 pcs

C3 Round, Square Low Profile Pathway Bollard - QUICK SHIP

Description:
Low Profile Round COB 20w
Low Profile Square COB 20w
Factory Installed
120-277v
347v
Factory Installed
4100K
Factory Installed
Bronze
Black
Custom Paint Color
Factory Installed
10"
Custom
Factory Installed
Single Fuse (120-277v Only)
Double Fuse (120-277v Only)
Surge Protection (120-277v)
Surge Protection (347-480v)
Ships Separately, Field Installed
Mounting Kit, includes Bracket & Three (3) 4" Anchor Bolts
Mounting Kit, includes Bracket & Three (3) 8" Anchor Bolts
Mounting Kit, includes Bracket & Three (3) 12" Anchor Bolts
Mounting Kit, includes Bracket & Three (3) 15" Anchor Bolts
Ships Separately, Field Installed
Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating. Fits NB1

PEMCO PRICE LIST
Effective June 1, 2021

Die Cast Base Plate with Powdercoat Finish Over a Chromate Conversion Coating. Fits NB2

p Fee for quantities under 5 pcs

imum NEC requirments for wiring space and above ground level must be met.

Low Profile Pathway Bollard QUICK SHIP

Description:

360° Low Profile Pathway Bollard 12w 120-277V

360° Low Profile Pathway Bollard 17w 120-277V

180° Shield Low Profile Pathway Bollard 10w 120-277V

180° Shield Low Profile Pathway Bollard 16w 120-277V

120° Shield Low Profile Pathway Bollard 10w 120-277V

120° Shield Low Profile Pathway Bollard 16w 120-277V

Factory Installed

3000K (360° Only)

4000K

5000K

Factory Installed

Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens

Factory Installed

Bronze

Black

Custom Paint Color

Factory Installed

10"

Custom

Factory Installed

Single Fuse (120-277v Only)

Double Fuse (120-277v Only)

Surge Protection (120-277v)

p Fee for quantities under 5 pcs

imum NEC requirments for wiring space and above ground level must be met.

Path Lights - QUICK SHIP

PEMCO PRICE LIST
Effective June 1, 2021

Description:
Path Light PWP5 - 360° Type F 12w 120-277v
Path Light PWP5 - 360° Type F 17w 120-277v
Path Light PWP5 - 180° Shield Type F 10w 120-277v
Path Light PWP5 - 180° Shield Type F 16w 120-277v
Path Light PWP5 - 120° Shield Type F 10w 120-277v
Path Light PWP5 - 120° Shield Type F 16w 120-277v
Factory Installed
3000K (360° Only)
4000K
5000K
Factory Installed
Clear UV-Stabilized Polycarbonate Vandal-Resistant Lens
Factory Installed
Black
Custom Paint Color
Ships Separately, Field Installed
Heavy-Duty Ground Stake with ½" NPS Threaded Hub. Built-In Wiring Compartment with ½" Coin Plugs. Black Molded Plastic. 19"

p Fee for quantities under 5 pcs

LED Path Light - QUICK SHIP

Description:
NP20 9" Shade 20" Tall Type F 14w 120-277v
NP20 9" Shade 20" Tall Type F 14w 12v
Factory Installed
4000K
Factory Installed
LumaLens Opal Array
Clear Array Lens (NP2009PC)
Factory Installed
Bronze
Custom Paint Color
Factory Installed
Heavy-Duty Ground Stake with ½" NPS Threaded Hub. Built-In Wiring Compartment with ½" Coin Plugs. Black Molded Plastic. 19" Tall with 9" Wide Stabilizer.

PEMCO PRICE LIST
Effective June 1, 2021

p Fee for quantities under 5 pcs

Small Tustin Flood/Wall Light - QUICK SHIP

Description:

Tustin COB 20w

Factory Installed

12v

Factory Installed

4000K

Factory Installed

Bronze

Custom Paint Color

Factory Installed

1/2" NPS Knuckle (FLST)

Ships Separately, Field Installed

Die-cast Post Top Fitter for 2 3/8" to 3 1/2" Poles, Bronze Powdercoat Finish, Three (3) 1/2" Coin Plugs

Black Plastic Ground Stake with 1/2" NPT Threads. Use for 12V Applications. 11" H x 3" Diameter

Heavy-Duty Ground Stake with 1/2" NPS Threaded Hub. Built-In Wiring Compartment with 1/2" Coin Plugs. Black Molded Plastic. 19"

Ships Separately, Field Installed

150w, 120V Black Powdercoat Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, 12V, with Timer and Photocell

300w, 120V Stainless Steel Landscape Transformer, Multi-Tap 12 / 14 / 17V, with Timer and Photocell

Ships Separately, Field Installed

Die-Cast Adjustable Knuckle with 1/2" NPS Threads, Bronze Powdercoat Finish.

0.00

p Fee for quantities under 5 pcs

Note:	10%
	\$120
	\$120
	\$138
	\$138
	\$138
	\$138
Note:	10%
	NC
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$60
Note:	10%
	\$84
	\$105
Note:	10%
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$60
Note:	10%
	\$23
	\$8

	\$42
Note:	10%
	\$143
	\$226
	\$226
Note:	10%
	\$151
	\$174
	\$180
	\$173
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
22	\$60
Note:	10%
6	NC
Note:	10%
	\$18
	\$38
	\$16
Note:	10%
	\$23
8	\$10
8	\$10
	\$8
	\$42
Note:	10%

8	\$8
	\$16
	\$143
	\$226
	\$226
Note:	10%
1	\$504
1	\$504
Note:	10%
	NC
	\$12
Note:	10%
	NC
Note:	10%
	NC
	NC
22	\$65
Note:	10%
	NC
63	\$25
Note:	10%
	\$18
	\$38
	\$16
	\$29
Note:	10%
	\$13
	\$23
	\$32
	\$37
Note:	10%
1	\$19.00

[illegible]

Note:	10%
	\$138
	\$138
	\$158
	\$158
	\$158
	\$158
Note:	10%
	NC
	NC
	NC
Note:	10%
	NC
Note:	10%
	NC
22	\$65
Note:	10%
	\$42
Note:	10%
	\$117
	\$136
Note:	10%
	NC
Note:	10%
	NC
	\$6
Note:	10%
	NC
22	\$35
Note:	10%
	\$42

[illegible]

PEMCO PRICE LIST
Effective June 1, 2021

Aluminum Arms & Accessories

Shepherd's Crooks

Model:	Single Pole Mount
CCA-10-SG	Single Pole Mount (24")
CCA-12-SG	Single Pole Mount (30")
Model:	Double Pole Mount
CCA-10-DB	Double Pole Mount (24")
CCA-DB-12	Double Pole Mount (30")
Model:	Single Hub Mount
CCA-15-SG	Single Tenon Mount
CCA-30-SG	Single Tenon Mount
Model:	Double Hub Mount
CCA-15-DB	Double Tenon Mount
CCA-30-DB	Double Tenon Mount
Model:	Wall Mount
PWM-9	Swivel Pendant Mount - Stem kit for ceiling mount
PWM-10	Chain Pendant Mount
PWMB-18	Single Wall Mount
Options:	Factory Installed
SCR1	Scroll 1 (per arm...double price for double arm)
SCR2	Scroll 2 (per arm...double price for double arm)
SCR3	Scroll 3 (per arm...double price for double arm)
SCR4	Scroll 4 (per arm...double price for double arm)
SCR5	Scroll 5 (per arm...double price for double arm)

Notes:

(2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Wall Mount and Post Mount Arms

Model:	Wall/Post Mount
DLPMB-13-SG-WM	Single Wall Mount
DLPMB13-SG-PM	Single Post Mount
DLPMB13-DB-PM	Double Post Mount
DLPMB11-SG-WM-INV-TEN	Single Wall Mount
DLPMB11-SG-WM-N-PEN	Single Wall Mount
DLPMB11-SG-PM-INV-TEN	Single Post Mount
DLPMB11-SG-PM-N-PEN	Single Post Mount
PWMB27-SG-WM	Single Wall Mount
LMA121-SG-WM-N-TEN	Single Tenon Wall Mount
LMA121-SG-WM-INV-TEN	Single Tenon Wall Mount
LMA121-SG-WM-N-PEN	Single Pendant Wall Mount
LMA121-SG-WM-INV-PEN	Single Pendant Wall Mount
LMA121-SG-PM-N-TEN	Single Tenon Post Mount
LMA121-SG-PM-INV-PEN	Single Pendant Post Mount

PEMCO PRICE LIST
Effective June 1, 2021

LMA121-DB-PM-N-TEN	Double Tenon Post Mount
LMA121-DB-PM-INV-PEN	Double Tenon Post Mount
LMA121-QU-PM-N-TEN	Quadruple Tenon Post Mount
LMA121-QU-PM-INV-PEN	Quadruple Tenon Post Mount
LMA132-SG-WM-N-TEN	Single Tenon Wall Mount
LMA132-SG-WM-INV-TEN	Single Tenon Wall Mount
LMA132-SG-WM-N-PEN	Single Pendant Wall Mount
LMA132-SG-WM-INV-PEN	Single Pendant Wall Mount
LMA132-SG-PM-N-PEN	Single Pendant Post Mount
LMA132-SG-PM-INV-PEN	Single Pendant Post Mount
LMA132-DB-PM-N-PEN	Double Pendant Post Mount
LMA132-DB-PM-INV-PEN	Double Pendant Post Mount
LMA132-QU-PM-N-PEN	Quadruple Pendant Post Mount
LMA132-QU-PM-INV-PEN	Quadruple Pendant Post Mount
LMA251-SG-WM-N-TEN	Single Tenon Wall Mount
LMA251-SG-PM-N-TEN	Single Tenon Post Mount
LMA251-DB-PM-N-TEN	Double Tenon Post Mount
LMA251-QU-PM-N-TEN	Quadruple Tenon Post Mount
LMA181-SG-WM-TEN	Single Tenon Wall Mount
LMA181-SG-WM-PEN	Single Pendant Wall Mount
LMA181-SG-PM-TEN	Single Tenon Post Mount
LMA181-DB-PM-TEN	Double Tenon Post Mount
LMA181-QU-PM-TEN	Quadruple Tenon Post Mount
LMA411	Single Tenon Wall Mount
LMA421-SG-WM-N-PEN	Single Pendant Wall Mount
LMA421-SG-WM-TS-PEN	Single Pendant Wall Mount
LMA421-SG-WM-N-TEN	Single Tenon Wall Mount
LMA421-SG-WM-TS-TEN	Single Tenon Wall Mount
LMA421-SG-PM-N-TEN	Single Tenon Post Mount
LMA421-SG-PM-TS-TEN	Single Tenon Post Mount
LMA421-DB-PM-N-TEN	Double Tenon Post Mount
LMA421-QU-PM-N-TEN	Quadruple Tenon Post Mount
LMA441-SG-WM-TEN	Single Tenon Wall Mount
LMA441-SG-PM-TEN	Single Tenon Post Mount
LMA441-DB-PM-TEN	Double Tenon Post Mount
LMA451-SG-WM-TEN	Single Tenon Wall Mount
LMA451-SG-PM-TEN	Single Tenon Post Mount
LMA451-DB-PM-TEN	Double Tenon Post Mount
LMA491-SG-WM-TEN	Single Tenon Wall Mount
LMA491-SG-WM-PEN	Single Pendant Wall Mount
LMA521-SG-WM-TEN	Single Tenon Wall Mount
LMA521-SG-PM-TEN	Single Tenon Post Mount
LMA521-DB-PM-TEN	Double Tenon Post Mount
LMA521-QU-PM-TEN	Quadruple Tenon Post Mount
LMA191-SG-PM-TEN	Single Tenon Post Mount
LMA191-DB-PM-TEN	Double Tenon Post Mount
LMA191-QU-PM-TEN	Quadruple Tenon Post Mount
DLPMB14-SG-PM	Single Tenon Post Mount

PEMCO PRICE LIST
Effective June 1, 2021

DLPMB14-DB-PM	Double Tenon Post Mount
DLPMB16-SG-PM	Single Tenon Post Mount
DLPMB16-DB-PM	Double Tenon Post Mount
DLPMB17-SG-PM-UE-PEN	Single Pendant Post Mount
DLPMB17-SG-PM-LE-PEN	Single Pendant Post Mount
DLPMB17-SG-PM-U&LE-PEN	Single Pendant Post Mount
DLPMB17-DB-PM-UE-PEN	Double Pendant Post Mount
DLPMB17-DB-PM-LE-PEN	Double Pendant Post Mount
DLPMB17-DB-PM-U&LE-PEN	Double Pendant Post Mount

Notes:

(2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Street Signs & Banner Arms

Model:	Street Signs
SSR-BO	Street Sign
SSR-PT	Street Sign
SSR-CO	Street Sign
SSR-BO-2EB	Street Sign
SSR-CO-2EB	Street Sign
SSR-PT-F	Street Sign
DSSR-BO	Street Sign
SSOV-BO	Street Sign
SSOB-PT	Street Sign
SSOB-CO	Street Sign
SSOB-BO2EB	Street Sign
SSOV-CO-2EB	Street Sign
SSOV-PT-F	Street Sign
DSSOV-BO	Street Sign
SSOC-BO	Street Sign
SSOC-PT	Street Sign
SSOC-CO	Street Sign
SSOC-BO-2EB	Street Sign
SSOC-PT-F	Street Sign
SSC-BO	Street Sign
SSC-PT	Street Sign
SSC-CO	Street Sign
SSC-BO-2EB	Street Sign
SSC-CO-2EB	Street Sign
SSC-PT-F	Street Sign
SF00-36	Street Sign
SF00-48	Street Sign

Model:	Banner Arms
BA-24-1-BO	Single banner arm, 24", bolt on
BA-24-1-CO	Single banner arm, 24", clamp on

PEMCO PRICE LIST
Effective June 1, 2021

BBA-24-1-BO	Single break-away banner arm, 24", bolt on
BBA-24-1-CO	Single break-away banner arm, 24", clamp on
Model:	Banner Arm Options
EB	Eye bolts (each)

Notes:

(2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Model:	Ladder Rests
DLR-CO-4-SMOOTH	Ladder rest, clamp on, 4" smooth
DLR-CO-5-SMOOTH	Ladder rest, clamp on, 5" smooth
DLR-CO-4-FLUTED	Ladder rest, clamp on, 4" fluted
DLR-CO-5-FLUTED	Ladder rest, clamp on, 5" fluted
DLR-CO-4-SOLID CASTING	Ladder rest, slip on, 4" solid casting
DLR-CO-5-SOLID CASTING	Ladder rest, slip on, 5" solid casting

Roadway Arms

Model:	Roadway Arms
LMA-900-SG-PM-48	Single Arm-48"
LMA-900-SG-PM-72	Single Arm-72"
LMA-900-DB-PM-48	Double Arms-48"
LMA-900-DB-PM-72	Double Arms-72"
LMA-902-SG-PM-48	Single Arm-48"
LMA-902-DB-PM-48	Double Arms-48"
LMA-902-SG-PM-72	Single Arm-72"
LMA-902-DB-PM-72	Double Arms-72"
LMA-902-SG-PM-96	Single Arm-96"
LMA-902-DB-PM-96	Double Arms-96"
LMA-906-SG-PM-48	Single Arm-48"
LMA-906-DB-PM-48	Double Arms-48"
LMA-906-SG-PM-72	Single Arm-72"
LMA-906-DB-PM-72	Double Arms-72"
LMA-906-SG-PM-96	Single Arm-96"
LMA-906-DB-PM-96	Double Arms-96"
LMA-908-SG-PM-48	Single Arm-48"
LMA-908-DB-PM-48	Double Arms-48"
LMA-908-SG-PM-72	Single Arm-72"
LMA-908-DB-PM-72	Double Arms-72"
LMA-922-SG-PM	Single Arm
LMA-922-DB-PM	Double Arms
LMA-926-SG-PM-48	Single Arm-48"
LMA-926-DB-PM-48	Double Arm-48"
LMA-926-SG-PM-72	Single Arm-72"
LMA-926-DB-PM-72	Double Arm-72"
LMA-926-SG-PM-96	Single Arm-96"

PEMCO PRICE LIST
Effective June 1, 2021

LMA-926-DB-PM-96	Double Arm-96"
LMA-928-SG-PM	Single Arm
LMA-928-DB-PM	Double Arms
LMA-932-SG-PM	Single Arm
LMA-932-DB-PM	Double Arms
LMA-932-QU-PM	Quadruple Arms

Options:	Factory Installed
SCR	Scroll Adder (each arm)
PF1	PF1 Finial (LMA932 only)
PF2	PF2 Finial (LMA932 only)
PF3	PF3 Finial (LMA932 only)
PF4	PF4 Finial (LMA932 only)

Notes:

- (1) Leveling Device required for this arm IF ORDERING THE PENDANT MOUNT OPTION. Order separately (prices KEYow).
(2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Leveling Device

For Roadway Pendant Mount Fixtures

Model:	Leveling Device (for any pendant mount)
PMD-001-SQ	Square
PMD-002-RD	Round
PMD-003-CF	Round cast with finial

Options:	Factory Installed
BA	Ball Finial (PMD001 & PMD002 only)
AC	Acorn Finial (PMD001 & PMD002 only)
PCR3	3 Pin Twist Lock Receptacle (photo cell not included)
PCR7	7 Pin Twist Lock Receptacle (photo cell not included)

Notes:

- (2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Accessories

Model:	Roadway Arms
	Occupancy Sensor-Motion Device
	Photocontrols
	Surge Protection Device
	Photo Cells & GFI Covers
EB	Eye bolts (each)
FPH-1-BO	Flag pole holder - 1" bolt on
FPH-1-CO	Flag pole holder - 1" clamp on
FH-BO	24" Bolt on Flower/Plant Hanger

PEMCO PRICE LIST
Effective June 1, 2021

FH-CO	24" Clamp on Flower/Plant Hanger
FH-BBA	24" Clamp on Break-Away Flower/Plant Hanger
TAR/TAS	Round or Square Tenon Adaptors

Notes:

(2) Custom Color - one time set up fee of \$500; plus 10% per piece adder

Note:	10%
2	\$334
2	\$401
Note:	10%
2	\$738
2	\$872
Note:	10%
2	\$637
2	\$705
Note:	10%
2	\$1,475
2	\$1,744
Note:	10%
2	\$249
2	\$241
2	\$622
Note:	10%
2	\$101
2	\$134
2	\$134
2	\$235
2	\$268
Note:	10%
2	\$1,162
2	\$755
2	\$1,296
2	\$1,120
2	\$1,120
2	\$746
2	\$746
2	\$1,120
2	\$597
2	\$597
2	\$597
2	\$597
2	\$417
2	\$417

2	\$637
2	\$637
2	\$1,078
2	\$1,078
2	\$597
2	\$597
2	\$597
2	\$597
2	\$490
2	\$490
2	\$656
2	\$656
2	\$1,078
2	\$1,078
2	\$469
2	\$539
2	\$747
2	\$1,078
2	\$471
2	\$471
2	\$539
2	\$747
2	\$1,078
2	\$291
2	\$471
2	\$443
2	\$417
2	\$443
2	\$539
2	\$640
2	\$747
2	\$1,078
2	\$417
2	\$490
2	\$581
2	\$478
2	\$490
2	\$581
2	\$498
2	\$498
2	\$656
2	\$539
2	\$747
2	\$1,078
2	\$506
2	\$747
2	\$1,078
2	\$498

2	\$186
2	\$331
Note:	10%
2	\$40
Note:	10%
2	\$324
2	\$357
2	\$332
2	\$365
2	\$324
2	\$357
Note:	10%
1, 2	\$1,044
1, 2	\$1,085
1, 2	\$1,183
1, 2	\$1,260
1, 2	\$508
1, 2	\$1,014
1, 2	\$545
1, 2	\$837
1, 2	\$581
1, 2	\$1,120
1, 2	\$520
1, 2	\$858
1, 2	\$557
1, 2	\$931
1, 2	\$630
1, 2	\$971
1, 2	\$758
1, 2	\$1,289
1, 2	\$811
1, 2	\$1,406
1, 2	\$1,201
1, 2	\$1,824
1, 2	\$510
1, 2	\$1,006
1, 2	\$537
1, 2	\$1,073
1, 2	\$604

1, 2	\$1,207
1, 2	\$880
1, 2	\$1,170
1, 2	\$975
1, 2	\$1,103
1, 2	\$1,747
Note:	10%
2	\$101
2	\$267
2	\$267
2	\$267
2	\$267
Note:	10%
2	\$267
2	\$267
2	\$267
Note:	10%
2	\$60
2	\$60
2	\$42
2	\$42
Note:	10%
	contact factory
	contact factory
	contact factory
	contact factory
2	\$40
2	\$83
2	\$332
2	\$173

2	\$330
2	\$371
2	\$161

Current Payment Terms (until further notice)

Regular Terms & Conditions

NOTE: IF QUOTING A PRODUCT OR PROJECT THAT IS NOT LISTED ON THIS PRICE GUIDE BUT IS ON OUR WEBSITE, PLEASE CONTACT OUR LIGHTING QUOTES DEPARTMENT AT QUOTES@1882LIGHTING.COM