
# Lightalarms






### **Table of content**

#### **EXIT SIGNS**



#### **BATTERY UNITS**



### **Table of content**

#### **REMOTE FIXTURES**




#### **BATTERY PACKS**



#### **INVERTER AND CENTRAL SYSTEMS**



#### **ACCESSORIES**



3 Stretch Price Guide





#### SIMPLICITY<sup>™</sup> PREMIUM SLED & SPLED SERIES

Premium die-cast aluminum and laser-etched acrylic edge-lit exit sign

Architectural Catalog pages: 14-15 Special Wording Available

LEGEND	ADDER	SERIES		COMM	ISSION		HOUSING COLOR	ADDER	LEGEND	ADDER
			5%	7.5%	10%	15%	1		COLOR	
Blank= 6" EXIT legend	\$0.00	SLEDN= AC-Only	\$127.00	\$138.00	\$150.00	\$178.00	A= Brushed Aluminum	\$0.00	R= Red	\$0.00
3= 8" EXIT legend	\$25.00	SPLEDN= Self-Powered	\$142.00	\$154.00	\$169.00	\$200.00	W= White	\$0.00	G= Green	\$5.00
(8" in red only)							B= Black	\$0.00		
							DB= Dark Bronze (paint)	\$40.00		
							PB= Polished Brass	\$150.00		
							CH= Polished Chrome	\$150.00		
							Recessed Mount ONLY			
							Trim Plate/Trim Ring			
							DB= Dark Bronze (paint)	\$25.00		
							PB= Polished Brass	\$80.00		
							CH= Polished Chrome	\$80.00		

PANEL BACKGROUND	ADDER	TRIM PLATE	ADDER	CHEVRON	ADDER	OPTIONS	ADDER
COLOR							
C= Clear <sup>1</sup>	\$0.00	D= Dome	\$0.00	Blank= No Chevron (single face sign)	\$0.00	Blank= No option	\$0.00
W= White	\$0.00	P= Pyramid	\$0.00	2= No Chevron (double face sign)	\$16.00	-DC= AC/DC model 6 to 24VDC	\$3.00
M=Mirror	\$0.00	Z= Flat Trim	\$0.00	L= Left Chevron (on a single face sign)	\$5.00	-ID= Self-test diagnostic (SP Model)	\$15.00
				R= Right Chevron (on a single face sign)	\$5.00	-NEX= NEXUS <sup>®</sup> Wired <sup>1</sup>	P.O.R.
				RL= Left and Right Chevron (double face sign,	\$21.00	-NEXRF= NEXUS® Wireless1	P.O.R.
				one chevron on each side)		-Y= Two circuits (AC Model)	\$24.00
				1D= Double Chevron (on single face)	\$5.00	-FAF= Fire Alarm Flasher (SP Model)	\$15.00
				2D= Double Chevron (double face sign,	\$26.00	-FB= Flasher & Buzzer (SP Model)	\$15.00
				two chevrons on each side)		-LP= Less panel	P.O.R.
				UA= (2 Qty) Universal Field Stick-On Chevrons	\$5.00	-X= Back box shipped separate	\$0.00
				2UA= (4 Qtv) Universal Field stick-on Chevrons	\$21.00		
				(,			
<sup>1</sup> Single face only.						<sup>1</sup> Consult your sales representative	

#### P PENDANT KITS with Simplicity Premium SLED & SPLED Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00 \$0.00	W= White B= Black A= Gray/Aluminum	\$0.00 \$10.00 \$20.00	12 18 24 36 48	\$28.00 \$33.00 \$36.00 \$43.00 \$51.00	L	\$0.00
				60 72 84 96	\$58.00 \$65.00 \$73.00 \$80.00		





### **6" SIMPLICITY<sup>™</sup> ACCESSIBILITY SERIES**

Slim profile LED edge-Lit exit accessibility sign

Architectural Catalog pages: 16-17 \*Connecticut Code Compliant

PANEL SIZE	SERIES		COMMISSION			HOUSING COLOR	ADDER
		5%	7.5%	10%	15%		
LISA= 6" ISA, Exit arrow left	SE= AC-Only	\$252.00	\$275.00	\$301.00	\$357.00	TA= Textured Aluminum	\$0.00
RISA= 6" ISA, Exit arrow right	SES= AC/DC	\$252.00	\$275.00	\$301.00	\$357.00	OW= Off White	\$0.00
_	SEN= Self-Powered	\$271.00	\$295.00	\$324.00	\$384.00		
			·				
İ							

LEGEND COLOR	ADDER	FACE	ADDER
RC= Red on clear <sup>1</sup>	\$0.00	1= Single face	\$0.00
RW= Red on white RM= Red on mirror		2= Double face	\$6.00
100 01 1111101	<b>\$2.00</b>		
Green not available.			
<sup>1</sup> Single face only.			



#### SE-P PENDANT KITS with 6" Simplicity Accessibility Series

SERIES	ADDER	LENGTH (IN INCHES)	ADDER	COLOR	ADDER
SE-P	\$0.00	12	\$28.00	WT= White	\$0.00
		18	\$33.00	B= Black	\$10.00
		24	\$36.00	A= Gray/Aluminum	\$20.00
		36	\$43.00		
		48	\$51.00		
		60	\$58.00		
		72	\$65.00		
		84	\$73.00		
i		96	\$80.00		





### **6" SIMPLICITY™ ECONOMIZER SE, SES & SEN SERIES**

Surface or recessed mount edge-lit exit sign

Commercial

Catalog pages: 18-19

6 INCH SERIES	COMMISSION			TRIM	ADDER	
	5%	7.5%	10%	15%		
SE= AC-Only	\$108.00	\$119.00	\$130.00	\$154.00	Blank= Surface Mount Only	\$0.00
SES= AC/DC	\$108.00	\$119.00	\$130.00	\$154.00	F= Recessed Mount Only (flat trim)	\$20.00
SEN= Self-Powered	\$118.00	\$130.00	\$141.00	\$168.00		

HOUSING COLOR	ADDER	LEGEND COLOR	ADDER	FACE	ADDER
TA= Textured Aluminum OW= Off White	\$0.00	RC= Red on clear <sup>1</sup> RW= Red on white RM= Red on mirror		1= Single face 2= Double face	\$0.00 \$6.00
		GC= Green on clear <sup>1</sup> GM= Green on mirror		missing adder for Green	
		Green on white not available. <sup>1</sup> Single face only.			



## SE-P PENDANT KITS with 6" Simplicity Economizer SE, SES & SEN Series

SERIES	ADDER	LENGTH (IN INCHES)	ADDER	COLOR	ADDER
SE-P		12 18 24 36 48 60 72 84 96	\$33.00	WT= White B= Black A= Gray/Aluminum	\$0.00 \$10.00 \$20.00





### 8" SIMPLICITY<sup>™</sup> ECONOMIZER SE, SES & SEN SERIES

Surface or recessed mount edge-lit exit sign

Commercial

Catalog pages: 18-19

8 INCH SERIES	COMMISSION				TRIM	ADDER
	5%	7.5%	10%	15%		
8SE= AC-Only	\$129.00	\$139.00	\$152.00	\$180.00	Blank= Surface Mount	\$0.00
8SES= AC/DC	\$129.00	\$139.00	\$152.00	\$180.00		
8SEN= Self-Powered	\$138.00	\$150.00	\$164.00	\$194.00		

HOUSING COLOR	ADDER	LEGEND COLOR	ADDER	FACE	ADDER
TA= Textured Aluminum	\$0.00	RC= Red on clear <sup>1</sup>	\$0.00	1= Single face	\$0.00
OW= Off White		RW= Red on white RM= Red on mirror	\$0.00 \$0.00	2= Double face	\$10.00
		<sup>1</sup> Single face only.			



## SE-P PENDANT KITS with 8" Simplicity Economizer SE, SES & SEN Series

SERIES	ADDER	LENGTH (IN INCHES)	ADDER	COLOR	ADDER
SE-P	\$0.00	12 18 24 36 48 60 72 84 96	\$33.00	WT= White B= Black A= Gray/Aluminum	\$0.00 \$10.00 \$20.00





## SIMPLICITY<sup>TM</sup> UNIVERSAL EDGE-LIT SERIES Single and double face, surface and recessed\* mount edge-lit exit sign

Commercial / Commodity Catalog pages: 20-21

LEGEND	ADDER	SERIES		COMM	ISSION		LEGEND COLOR	ADDER
LEGEND	ADDER	SERIES	5%	7.5%	10%	15%	LEGEND COLOR	ADDER
6= 6" EXIT single and double face with universal chevrons an	\$0.00	UEA= AC Only	\$73.00	\$80.00	\$88.00	\$103.00	RM= Red on Mirror	\$0.00
and mounting for surface or recessed		UEN= Self-Powered	\$76.00	\$84.00	\$92.00	\$109.00	GM= Green on Mirror	\$1.00

OPTIONS	ADDER
Blank= No options	\$0.00
ID= Improved Diagnostics	\$10.00



#### P PENDANT KITS with Simplicity Universal Edge-Lite Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00 \$0.00	W= White B= Black A= Gray/Aluminum	\$0.00 \$10.00 \$20.00	12 18 24 36 48 60 72	\$28.00 \$33.00 \$36.00 \$43.00 \$51.00 \$58.00 \$65.00	L	\$0.00
				84 96	\$73.00 \$80.00		



#### SIMPLICITY UNIVERSAL COMBINATION EDGE-LIT SERIES"

Single and double face, Universal mount

Commercial / Commodity Catalog pages: 22-23

SERIES		COMM	ISSION		OPTIONS	ADDER
SERIES	5%	7.5%	10%	15%	1 OFTIONS	ADDER
C6UENRM-2HO= 6Inch edge-lit combo with 2 high ouput LED heads, red legend	\$101.00	\$111.00	\$122.00	\$145.00	Blank= No options	\$0.00
C6UENGM-2HO= 6Inch edge-lit combo with 2 high ouput LED heads, green legend	\$104.00	\$115.00	\$125.00	\$146.00	ID= Improved Diagnostics	\$10.00





GENESIS<sup>TM</sup> TANDEM SERIES "OVER THE DOOR" Single face, surface and recessed\* mount edge-lit exit sign USE with GENESIS TANDEM SERIES "Floor Proximity" exits below

Architectural

Catalog pages: 24-25

SERIES "OVER THE DOOR"		COMM	ISSION		FRAME COLOR	ADDER
	5%	7.5%	10%	15%		
GXM= AC-Only Master (over the door) or 2 circuit model	\$115.00	\$128.00	\$139.00	\$165.00	A= Brushed Aluminum Body	\$0.00
GXEM= Self-Powered Master (over the door)	\$182.00	\$200.00	\$218.00	\$259.00	B= Black Body	\$0.00
, , ,					W= White Body	\$0.00

LEGEND COLOR	ADDER	FACE PLATE COLOR	ADDER	VERSION	ADDER	OPTION	ADDER
R= Red	\$0.00	A= Brushed Aluminum	\$0.00	-N	\$0.00	-2= 2 circuit (120/120 or 277/277)	\$24.00
G= Green	\$5.00	B= Black	\$0.00			(with use with GXM Series)	
		W= White	\$0.00				
İ							



#### GENESIS<sup>™</sup> TANDEM SERIES "FLOOR PROXIMITY"

Single and double face, surface and recessed\* mount edge-lit exit sign USE with GENESIS TANDEM SERIES "Over the Door" exits above

**Architectural** 

Catalog pages: 24-25

FRAME COLOR	ADDER	SERIES	COMMISSION			
			5%	7.5%	10%	15%
A= Brushed Aluminum Body	\$0.00	FPGXLD= Floor proximity unit	\$126.00	\$138.00	\$150.00	\$178.00
B= Black Body	\$0.00					
W= White Body	\$0.00					

LEGEND COLOR	ADDER	TRIM	ADDER	OPTION	ADDER
R= Red	\$0.00	R= Recessed Mount	\$0.00	LVR= Vandal Resistant Polycarbonate len and screws	\$30.00
G= Green	\$5.00	S= Surface Mount	\$45.00	· ·	
1					





### GENESIS<sup>™</sup> GX & GXE SERIES

Die-cast aluminum LED exit sign

Architectural Catalog pages: 26-27 Special Wording Available

NO. OF FACE	ADDER	SERIES		COMM	ISSION		BACK PLATE / FRAME	ADDER	LEGEND	ADDER
			5%	7.5%	10%	15%	COLOR		COLOR	
Blank= 6" single face	\$0.00	GX= AC-Only	\$88.00	\$98.00	\$107.00	\$128.00	A= Brushed Aluminum	\$0.00	R= Red	\$0.00
2= 6" double face	\$2.00	GXE= Self-Powered	\$104.00	\$114.00	\$126.00	\$149.00	Body		G= Green	\$5.00
8= 8" single face	\$20.00						B= Black Body	\$0.00		
82= 8" double face	\$22.00						<b>W</b> = White Body	\$0.00		
							OPTIONAL DB= Dark Bronze (paint)	\$20.00		

FACE PLATE COLOR	ADDER	DIAGNOSTIC OPTION <sup>1</sup>	ADDER	OPTIONS	ADDER	VERSION	ADDER
A= Brushed	\$0.00	Blank= Standard Improved Diagnostic	\$0.00	Blank= No option	\$0.00	-N= 6" sign	\$0.00
Aluminum Body		(non-audible)		-DL= Damp location	\$8.00	Blank=	\$0.00
B= Black Body	\$0.00	NEX= NEXUS® Wired <sup>2,3</sup>	P.O.R.	-VR= Vandal Resistant Screws	\$15 per face	8" sign	
<b>W</b> = White Body	\$0.00			-LVR= Vandal Resistant Polycarbonate lens and screws	\$30 per face		
OPTIONAL DB= Dark Bronze (painted)	\$20.00			-Y= Open face or Special Wording Design -2= 2 Circuit (120/120 or 277/277, AC-Only)	\$0.00 \$24.00		
		Available with Self-Powered GXE exit only     NEX is CSA-US approved only     Consult your sales representative					



#### **GP PENDANT KITS with Genesis GX & GXE Series**

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
G₽ <sup>1</sup>	\$0.00	W= White B= Black A= Gray/Aluminum	\$0.00 \$10.00 \$20.00	12 18 24 36 48 60 72 84	\$28.00 \$33.00 \$36.00 \$43.00 \$51.00 \$58.00 \$65.00 \$73.00	L	\$0.00
<sup>1</sup> Use with Genesis Series				96	\$80.00		





## **GALAXY**<sup>TM</sup> **XD & XDN SERIES** Die-cast aluminum LED exit sign

Commercial Catalog pages: 28-29 Special Wording Available

NO. OF FACE	ADDER	SERIES		COMM	ISSION	
			5%	7.5%	10%	15%
1= Single Face	\$0.00	Standard Models				
2= Double Face	\$2.00	XDA= AC-Only	\$88.00	\$98.00	\$107.00	\$128.00
		XDC= AC/DC (96V-48V DC)	\$88.00	\$98.00	\$107.00	\$128.00
		XD21= Dual AC circuit (2 x 120V)	\$103.00	\$113.00	\$124.00	\$146.00
		XD22= Dual AC circuit (2x 277V)	\$103.00	\$113.00	\$124.00	\$146.00
		XDN= Self-Powered without Improved Diagnostics	\$96.00	\$105.00	\$114.00	\$135.00
		XDND= Self-Powered with Improved Diagnostics	\$103.00	\$113.00	\$124.00	\$146.00
		XDNEX= NEXUS® Wired¹	P.O.R.	P.O.R.	P.O.R.	P.O.R.
		XDNEXP= NEXUS® Pro1	P.O.R.	P.O.R.	P.O.R.	P.O.R.
		XDNEXRF= NEXUS® Wireless¹	P.O.R.	P.O.R.	P.O.R.	P.O.R.
		<sup>1</sup> Consult your sales representative.				

BACKPLATE/FRAME COLOR	ADDER	LEGEND/FACEPLATE COLOR	ADDER	OPTIONS	ADDER
B= Black W= White A= Brushed aluminum	\$0.00 \$0.00 \$0.00	RB= Red/Black GB= Green/Black RW= Red/White	\$0.00 \$5.00 \$0.00	Blank= No option  -DL= Damp location (50°F minimum, 104°F maximum ambient,  10°C minimum, 40°C maximum)	\$0.00 \$8.00
A Brushed aldillindin	\$0.00	GW= Green/White RA= Red/Brushed Aluminum GA= Green/Brushed Aluminum	\$5.00 \$0.00 \$5.00	FAF= Fire Alarm Flasher (not available with XDN model)  -FB= Flasher buzzer¹  -FBF= Fire alarm activated flasher and Flasher Buzzer¹  -FL= Flasher¹  -LVR= Vandal Resistant Polycarbonate lens and screws  -VR= Vandal Resistant Screws  -Y= Open face Design or Special Wording Design  ¹ Available with XDND. XDNEX. and XDNEXRF only.	\$15.00 \$15.00 \$15.00 \$15.00 \$30 per face \$15 per face \$0.00



#### P PENDANT KITS with Galaxy XD & XDN Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
	\$0.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		





### GALAXY<sup>™</sup> XDPC "Remote Capacity" SERIES

Die-cast aluminum remote capacity exit sign

Architectural
Catalog pages: 30-31

6 Volt Remote Capacity Exit Sign Suggestion use with ELF612D LED Remote Head

NO. OF FACE	ADDER	SERIES	ADDER	BATTERY		COMM	ISSION	
					5%	7.5%	10%	15%
1= Single Face 2= Double Face	\$0.00 \$2.00	XDPC= LED Exit	\$0.00	L= 6V-9W remote capacity	\$154.00	\$169.00	\$183.00	\$218.00
				Nickel-Metal Hydride N= 6V-12W remote capacity X= 6V-24W remote capacity	\$169.00 \$206.00	\$183.00 \$226.00	\$201.00 \$247.00	\$237.00 \$293.00

BACKPLATE/FRAME COLOR	ADDER	LEGEND/FACEPLATE COLOR	ADDER	OPTIONS	ADDER
B= Black W= White A= Brushed Aluminum	\$0.00 \$0.00	RB= Red/Black GB= Green/Black RW= Red/White GW= Green/White RA= Red/Brushed Aluminum GA= Green/Brushed Aluminum		Blank= No options -ID= Improved Diagnostics (audible) -IDNA= Improved Diagnostics (non-audible)  1 Not available with ID and IDNA options	\$0.00 \$37.00 \$37.00
				<sup>2</sup> Comes standard with ID and IDNA options	



#### GALAXY<sup>™</sup> TX & TXE "SLIM" SERIES

Die-cast aluminum slim profile exit sign

Commercial / Commodity

Catalog pages: 32

NO. OF FACE	ADDER	SERIES	COMMISSION			
			5%	7.5%	10%	15%
Blank= Single Face	\$0.00	TX= AC-Only	\$68.00	\$74.00	\$83.00	\$97.00
2= Double Face	\$2.00	TXE= Self-Powered	\$72.00	\$80.00	\$89.00	\$104.00

BACKPLATE COLOR	ADDER	LEGEND COLOR	ADDER	FACEPLATE COLOR	ADDER
W= White	\$0.00	R= Red	\$0.00	W= White (only available with white backplate)	\$0.00
B= Black	\$0.00	G= Green	\$3.00	A= Brushed Aluminum (only available with black backplate)	\$0.00



### GALAXY<sup>™</sup> XLD & XLED SERIES

LED die-cast aluminum exit fully recessed mount AC, AC/DC or self-powered exit signs

Architectural Catalog pages: 33

MOUNTING	ADDER	SERIES	COMMISSION				
			5%	7.5%	10%	15%	
R= Fully Recessed, Single Face Only	\$0.00	-XLD= AC-Only	\$167.00	\$181.00	\$197.00	\$235.00	
		-XLED= Self-Powered	\$182.00	\$200.00	\$218.00	\$259.00	

LETTER COLOR	ADDER	STENCIL COLOR	ADDER	OPTIONS	ADDER	VERSION	ADDER
R= Red	\$0.00	B= Black	\$0.00	-DL= Damp location	\$8.00	-N=New	\$0.00
G= Green	\$5.00	W= White	\$0.00	-FB= Flasher buzzer	\$15.00	Design	
	,	A= Brushed Aluminum	\$0.00	-FAF= Fire alarm activated flasher (AC)	\$15.00	· ·	
			,	-FAF= Fire alarm activated flasher (Self-Powered)	\$15.00		
				-VR= Vandal resistant screws	\$15.00		
				-LVR= Polycarbonate shield and tamper proof screws	\$30.00		
				-2= Dual circuit (AC only)	\$4.00		
				-Y= Open face			





#### **UX4 STEEL EXIT SERIES**

Steel LED exit signs and combination units

Commercial

Catalog pages: 34-35

Special Wording Available

SERIES	ADDER	BATTERY TYPE	COMMISSION			
			5%	7.5%	10%	15%
UX4= Universal (2) faceplates, (1) backplate and (1) canopy	\$0.00	Blank= AC-only	\$44.00	\$52.00	\$60.00	\$70.00
		N= Self-Powered	\$58.00	\$66.00	\$76.00	\$90.00
						· ·

BACKPLATE/FRAME	ADDER	LEGEND/FACEPLATE COLOR	ADDER	LEGEND SOURCE	ADDER	OPTIONS	ADDER
COLOR							
W= White	\$0.00	RW= Red/White	\$0.00	LED= LED	\$0.00	Blank= No option	\$0.00
B= Black	\$0.00	RB= Red/Black	\$0.00			-DC= AC/DC 6V-24VDC	\$2.00
		RA= Red/Aluminum	\$0.00			-ID= Self-test diagnostic (SP Model Only)	\$22.00
		GW= Green/White	\$5.00			-NEX= Nexus <sup>®</sup> Wired <sup>1</sup>	P.O.R.
		GB= Green/Black	\$5.00			-NEXRF= Nexus <sup>®</sup> Wireless <sup>1</sup>	P.O.R.
		GA= Green/Aluminum	\$5.00			-VR= Vandal resistant screws	\$15.00
						Consult your sales representative	



#### P PENDANT KITS with UX4 Steel Exit Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
	\$0.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		





#### **UX4 STEEL COMBINATION SERIES**

Steel LED exit signs and combination units

Commercial Catalog pages: 34-35 Special Wording Available

SERIES	ADDER	UNIT TYPE	COMMISSION			
			5%	7.5%	10%	15%
UX4= Universal (2) faceplates, (1) backplate and (1) canopy	\$0.00	E= Lead-Calcium battery	\$120.00	\$138.00	\$159.00	\$190.00
		EN= Nickel-Cadmium battery	\$151.00	\$173.00	\$201.00	\$237.00
		1				

HOUSING COLOR	ADDER	LEGEND/FACEPLATE COLOR	ADDER	EXIT	ADDER	HEAD STYLE SUFFIX	HEADS
W= White	\$0.00	RW= Red/White	\$0.00	LED= LED	\$0.00	/0= No head	-\$18.00
B= Black	\$0.00	RB= Red/Black	\$0.00			/1ELF3= (1 head) ELF3 head	-\$9.00
		RA= Red/Aluminum	\$0.00			/2ELF3= (2 heads) ELF3 heads	\$0.00
		GW= Green/White	\$5.00				
		GB= Green/Black	\$5.00				
		GA= Green/Aluminum	\$5.00				

MR 16 LED LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	OPTIONS	ADDER
	LAMP	LAMPS		
LD1= 6V-4W	\$0.00	\$0.00	Blank= No option	\$0.00
LD2= 6V-5W	\$5.00	\$10.00	-T3= Time Delay (15 minutes)	\$20.00
			-ID= Improved diagnostics (Audible)	\$22.00
			-IDNA= Improved diagnostics (Non-Audible)	\$22.00
			-NEX= Nexus <sup>®</sup> Wired <sup>1</sup>	P.O.R.
			-NEXRF= Nexus <sup>®</sup> Wireless <sup>1</sup>	P.O.R.
			-VR= Vandal resistant screws	\$15.00
			<sup>1</sup> Consult your sales representative	



#### P PENDANT KITS with UX4 Steel Combination Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
		B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		





### GRANDE<sup>™</sup> EXIT SERIES

Specification-grade, LED, thermoplastic, snap together exit sign

Architectural Catalog pages: 36-37 Special Wording Available

SERIES	ADDER	UNIT TYPE		COMM	ISSION	
			5%	7.5%	10%	15%
GRAN	\$0.00	AC= AC-Only (120/277V)	\$35.00	\$37.00	\$39.00	\$47.00
		DC= 120/277VAC & 6 to 48VDC	\$37.00	\$40.00	\$44.00	\$52.00
		21= Dual AC circuit (2x120V)	\$39.00	\$42.00	\$47.00	\$55.00
		22= Dual AC circuit (2x277V)	\$39.00	\$42.00	\$47.00	\$55.00
		N= Self-Powered Nickel-Cadmium	\$40.00	\$44.00	\$50.00	\$58.00
		ND= Self-Powered with Improved Diagnostic circuitry	\$50.00	\$55.00	\$60.00	\$72.00
		-NEX= Nexus® Wired¹	P.O.R	P.O.R	P.O.R	P.O.R
		-NEXP= Nexus® Pro1	P.O.R.	P.O.R.	P.O.R.	P.O.R.
		-NEXRF= Nexus <sup>®</sup> Wireless <sup>1</sup>	P.O.R.	P.O.R.	P.O.R.	P.O.R.
		<sup>1</sup> Consult your sales representative				

LEGEND COLOR/NO. OF FACE	ADDER	HOUSING COLOR	ADDER	OPTIONS	ADDER
R= Red Universal		W= White	\$0.00	-BA= Brushed Aluminum exit stencil	\$75.00
G= Green Universal	\$5.00	B= Black	\$0.00	FB= Flasher Buzzer (ND model only)	\$15.00
R1= Red single face <sup>3</sup>	\$0.00			-FL= Flasher (ND model only)	\$15.00
R2= Red double face <sup>3</sup>	\$0.00			-FAF= Fire Alarm activated Flasher	\$15.00
G1= Green single face <sup>3</sup>	\$5.00			(AC, DC, 21, 22 & ND models)	
G2= Green double face <sup>3</sup>	\$5.00			-FBF= Flasher Buzzer + Fire Alarm activated Flasher	\$15.00
				(ND model)	
Open face*				-VR= Vandal Resistant Screws	15/per face
RW= Red on White	\$0.00			-LVR1= Vandal Resistant Polycarbonate lens and screws	30/per face
GW= Green on White	\$5.00				
*Open face design required with special wording panel use					



#### **GRA-P PENDANT KITS with Grande Exit Series**

SERIES	ADDER	LENGTH (IN INCHES)	ADDER	COLOR	ADDER	MODEL	ADDER
GRA-P <sup>1</sup>	\$0.00	12	\$28.00	WT= White	\$0.00	L	\$0.00
		18	\$33.00	B= Black	\$10.00		
		24		A= Gray/Aluminum	\$20.00		
		36	\$43.00				
		48	\$51.00				
		60	\$58.00				
		72	\$65.00				
1 with use with GrandeTM Series		84	\$73.00				
		96	\$80.00				





**GRANDE**<sup>™</sup> **COMBINATION SERIES**Specification-grade, LED, thermoplastic, snap-together combination unit

Architectural Catalog pages: 38-39

Special Wording Available

SERIES/BATTERY TYPE/CAPACITY		COMM	IISSION		LEGEND COLOR	ADDER	NO. OF FACE	ADDER
	5%	7.5%	10%	15%				
Lead-Calcium					R= Red	\$0.00	1= Single face (ceiling or wall mount)	\$0.00
GR612M= 6V-12W	\$99.00	\$108.00	\$118.00	\$141.00	G= Green	\$5.00	1N= Single face no canopy (wall mount)	-\$2.00
GR624M= 6V-24W	\$109.00	\$123.00	\$132.00	\$157.00			2= Double face (ceiling mount)	\$0.00
GR1224M= 12V-24W	\$109.00	\$123.00	\$132.00	\$157.00			U= Universal 2 faces, backplate and	\$5.00
Nickel-Metal Hydride (rated with damp							canopy	
location)								
GR612H= 6V-12W	\$132.00	\$145.00	\$157.00	\$187.00				
GR1224H= 12V-24W	\$167.00	\$181.00	\$197.00	\$235.00				
GR1240H= 12V-40W	\$237.00	\$258.00	\$282.00	\$334.00				
GR1250H= 12V-50W	\$252.00	\$275.00	\$301.00	\$357.00				

HOUSING COLOR	ADDER	NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS	OPTIONS	ADDER
W= White B= Black		Blank= No heads 2= Two heads (2 lamps)	\$0.00	MR16 LED Lamps LD1= 6V-4W LD2= 6V-5W LD7= 12V-4W LD9=12V-5W LD10=12V-6W	\$0.00 \$10.00 \$0.00 \$10.00 \$20.00	Blank= No option  -ID= Improved Diagnostics (audible) <sup>1</sup> -IDNA= Improved Diagnostics (non-audible) <sup>1</sup> -NEX= Nexus® Wirelad <sup>1</sup> -NEXP= Nexus® Pro IoT <sup>1</sup> -NEXP= Nexus® Pro IoT <sup>1</sup> -NEXRF= Nexus® Wireless <sup>1</sup> -BA= Brushed Aluminum exit stencil -FAF= Fire Alarm activated Flasher -FB= Flasher Buzzer -FBF= Flasher Buzzer + Fire Alarm activated Flasher -FL= Flasher -LVR1= Vandal Resistant Polycarbonate lens and screws <sup>2</sup> -T3= Time Delay (15 minutes) -VR= Vandal Resistant Screws <sup>2</sup> <sup>1</sup> Not available with GR1250H <sup>2</sup> Not available with universal faces	\$0.00 \$15.00 \$15.00 P.O.R. P.O.R. \$75.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00

HELPFUL HINT: Remote Capacity Needed Suggestion use GR1224M with LD9 Lamp with ELF612D LED Remote Head



#### **GRA-P PENDANT KITS with Grande Combination Series**

SERIES	ADDER	LENGTH (IN INCHES)	ADDER	COLOR	ADDER	MODEL	ADDER
GRA-P <sup>1</sup>	\$0.00	12	\$28.00	WT= White	\$0.00	L	\$0.00
		18	\$33.00	B= Black	\$10.00		
		24	\$36.00	A= Gray/Aluminum	\$20.00		
		36	\$43.00				
		48	\$51.00				
		60	\$58.00				
		72	\$65.00				
1 with use with GrandeTM Series		84	\$73.00				
		96	\$80.00				





#### QUICK<sup>™</sup> QLX & QLXN SERIES

Economical, thermoplastic LED exit signs

Commercial / Commodity Catalog pages: 40-41

SERIES		COMMISSION			LEGEND COLOR	ADDER	OPTION	ADDER
	5%	7.5%	10%	15%	WHITE HOUSING			
QLX500= AC-Only	\$15.00	\$17.00	\$18.00	\$20.00	RN= Red	\$0.00	Blank	\$0.00
QLXN500= Self-Powered	\$16.00	\$18.00	\$20.00	\$23.00	GN= Green	\$2.00	-ID= Improved Diagnostic (audible) <sup>1</sup>	\$10.00
							-RID= Remote capacity	\$20.00
							3.6V-3.6W Improved	
							Diagnostic (audible) 1,2	



#### P PENDANT KITS with Quick QLX & QLXN Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
Pendant adopter= 081886-L	\$5.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
Note: Order same number of Pendant				84	\$73.00		
adopters as pendents required.				96	\$80.00		



#### QUICK<sup>™</sup> QLX & QLXN SERIES

Economical, thermoplastic LED exit signs

Commercial / Commodity Catalog pages: 40-41

SERIES	COMMISSION				LEGEND COLOR	ADDER	OPTION	ADDER
	5%	7.5%	10%	15%	BLACK HOUSING			
QLX500= AC-Only	\$17.00	\$20.00	\$21.00	\$25.00	RB= Red	\$0.00	Blank	\$0.00
QLXN500= Self-Powered	\$18.00	\$21.00	\$23.00	\$26.00	GB= Green*	\$2.00		
				· ·				



#### P PENDANT KITS with Quick QLX & QLXN Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
Pendant adopter= 081886-L	\$5.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
Note: Order same number of Pendant				84	\$73.00		
adopters as pendents required.				96	\$80.00		



## **LAXC Combination unit with light bar** Single and double face, surface amount Combo unit

Commercial / Commodity Catalog pages: 42-43

OFFIIFO.		COMM	ISSION		1 F0FUD 001 0D	40000
SERIES	5%	7.5%	10%	15%	LEGEND COLOR	ADDER
LAXC= Combination unit with light bar	\$51.00	\$56.00	\$62.00	\$72.00	-RLP= 6 Inch red Exit legend	\$0.00
					-GLP= 6 Inch green Exit legend	\$2.00





#### "Square Head" LED LCAC-2SQLED SERIES

LED Exit and heads thermoplastic combination unit

Commercial / Commodity Catalog pages: 44-45

LED Heads
Remote Capacity can only be used with the ELF612D LED or LCARDSQLED Remote Head Series

SERIES	ADDER	LEGEND	ADDER	HEAD STYLE / LAMP	ADDER	OPTIONS		COMMISSION		
		COLOR					5%	7.5%	10%	15%
LCAC		R= Red G= Green	\$0.00 \$4.00	2SQLED= 2 Square 1W each LED heads	\$0.00	Blank= No option	\$40.00	\$46.00	\$49.00	\$58.00

CAPACITY	ADDER
Blank= No option R= Remote capacity RID = Remote capacity with diagnostic	\$0.00 \$10.00 \$20.00
Note: Remote capacity can ONLY be used to power the LCARDSQLED or ELF612/LED Remote Head or to extend the combo's emergency run time beyond the standard 90 minutes.	



#### **ELF612D/LED REMOTE HEAD SERIES**

Thermoplastic square LED outdoor remote heads

Commercial / Commodity Catalog page: 45

\*I FD Indoor or Outdoor Remote Head

Multi-Voltage can be used with 6V & 12V fixtures

SERIES	COMMISSION				OPTIONS	ADDER	COLOUR	ADDER
	5%	7.5%	10%	15%				
ELF612= Single	\$29.00	\$33.00	\$35.00	\$44.00	/LED= Thermoplastic square LED head	\$0.00	Blank= Gray	\$0.00
ELF612D= Double heads (lamp X 2)	\$42.00	\$47.00	\$52.00	\$60.00			-BK= Black	\$0.00

#### LCARDSQLED REMOTE HEAD SERIES

Thermoplastic square LED indoor remote heads

Commercial / Commodity

Catalog page: 45

\*LED Indoor Remote Head 3.6V used only with LCAR or LCAB Series

SERIES	ADDER	HEAD STYLE / LAMP TYPE	COMMISSION							HEAD STYLE / LAMP TYPE COMMISSION OPTIC		OPTIONS	ADDER
			5%	7.5%	10%	15%							
LCAR= LED head	\$0.00	D= Double heads (lamp X 2)	\$15.00	\$17.00	\$18.00		SQLED= Thermoplastic square LED head	\$0.00					



#### Cluster LED "Round Head" **UQLXN500-2LED SERIES**

Thermoplastic LED combination unit

Commercial / Commodity Catalog pages: 46-47

**LED Heads** 

NOW OFFERED IN BLACK HOUSING

Remote Capacity can only be used with the ELF652D LED

**Remote Head Series** 

SERIES		ADI	DER		LEGEND	ADDER	LAMP	ADDER	CAPACITY	ADDER	HOUSING	ADDER
	5%	7.5%	10%	15%	COLOR						COLOR	
UQLXN500	\$37.00	\$44.00	\$47.00	\$55.00	R= Red	\$0.00	-2LED= Cluster LED head	\$0.00	Blank= No option	\$0.00	Blank =Mist	\$0.00
					G= Green	\$2.00	style		R= Remote capacity	\$5.00	B =Black	\$0.00
									RID = Remote capacity	\$10.00		
									with diagnostic			
									Note: Remote capacity can			
									ONLY be used to power the			
									Cluster LED ELF652D/LED			
									Remote Head or to extend the combo's emergency run time			
									beyond the standard 90 minutes.			
									soyona and clanderd 90 minutes.			





#### **ELF652D/LED REMOTE HEAD SERIES**

Indoor/outdoor remote head

Commercial / Commodity Catalog page: 47

ELF652D/LED can only be used with the Cluster "Round Head" Combination Series above

SERIES	NO. OF HEADS	LAMP	HEAD TYPE	COMMISSION			
				5%	7.5%	10%	15%
ELF652= Round head	D= Double heads	/LED = LED Lamp Style	Blank = Indoor Use Only	\$15.00	\$17.00	\$18.00	\$23.00
			-WP = Weather-Proof	\$24.00	\$28.00	\$30.00	\$34.00





SEVERE<sup>TM</sup> XV & XVE SERIES
NEMA-4X, vandal resistant and harsh environment exit sign

NEMA-4X / Industrial / Harsh Environment Catalog pages: 48-49

Special Wording Available

HOUSING/FACE COLOR	ADDER	SERIES		COMM	ISSION		FACES	ADDER	LEGEND	ADDER
			5%	7.5%	10%	15%			COLOR	
Blank= Black/Black	\$0.00	XV= AC-only	\$153.00	\$167.00	\$182.00	\$216.00	-1= Single face	\$0.00	-R= Red	\$0.00
BW= Black/White	\$0.00	XVE= Self-Powered	\$191.00	\$207.00	\$226.00	\$269.00	-2= Double face	\$12.00	-G= Green	\$5.00
BA= Black/Aluminum	\$0.00									
GB=Gray/Black	\$0.00									
GW= Gray/White	\$0.00									
GA= Gray/Aluminum	\$0.00									
WB=White/Black	\$0.00									
WW= White/White	\$0.00									
WA= White/Aluminum	\$0.00									
l										
l										

DIAGNOSTICS	ADDER	HOUSING	ADDER	OPTIONS	ADDER
Blank= AC-Only Models	\$0.00	-4X= NEMA-4X housing	\$0.00	Blank= No options	\$0.00
-D= Improved Diagnostic	\$0.00			-2= Dual Circuit (120/120 or 277/277AC only) <sup>1</sup>	\$24.00
(non-audible, standard) <sup>1</sup>				<b>-DC</b> = AC/DC 6V to 24VDC <sup>1</sup>	\$6.00
-NEX= Nexus® Wired <sup>1, 2</sup>	P.O.R.			-CW= Cold weather (Self-Powered -4°F to 77°F, -20°C to 25°C)	\$34.00
-NEXP= Nexus <sup>®</sup> Pro IoT <sup>1, 2</sup>	P.O.R.			(AC-Only and AC/DC -40°F to 77°F, -40°C to 25°C)	
-NEXRF= Nexus <sup>®</sup> Wireless <sup>1, 2</sup>	P.O.R.			-Y= Open face Design or Special Wording Design	\$0.00
<sup>1</sup> Available with Self-Powered models only.					
<sup>2</sup> Consult your sales representative.				Not available with -NEX or -NEXRF, Nexus ® option.	

HELPFUL HINT: Cold Weather option needed to -40C Suggestion use the Severe XV12E or XV24E Combo with no heads (see next page)



#### P PENDANT KITS with Severe XV & XVE Series

(Not NEMX-4X rated)

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
	\$0.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		





#### SEVERE<sup>™</sup> XV12E & XV24E COMBINATION SERIES

NEMA-4X, vandal resistant and harsh environment combination unit

NEMA-4X / Industrial / Harsh Environment

Catalog pages: 50-51

HOUSING/FACE COLOR	ADDER	SERIES/CAPACITY		COMM	IISSION		FACES	ADDER
			5%	7.5%	10%	15%		
Blank= Black/Black	\$0.00	XV12E= 6V-12W	\$350.00	\$383.00	\$418.00	\$497.00	1= Single face	\$0.00
BW= Black/White	\$0.00	XV24E=12V-24W	\$378.00	\$411.00	\$450.00	\$534.00	2= Double face	\$55.00
BA= Black/Aluminum	\$0.00							
WW= White/White	\$0.00							
WB=White/Black	\$0.00							
WA= White/Aluminum	\$0.00							
GA= Gray/Aluminum	\$0.00							
GW= Gray/White	\$0.00							
GB=Gray/Black	\$0.00							
1								

LEGEND COLOR	ADDER	DIAGNOSTICS	ADDER	HOUSING	ADDER
R= Red G= Green	\$5.00	D= Improved Diagnostics (non-audible standard) <sup>1</sup> DA= Improved Diagnostics (audible) NEX= Nexus <sup>®</sup> Wired <sup>1</sup> NEXP=Nexus <sup>®</sup> Pro IoT <sup>1</sup> NEXRF= Nexus <sup>®</sup> Wireless <sup>1</sup>	\$0.00 \$0.00 P.O.R. P.O.R. P.O.R.	-4X= Nema 4X housing	\$0.00
		CSA US approved only, consult your sales representative		<sup>2</sup> A remote load must be connected	

NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2	OPTIONS	ADDER
			LAMPS		
/0= No head 3	-\$35.00	MR16 LED		<b>-208V</b> = 208VAC, 60Hz input	\$25.00
/2= Two heads	\$0.00	LD1= 6V-4W	\$0.00	-240V= 240VAC, 60Hz input	\$25.00
		LD2= 6V-5W	\$10.00	-208V50HZ= 208VAC, 50Hz input	\$25.00
		LD7= 12V-4W	\$0.00	-CW4= Cold weather 120/277V (-40°F/-40°C) (single face only)	\$100.00
		LD9= 12V-5W	\$10.00	-CM= Canopy Pendant Mount (not NEMA-4X Listed)	\$12.00
		LD10= 12V-6W	\$20.00		
3 Not available with "D or DA" option				<sup>4</sup> Single face only	

HELPFUL HINT: Remote Capacity Needed Suggestion use XV24E with LD9 Lamp with ELF650D/LD9 LED Remote Head



### P PENDANT KITS with Severe XV12E & XV24E Combination Series

(Not NEMX-4X rated)

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
	\$0.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		





### SEVERE<sup>™</sup> XVHZ & XVEHZ SERIES

Class I Division 2, Groups A, B, C and D, hazardous location exit sign

Class I Div 2 / Industrial / Harsh Environment Catalog pages: 52-53

Special Wording Available

HOUSING/FACE COLOR	ADDER	SERIES	COMMISSION				FACES	ADDER
			5%	7.5%	10%	15%		
GG= Gray/Gray		XVHZ= AC-Only XVEHZ= Self-Powered	\$260.00 \$336.00	\$284.00 \$367.00	\$310.00 \$401.00		1= Single face 2= Double face	\$0.00 \$55.00

LEGEND COLOR	ADDER	DIAGNOSTIC	ADDER	OPTIONS	ADDER
R= Red	\$0.00	Blank= AC-Only Models	\$0.00	CW= Cold weather (Self-Powered -13°F, -20°C)	\$34.00
<b>G</b> =Green	\$5.00	-D= Improved Diagnostic (Included standard non audible) <sup>1</sup>	\$0.00	(AC-only -40°F, -40°C) 2	
		-NEX= Nexus® Wired <sup>1, 2</sup>	P.O.R.		
		-NEXR= Nexus <sup>®</sup> Wired <sup>1</sup> (Consult your sales representative)	P.O.R.		
		<sup>1</sup> Available with Self-Powered models only		<sup>2</sup> Self-Powered models only	



## SEVERE<sup>™</sup> XVH, XVH12N & XVH12H COMBINATION SERIES

Class I Division 2, Groups A, B, C and D hazardous location combination unit Class I Div 2 / Industrial / Harsh Environment
Catalog pages: 54-55

Special Wording Available

HOUSING/FACE COLOR	ADDER	SERIES		COMM	ISSION		LEGEND COLOR	ADDER
			5%	7.5%	10%	15%		
GG= Gray/Gray	\$0.00	Nickel-Cadmium battery					R= Red	\$0.00
		XVH= 6V-20W	\$638.00	\$697.00	\$761.00	\$905.00	G=Green	\$5.00
		XVH12N= 12V-24W	\$663.00	\$724.00	\$790.00	\$939.00		

DIAGNOSTIC	ADDER	NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS
-D= Improved Diagnostic (included standard – non-audible)	\$0.00	/0= No head <sup>1</sup>		MR16 LED	
-DA= Improved Diagnostic (audible) -NEX= Nexus <sup>®</sup> Wired <sup>1</sup>	\$0.00 P.O.R.	/2= 2 heads	\$0.00	LD1= 6V-4W LD2= 6V-5W	\$0.00 \$10.00
-NEXRF= Nexus® Wireless 1	P.O.R.			LD9= 12V-5W	\$10.00
-NEXRF= Nexus <sup>®</sup> Wireless <sup>1,2</sup>	P.O.R.			LD7= 12V-4W	\$0.00
				LD9= 12V-5W LD10= 12V-6W	\$10.00 \$20.00
<sup>1</sup> Consult your sales representative		A remote load must be connected			

HELPFUL HINT: Remote Capacity Needed Suggestion use VVH12N with a LD7 Lamp with ELF651D/LD7 LED Remote Head (page 48)





X402 AC-ONLY & AC/DC EXIT SIGN Class I, Division 1 & 2, Groups C and D. Class II, Division 1 & 2, Groups E, F and G, Class IIII

Class I Div 1&2 / Class II Div 1&2 / Industrial

Catalog Pages: 56-57

FACES	ADDER	SERIES	COMMISSION			MOUNTING	ADDER	LAMP	ADDER	LEGEND	ADDER	
			5%	7.5%	10%	15%					COLOR	
Blank= Single Face	\$0.00	X402	\$772.00	\$843.00	\$921.00	\$1,095.00	C= Ceiling	\$0.00	LED6	\$0.00	R= Red	\$0.00
2= Double Face	\$52.00						W= Wall	\$0.00	LED12	\$0.00	G= Green	\$0.00
							P= Pendant	\$72.00	LED24	\$0.00		
									LED120	\$0.00		

TRANSFER DANEL (RECLURED with THE OPERATION OF THE YARS AC/DC EVIT SIGN)

AC VOLTAGE	ADDER	DC VOLTAGE	ADDER	SERIES	COMMISSION				WATTS	ADDER	VERSION	ADDER
					5%	7.5%	10%	15%				
120= 120V AC	\$0.00	-6= 6V DC 1	\$0.00	-TS	\$199.00	\$224.00	\$248.00	\$262.00	<b>-25</b> = 25W	\$0.00	-LA	\$0.00
277= 277V AC	\$0.00	-12= 12V DC	\$0.00						<b>-50</b> = 50W	\$0.00		
		-24= 24V DC	\$0.00						<b>-75</b> = 75W	\$0.00		
									-100= 100W	\$0.00		
i												
1		<sup>1</sup> 50W Maximum										



#### X402 SELF-POWERED EXITS

Class I, Division 1 & 2, Groups C and D. Class II, Division 1 & 2, Groups E, F and G, Class IIII

Class I Div 1&2 / Class II Div 1&2 / Industrial

Catalog pages: 56-57

SERIES		COMM	ISSION		TRANSFER	ADDER	EXIT SIGN	ADDER	LEGEND	ADDER
	5%	7.5%	10%	15%	PANEL				COLOR	
EXP618= 6V18W	\$2,570.00	\$2,808.00	\$3,068.00	\$3,648.00	-TS	\$0.00	X1-L= LED exit sign	\$0.00	R= Red	\$0.00
EXP630= 6V-30W	\$2,604.00	\$2,846.00	\$3,109.00	\$3,695.00			<u> </u>		G= Green	\$5.00
EXP1224= 12V-24W	\$2,604.00	\$2,846.00	\$3,109.00	\$3,695.00						
EXP1240= 12V-40W	\$2,654.00	\$2,899.00	\$3,168.00	\$3,766.00						



#### **X402 COMBINATION UNITS**

Class I, Division 1 & 2, Groups C and D. Class II, Division 1 & 2, Groups E, F and G, Class IIII

Class I Div 1&2 / Class II Div 1&2 / Industrial

Catalog pages: 56-57

SERIES		СОММ	ISSION		LIGHT HEAD	ADDER	LIGHT HEAD LAMP	ADDER
	5%	7.5%	10%	15%				
EXP618= 6V18W	\$2,992.00	\$3,270.00	\$3,573.00	\$4,248.00	-E1=-Single head	\$0.00	MR16 LED	
EXP630= 6V-30W	\$3,012.00	\$3,292.00	\$3,596.00	\$4,274.00			LD1	\$0.00
EXP1224= 12V-24W	\$3,012.00	\$3,292.00	\$3,596.00	\$4,274.00			LD2	\$10.00
EXP1240= 12V-40W	\$3,060.00	\$3,341.00	\$3,654.00	\$4,342.00			LD7	\$0.00
							LD9	\$10.00
							LD10	\$20.00

TRANSFER PANEL	ADDER	EXIT SIGN	ADDER	LEGEND COLOR	ADDER
-TS	\$0.00	X1-L= LED exit sign		R= Red G= Green	\$0.00 \$5.00





#### XT TRITIUM<sup>™</sup> SELF-LUMINOUS SERIES

Non-electric, uses no electrical power internally or externally to illuminate

Industrial / Harsh Environment Catalog pages: 60-61

Non-Electric, Illiminated with Tritium Gas No power required interally or externally

SERIES		COMM	ISSION		HOUSING COLOR	ADDER	
SERIES	5%	7.5%	10%	15%	HOUSING COLOR	ADDER	
XT10 = Single Face 10 years	\$261.00	\$282.00	\$305.00	\$359.00	W= White	\$0.00	
2XT10 Double Face 10 years	\$526.00	\$569.00	\$615.00	\$724.00	B= Black	\$0.00	
XT20 = Single Face 20 years	\$347.00	\$376.00	\$405.00	\$477.00	GY= Gray	\$0.00	
2XT20 Double Face 20 years	\$700.00	\$755.00	\$817.00	\$961.00	A= Aluminium frame	\$35 per face	
· ·							

LEGEND COLOR	ADDER	OPTIONS	ADDER EACH FACE	NEW	ADDER
R= Red	\$0.00	-PC= Polycarbonate lens	\$15 per face	-N= New	\$0.00
<b>G</b> = Green	\$0.00	-		Version	



#### P PENDANT KITS with Self-Luminous Series

SERIES	ADDER	COLOR	ADDER	LENGTH (IN INCHES)	ADDER	MODEL	ADDER
P	\$0.00	W= White	\$0.00	12	\$28.00	L	\$0.00
	\$0.00	B= Black	\$10.00	18	\$33.00		
		A= Gray/Aluminum	\$20.00	24	\$36.00		
				36	\$43.00		
				48	\$51.00		
				60	\$58.00		
				72	\$65.00		
				84	\$73.00		
				96	\$80.00		



#### **SPECIAL WORDING PANELS**

Catalog pages: 62-63

Special Wording Panel pricing is in addition to the cost of the Exit Housing being used. If a double face sign is needed then TWO special wording panels are required.

Set-Up Fee: One time fee of \$100\*
\*Please contact the factory to see if the required special wording panel has already been produced. If so a reduced set-up fee maybe available If the special wording panel is a new custom design then there will be a set-up fee of \$100.00 in addition to the cost of the special wording panel

- Special Wording Panel Fee: (each panel)

   Special wording panels used in Thermoplastic, Die Cast Aluminum, Steel and Nema 4X housing exit signs are an additional \$55.00 per panel
- Special wording panles used on Edge-Lit Panels are \$65.00 Single Face and \$130 Double Face





#### **RP SERIES**

Recessed architectural battery unit

Catalog pages: 70-71

SERIES	ADDER	ADDER COLOR		INPUT	COMMISSION			
SERIES	ADDER COLOR	ADDER	INPUT	5%	7.5%	10%	15%	
RP= Recessed plastic architectural	\$0.00	B= Black	\$0.00	Blank= 120 to 277VAC, 50/60Hz	\$123.00	\$135.00	\$147.00	\$174.00
		W= White	\$0.00	POE= Power over ethernet cable	\$151.00	\$165.00	\$181.00	\$214.00

UNIT TYPE	ADDER	OPTIONS	ADDER
Blank= Standard charger	\$0.00	Blank= No options	\$0.00
D= Advanced diagnostics, non-audible	\$15.00	D3= 15 minute time delay	\$15.00
NEXP= NexusPro wireless bluetooth	P.O.R	P= Plenum/Type IC rated	\$35.00
		SQ= Square distribution pattern	\$0.00
İ			



#### **LSCN SERIES**

Vandal resistant linear dual-mode battery unit

Catalog pages:72-73

SERIES	ADDER	OPTIONS		COMM	ISSION	
SERIES	ADDER	OPTIONS	5%	7.5%	10%	15%
LSCN= Linear battery unit	\$0.00	EM= Dual-mode: normal lighting and/or	\$112.00	\$122.00	\$132.00	\$155.00





#### PHANTOM<sup>™</sup> SERIES

The unseen solution 12V up to 100w capabilities - generator capable

Specification Grade / Architectural

Catalog pages: 74-75

RATTERY LINIT				

SERIES	ADDER BATTERY TYPE		ADDER	UNIT CAPACITY	COMMISSION			
SERIES	ADDER	BATTERT TIPE	ADDER	UNIT CAPACITY	5%	7.5%	10%	15%
PH	\$0.00	M= Lead-Calcium	\$0.00	40= 12V-40W	\$344.00	\$398.00	\$458.00	\$545.00
				<b>70</b> = 12V-70W	\$402.00	\$462.00	\$534.00	\$634.00
				<b>100</b> = 12V-100W	\$453.00	\$522.00	\$601.00	\$713.00
		N= Nickel-Cadmium	\$0.00	40= 12V-40W	\$389.00	\$448.00	\$516.00	\$613.00
				70= 12V-70W	\$453.00	\$522.00	\$601.00	\$713.00
				100= 12V-100W	\$502.00	\$578.00	\$666.00	\$792.00

NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS	OPTIONS	ADDER	APPROVAL	ADDER
-2= Two lamps	\$0.00	MR16 LED		Blank= No Options	\$0.00	Blank= No options	\$0.00
		LD7= 12V-4W LD9= 12V-5W LD10= 12V-6W	\$10.00 \$20.00	ID= Improved Diagnostics (audible) <sup>1</sup> IDNA= Improved Diagnostics (non audible) <sup>1</sup> T3= Time Delay (15 minutes) DL= Damp Location <sup>2</sup> X= Back box shipped separate	\$37.00 \$37.00 \$20.00 \$15.00 \$0.00	-CEC= Title 20 approved <sup>3</sup>	\$10.00
				I-ID & -INDA include a time delay feature that can be enabled/disabled in the field or set by the factory by including -ID-TD* or -IDNA-TD*  Indicate the factory by including -ID-TD* or -IDNA-TD*  -IDL option not available with PHN100 unit		<sup>3</sup> -Available with lead calcium models only	

#### GENERATOR UNIT

SERIES	COMMISSION				INPUT VOLTAGE	ADDER
SERIES	5%	7.5%	10%	15%	INFOT VOLTAGE	ADDER
PHG	\$336.00	\$383.00	\$437.00		1= 120VAC, 60Hz 2= 277VAC, 60Hz	\$0.00 \$0.00

NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS	OPTIONS	ADDER
-2= Two lamps	\$0.00	MR16 LED		DL= Damp Location	\$15.00
		LD7= 12V-4W	\$0.00	X= Back box shipped	-\$35.00
		LD9= 12V-5W	\$10.00	seperately	
		LD10= 12V-6W	\$20.00		

ACCESSORIES (order as a separate line item)	PRICE
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal faceplate)	\$38.00

HELPFUL HINTS: Cost Savings Suggestion use PHM40-2 with an LED Lamp with a 12PMR2 with an LED lamp Remote Phantom fixture





#### **Mini-Phantom Series**

The full retrofit unseen solution 12V-40W capacities - generator capable

Specification Grade / Architectural

Catalog pages: 76-77

BA	TTE	RY	UN	ИT

SERIES	ADDER	DER BATTERY TYPE		COMM	ISSION		UNIT CAPACITY	ADDER
JERIES	ADDER	BATTERT TIPE	5%	7.5%	10%	15%		ADDER
MPH	\$0.00	M= Lead-Calcium	\$389.00	\$448.00	\$516.00	\$613.00	<b>40</b> = 12V-40W	\$0.00
		N= Nickel-Cadmium	\$461.00	\$534.00	\$614.00	\$730.00		

NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS	OPTIONS	ADDER	APPROVAL	ADDER
		(LD7)= 12V-4W (LD9)= 12V-5W (LD10)= 12V-6W	\$10.00	ID= Improved Diagnostics (audible) <sup>1</sup> IDNA= Improved Diagnostics (non audible) <sup>1</sup> DL= Damp Location	\$37.00 \$37.00 \$15.00	-CEC= Damp Location <sup>3</sup>	\$10.00
				InD & -INDA include a time delay feature that can be enabled/disabled in the field or set by the factory by including -ID-TD* or -IDNA-TD*		<sup>3</sup> -Available with lead calcium models only	

GENERATOR UNIT M100

SERIES		COMM	ISSION		INPUT VOLTAGE	ADDER
SERIES	5%	7.5%	10%	15%	INFOT VOLTAGE	ADDER
MPHG	\$313.00	\$339.00	\$366.00		1= 120VAC, 60Hz 2= 277VAC, 60Hz	\$0.00 \$0.00

NO. OF HEADS	ADDER	LAMP TYPE SUFFIX	ADDER for 2 LAMPS	OPTIONS	ADDER
−2= Two Lamps		MR16 LED (LD7)= 12V-4W (LD9)= 12V-5W (LD10)= 12V-6W (50H)= 12V-50W	\$0.00 \$10.00 \$20.00 \$5.00	DL= Damp Location	\$8.00

ACCESSORIES (order as a separate line item)	PRICE
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal faceplate)	\$38.00

HELPFUL HINT: Cost Savings Suggestion use MPHM40-2 with an LED Lamp with a 12PMR2 with an LED lamp Remote Phantom fixture





#### **TBR SERIES**

Recessed steel housing 6V up tp 81W, 12V up to 110W, 24V up to 110W capacities

Catalog pages: 78-79

# OF HEADS	Deduct	SERIES / BATTERY /		COMMISSION			HEAD STYLE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3
# OF READS	Deduct	CAPACITY	5%	7.5%	10%	15%	HEAD STILE SUFFIX	HEAD	HEADS	HEADS
Blank=	-\$12.00	Lead-Calcium Battery					/E3= ELF3 (MR16, Plastic)	\$0.00	\$0.00	\$9.00
No head		TBRC0= 6V-18W	\$132.00	\$152.00	\$175.00	\$206.00	/D1= DR130 (MR16, Metal)	\$10.00	\$20.00	\$30.00
2= 2 heads	\$0.00	T12BRC0= 12V-36W	\$146.00	\$167.00	\$192.00	\$228.00				
<b>3</b> = 3 heads	\$9.00									
		Nickel-Cadmium Battery (include suffix −N)								
		T12BRC2= 12V-50W	\$235.00	\$271.00	\$313.00	\$372.00				

LAMP TYPE SUFFIX	ADDER for 1 LAMP	ADDER for 2 LAMPS	ADDER for 3 LAMPS	OPTIONS	ADDER
MR16 LED				Blank= Mist White housing, No Options	\$0.00
LD1= 6V-4W	\$0.00	\$0.00	\$0.00	-ID= Improved Diagnostics (audible) <sup>1</sup>	\$37.00
LD2= 6V-5W	\$5.00	\$10.00	\$15.00	-IDNA= Improved Diagnostics (non audible) <sup>1</sup>	\$37.00
LD7= 12V-4W	\$0.00	\$0.00	\$0.00	-NEX= Nexus <sup>®</sup> Wired Compatible <sup>2</sup>	P.O.R
LD9= 12V-5W	\$5.00	\$10.00	\$15.00	-NEXRF= Nexus® Wireless Compatible2	P.O.R
LD10= 12V-6W	\$10.00	\$20.00	\$30.00	−B= Black Housing	\$20.00
				-TD15= Time Delay (15 minutes) <sup>3</sup>	\$20.00
				−N= Nickel-Cadmium battery	\$0.00
				I-ID & -INDA include a time delay feature that can be enabled/disabled in the field or set in the field by the factory by including -ID-TD* or -IDNA-TD*	
LAMP TYPE MUST:				<sup>2</sup> -NEX & -NEXRF is CSA-US approved only	
1) Match battery voltage of Unit				Consult your sales representative	
Total lamp wattage must not exceed battery wattage capacity with 90 min.				<sup>3</sup> Time delay only available with ID, IDNA, NEX or NEXRF	

ACCESSORIES (order as a separate line item)	PRICE
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal facentate)	\$38.00



RD SERIES
Recessed steel housing 6V up to 36W, 12V up to 36W capacities

#### Architectural

Catalog pages: 80-81

# OF HEADS	Deduct	SERIES/CAPACITY		COMMISSION			HEAD STYLE SUFFIX	ADDER for 1	ADDER for 2
# OI TILADO	Deduct	SERIES/CAFACITT	5%	7.5%	10%	15%	HEAD STILE SOITIX	HEAD	HEADS
Blank=	-\$12.00	Lead-Calcium Battery					/E3= ELF3 (MR16, Plastic)	\$0.00	\$0.00
No head		RD6M1= 6V-18W	\$107.00	\$124.00	\$142.00	\$169.00	/D1= DR130 (MR16, Metal)	\$10.00	\$20.00
2= 2 heads	\$0.00	RD12M3= 12V-36W	\$123.00	\$141.00	\$162.00	\$193.00			
- 1		Nickel-Cadmium Battery							
			#00F 00	#007.00	#070.00	*000 00			
		RD12C4= 12V-50W	\$205.00	\$237.00	\$272.00	\$323.00			

LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	OPTIONS	ADDER
	LAMP	LAMPS		
MR16 LED			Blank= Mist White housing, No Options	\$0.00
LD1= 6V-4W	\$0.00	\$0.00	-B= Black Housing	\$20.00
LD2= 6V-5W	\$5.00	\$10.00	-ID= Improved Diagnostics (audible) <sup>1</sup>	\$37.00
LD7= 12V-4W	\$0.00	\$0.00	-IDNA= Improved Diagnostics (non audible)1	\$37.00
LD9= 12V-5W	\$5.00	\$10.00	-T3= Time Delay (15 minutes) <sup>2</sup>	\$20.00
LD10= 12V-6W	\$10.00	\$20.00	,	
LAMP TYPE MUST:				
1) Match battery voltage of Unit				
Total lamp wattage must not exceed battery wattage capacity with 90 min.			Minimum lamp load required: 20% of unit capacity	
3) Seal beams not compatible with Ni-Cd battery			<sup>2</sup> Time delay only available with ID or IDNA	

ACCESSORIES (order as a separate line item)	PRICE
WG6-L (DR1130, ELF2, ELF3, & ELF645 heads)	\$57.00
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal faceplate)	\$38.00





#### PROTECTOR<sup>™</sup> SERIES

6V Thermoplastic housing protected lamps choice of LED or incandescent

Commercial / Commodity Catalog page: 82-83

NO. OF HEADS	ADDER	SERIES/CAPACITY		COMM	ISSION		LAMP TYPE SUFFIX	ADDER
	ADDER		5%	7.5%	10%	15%		ADDER
2= Two heads	\$0.00	Lead-Calcium Battery					LD1= 6V-4W MR16 LED Lamp	\$0.00
		PT10= 6V-10W	\$72.00	\$79.00	\$85.00	\$101.00	LD2= 6V-5W MR16 LED Lamp	\$10.00
		PT18= 6V-18W	\$77.00	\$84.00	\$92.00	\$108.00	· ·	

UNIT TYPE	ADDER	HOUSING COLOR	ADDER	OPTIONS	ADDER	APPROVAL	ADDER
Blank= No Options ID= Improved Dispositics (audible) IDNA= Improved Diagnostics (non audible) NEX= Nexus® Wired Compatible¹ NEXRF= Nexus® Wireless Compatible¹		Blank= Mist White B= Black	\$0.00	Blank= No Options DL= Damp Location VS= Vandal-Resistant Screws 3CP= 120V Cord & Plug, 3 wire, 3ft long CM= Ceiling Mount	\$0.00 \$8.00 \$6.00 \$10.00 \$5.00	Blank= No Options -CEC= CEC Title 20 for California <sup>2</sup>	\$0.00 \$10.00
<sup>1</sup> Available with 2PT10 only						<sup>2</sup> Available with PT10-LA with ID, IDNA or NEXRF	



#### **LCAB-2SQLED SERIES**

1W LED heads, thermoplastic 3.6V Nickel-Cadmium battery unit

Commercial / Commodity Catalog pages: 84-85

#### **LED Light Source**

Remote Capacity can only be used with the ELF612D LED or LCAARDSQLED Remote Head Series

SERIES	ADDER	HEAD STVI E	HEAD STYLE	HEAD STYLE	HEAD STVIE	HEAD STVIE	ADDER	LAMP TYPE SUFFIX/CAPACITY	COMMISSION				
SERIES	ADDER	HEAD STILE	ADDER	LAWIF TIPE SUFFIX/CAPACITY	5%	7.5%	10%	15%					
LCAB	\$0.00	-2LED	\$0.00	Blank= No Remote Capacity	\$23.00	\$26.00	\$28.00	\$32.00					
				1 Remote capacity can ONLY be used to power (1) ELF612D LED									

CAPACITY	ADDER
Blank= No option	\$0.00 \$10.00
R= Remote capacity RID = Remote capacity	\$10.00
with diagnostic	Ψ20.00
Note: Remote capacity can	
ONLY be used to power the LCARDSQLED or ELF612/LED	
Remote Head or to extend the combo's emergency run time	
beyond the standard 90 minutes.	



#### **ELF612D/LED REMOTE HEAD SERIES**

Thermoplastic square LED outdoor remote heads

Commercial / Commodity Catalog page: 85

\*LED Indoor or Outdoor Remote Head Multi-Voltage can be used with 6V & 12V fixtures

SERIES	COMMISSION				OPTIONS	ADDER	COLOUR	ADDER
SERIES	5%	7.5%	10%	15%	OF HORS		COLOGR	
ELF612= Single	\$29.00	\$33.00	\$35.00		/LED= Thermoplastic square LED head	\$0.00	Blank= Gray	\$0.00
ELF612D= Double heads (lamp X 2)	\$42.00	\$47.00	\$52.00	\$60.00			-BK= Black	\$0.00



#### **LCARDSQLED REMOTE HEAD SERIES**

Thermaplastic square LED indoor remote heads

Commercial / Commodity Catalog page: 85

\*LED Indoor Remote Head 3.6V can only be used with LCAC or LCAB Series

SERIES	ADDER	HEAD STYLE / LAMP TYPE		COMM	ISSION		OPTIONS	ADDER
			5%	7.5%	10%	15%	OF HORS	ADDLK
LACR= LED head	\$0.00	D= Double heads (lamp X 2)	\$15.00	\$17.00	\$18.00	\$23.00	SQLED= Thermoplastic square LED head	\$0.00





## **CLUSTER** TM LED LCA-2LED BATTERY SERIES Offered in a family concept, with exit combination units and remote

Commercial / Commodity Catalog pages: 86-87

**LED Heads** 

NOW OFFERED IN BLACK HOUSING

Remote Capacity can only be used with the ELF652D LED **Remote Head Series** 

SERIES	LAMP TYPE	OPTION		COMM	ISSION		HOUSING COLOR	ADDER
SERIES	LAWF TIFE	OFTION	5%	7.5%	10%	15%	HOUSING COLOR	ADDLIK
LCA	-2LED= Round Head	BLANK= No option	\$18.00	\$23.00	\$24.00	\$27.00	Blank= Mist	\$0.00
		R= Remote capacity <sup>1</sup>	\$27.00	\$30.00	\$32.00	\$36.00	B= Black	\$0.00
		RID= Remote capacity with diagnostic <sup>1</sup>	\$33.00	\$37.00	\$40.00	\$48.00		
		<sup>1</sup> Cluster ELF652D Remote Head or the extend the battery units emergency run time beyond the standard 90 minutes.						





#### **ELF652D/LED REMOTE HEAD SERIES**

Indoor/outdoor remote heads

Commercial / Commodity Catalog page: 87

ELF652D/LED can only be used with the Cluster "Round Head" LCA-2LED Remote capacity units above

SERIES	NO. OF HEADS	LAMP	HEAD TYPE	COMMISSION			
			HEAD ITPE	5%	7.5%	10%	15%
ELF652= Round head	D= Double heads	/LED = LED Lamp Style	Blank= Indoor Use Only	\$15.00	\$17.00	\$18.00	\$23.00
			WP= Weather-Proof	\$24.00	\$28.00	\$30.00	\$34.00



#### **LCA-2RHL SERIES**

High output lithium LED battery unit

Commercial / Commodity Catalog pages: 116-117

High output lithium LED battery unit

SERIES	LAMP TYPE		COMM	ISSION		HOUSING COLOR	ADDER
		5%	7.5%	10%	15%		
LCA	-2RHL-ID= High output LED heads with Improved Diagnostics	\$91.00	\$100.00	\$109.00	\$129.00	Blank= Mist	\$0.00

EXAMPLE: LCA-2RHL-ID

29





#### **GRANDE™ COMPACT SERIES**

Thermoplastic housing 6V up to 12W & 12V up to 24W capacities

Commercial Catalog pages:88-89

NO. OF HEADS	ADDER	SERIES/CAPACITY		COMM	IISSION		LAMP TYPE SUFFIX	ADDER for 2
			5%	7.5%	10%	15%		LAMPS
Blank= No heads	-\$3.00	Lead-Calcium Battery					MR16 LED Lamp	
2= Two heads	\$0.00	MGRA1 = 6V10W lead calcium	\$81.00	\$88.00	\$97.00	\$115.00	LD1= 6V-4W	\$0.00
		MGR12A1 = 12V12W lead calcium	\$86.00	\$96.00	\$104.00	\$125.00	LD2= 6V-5W	\$10.00
		MGR12A2 = 12V20W lead calcium	\$92.00	\$102.00	\$110.00	\$131.00	LD7= 12V-4W	\$0.00
							LD9= 12V-5W	\$10.00
		Nickel-Cadmium Battery					LD10= 12V-6W	\$20.00
		MGRH1 = 6V12W NiMH	\$106.00	\$115.00	\$127.00	\$150.00		
		MGR12H1 = 12V12W NiMH	\$159.00	\$175.00	\$192.00	\$226.00		
		MGR12H2= 12V24W NiMH	\$171.00	\$187.00	\$204.00	\$244.00		

HOUSING COLOR	ADDER	OPTIONS	ADDER	APPROVAL	ADDER
M= Mist White B= Black	\$0.00	Blank= No Options  -ID= Improved Diagnostics (audible) <sup>1</sup> -IDNA= Improved Diagnostics (non audible) <sup>1</sup> -NEX= Nexus® Wired Compatible -NEXP= NexusPro IoT -NEXRF= Nexus® Wireless Compatible -CM= Celling Mount -DL= Damp Location <sup>5</sup> -LC= 120V Cord & Plug, 3 wire, 3ft long -PM= Pendent Mount (pendent additional) <sup>3</sup> -T3= Time Delay (15 minutes) -ZU= 240V, 50Hz operation <sup>4</sup> <sup>1</sup> Consult your sales representative <sup>2</sup> Not available in MGRA1	\$0.00 \$15.00 \$15.00 P.O.R P.O.R P.O.R \$15.00 \$15.00 \$22.00 \$25.00 \$22.00	Blank= No Options -CEC= CEC Title 20 for California <sup>5</sup>	\$0.00 \$10.00
		<sup>3</sup> Pendant kit sold seperately <sup>4</sup> Not available with -NEX and -NEXRF		<sup>5</sup> Available with lead-calcium models only	



### GRANDE<sup>™</sup> SERIES

Thermoplastic housing 6V up to 60W & 12V up to 72W capacities

Commercial

Catalog pages: 90-91

NO. OF HEADS	ADDER	SERIES/CAPACITY		COMM	IISSION		LAMP TYPE SUFFIX	ADDER for 2
			5%	7.5%	10%	15%		LAMPS
Blank= No heads	-\$3.00	Lead-Calcium Battery					MR16 LED Lamp	
2= Two heads	\$0.00	GRA6= 6V-60W <sup>1</sup>	\$107.00	\$116.00	\$128.00	\$151.00	LD1= 6V-4W	\$0.00
		GR12A4= 12V-40W	\$99.00	\$108.00	\$118.00	\$141.00	LD2= 6V-5W	\$10.00
		GR12A7= 12V-72W	\$121.00	\$131.00	\$143.00	\$170.00	LD7= 12V-4W	\$0.00
							LD9= 12V-5W	\$10.00
		Nickel-Cadmium Battery					LD10= 12V-6W	\$20.00
		GRN2= 6V-20W	\$124.00	\$134.00	\$146.00	\$173.00		
		GR12N4= 12V-40W	\$187.00	\$204.00	\$223.00	\$263.00		
1		1 Not available with damp location						

HOUSING COLOR	ADDER	DIAGNOSTIC	ADDER	OPTIONS	ADDER
M= Mist White	\$0.00	Blank= No Options	\$0.00	Blank= No Options	\$0.00
B= Black	\$0.00	-ID= Improved Diagnostics (audible) <sup>2</sup>	\$15.00	-CM= Ceiling Mount	\$15.00
		-IDNA= Improved Diagnostics (non audible) <sup>2</sup>	\$15.00	-DL= Damp Location	\$15.00
		-NEX= Nexus® Wired Compatible²	P.O.R	-PM= Pendent Mount	\$25.00
		-NEXRF= Nexus® Wireless Compatible <sup>2</sup>	P.O.R	-T3= Time Delay (15 minutes)	\$20.00
		· ·		-3CP= 120V Cord & Plug, 3 wire, 3ft long <sup>3</sup>	\$20.00
				-3CP277= 120V Cord & Plug. 3 wire. 3ft long <sup>3</sup>	\$20.00
				<b>-240/50</b> = 240V, 50Hz operation	\$20.00
				· '	
				<sup>3</sup> -3CP & -3CP277 custom lengths available. Consult your sales	
		<sup>2</sup> Minimum lamp load required 20% of capacity		representative	

ACCESSORIES (order as a separate line item)	PRICE
WG1-L Wire Guard (wall or flat ceiling mount)	\$31.00
WG5-L Wire Guard (ceiling mount)	\$57.00





### **CAMRAY™ LED SERIES**

Die-cast aluminium emergency lighting

Indoor or Outdoor use Normally-on with Emergency Back-up Models Emergency Back-up Only Models

Architectural Catalog pages: 92-93

SERIES	ADDER	MODEL		COMM	ISSION		COLOR	ADDER
			5%	7.50%	10%	15%		
CAM= Camray LED battery	\$0.00	SD= Self-powered	\$178.00	\$194.00	\$212.00	\$250.00	OW= White	\$0.00
unit		ACSD= Dual mode AC/Self-powered	\$206.00	\$226.00	\$247.00	\$293.00	B= Black	\$0.00
		•					DB= Dark Bronze	\$0.00
							PG= Platinum Gray	\$0.00

OPTIONS	ADDER
-CW= Cold weather (not available with -H option)	\$50.00
-FT= forward Throw	\$0.00
-H= High Lumen Output (SD model only)	\$15.00
-P= Photo-cell (ACDC or ACSD models only)	\$30.00
-T3=Time Delay (15 minutes)	\$20.00
-RC= Remote Control - infrared*	\$15.00
*Order the remote control keypad separately:TB-RC1-L	\$15.00



MG/MN- SP SERIES
Steel housing 12V up to 40W capacities Lead-Calcium or Nickel-Cadmium battery high performance LED heads, suitable for NEMA 1 location

Catalog pages: 94-95

LED Light source

NUMBER OF	ADDER	SERIES/CAPACITY		COMM	ISSION		LAMP SUFFIX	ADDER 1	ADDER 2
HEADS			5%	7.5%	10%	15%		HEAD	HEADS
2=Two heads	\$0.00	Lead Calcium Battery					/L6= 12V-6W or 24V-6W	\$0.00	\$0.00
		M12G1SP= 12V-36W	\$175.00	\$194.00	\$212.00	\$250.00	/L10= 12V-10W or 24V-10W	\$5.00	\$10.00
							/L15= 12V-15W or 24V-15W	\$10.00	\$20.00
		Nickel-Cadmium Battery M12N1SP= 12V-30W M12N2SP= 12V-40W	\$236.00 \$257.00	\$262.00 \$284.00	\$286.00 \$310.00	\$339.00 \$368.00			

HOUSING	ADDER	HEAD MOUNTING	ADDER	OPTONAL DIAGNOSTICS	ADDER	HEAD MOUNTING	ADDER
COLOR							
G= Gray	\$0.00	-FM= Front mount heads (standard)	\$0.00	Blank= No options	\$0.00	Blank= No options	\$0.00
B= Black	\$50.00			-ID= Improved Diagnostics	\$22.00	-CEC= CEC Title 20 for California	\$10.00
				-IDNA= Improved Diagnostics (non-audible)	\$22.00		
				-NEX= Nexus Wired	P.O.R.		
				-NEXRF= Nexus Wireless	P.O.R.		
				-NEXP= NexusPro	P.O.R.		
				-T3= time delay 15 minutes	\$20.00		
				-3CP= 120V cord and plug 3ft	\$15.00		
				-3CP277= 277V cord and plug 3ft long	P.O.R.		
				1			





#### MG & MN SERIES

Steel housing 6V up to 36W & 12V up to 54W capacities

Commercial Catalog pages:96-97

# OF HEADS	DEDUCT	SERIES/CAPACITY		COMM	ISSION		HEAD STYLE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3
			5%	7.5%	10%	15%		HEAD	HEADS	HEADS
<b>0</b> = 0 heads	-\$12.00	Lead-Calcium Battery					/ELF3= ELF3 (MR16, Plastic)	\$0.00	\$0.00	\$0.00
2= 2 heads	\$0.00	MG18= 6V-18W	\$74.00	\$86.00	\$99.00	\$118.00	/DR130= DR1130 (MR16, Metal)	\$10.00	\$20.00	\$30.00
3= 3 heads	\$9.00	MG1= 6V-27W	\$82.00	\$95.00	\$109.00	\$130.00				
		M12G1= 12V-36W	\$85.00	\$99.00	\$114.00	\$136.00				
		Nickel-Cadmium Battery								
		M12N1= 12V-36W	\$145.00	\$169.00	\$194.00	\$230.00				
		M12N2= 12V-50W	\$159.00	\$187.00	\$215.00	\$255.00				

LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3	COLOR	ADDER	OPTIONS	ADDER	APPROVAL	ADDER
MD401ED1	LAMP	LAMPS	LAMPS		00.00	Black N. O. F.	00.00	But N. O. F.	20.00
MR16 LED Lamp	¢0.00	60.00	60.00	-M= Mist		Blank= No Options	\$0.00	Blank= No Options	\$0.00
LD1= 6V-4W	\$0.00	\$0.00	\$0.00	-B= Black	\$20.00	-ID= Improved Diagnostics (audible)¹	\$22.00	-CEC= CEC Title 20 for	\$20.00
LD2= 6V-5W	\$5.00	\$10.00	\$15.00			-IDNA= Improved Diagnostics (non audible)¹	\$22.00	California <sup>4</sup>	
LD7= 12V-4W	\$0.00	\$0.00	\$0.00			-NEX= Nexus <sup>®</sup> Wired Compatible	P.O.R		
LD9= 12V-5W	\$5.00	\$10.00	\$15.00			-NEXRF= Nexus® Wireless Compatible	P.O.R		
LD10= 12V-6W	\$10.00	\$20.00	\$30.00			-NEXP= NexusPro	P.O.R.		
						-T3= Time Delay (15 minutes) <sup>2</sup>	\$20.00		
						-FM= Front Mounted Heads	\$6.00		
						-3CP= 120V Cord & Plug, 3 wire, 3ft long <sup>3</sup>	\$20.00		
						-3CP277= 120V Cord & Plug, 3 wire,	\$20.00		
						3ft long3			
						'			
						1-ID & -INDA include a time delay feature that			
						can be enabled/disabled inthe field or set by			
						the factory by including -ID-TD* or -IDNA-TD*			
LAMP TYPE SUFFIX MUST:						<sup>2</sup> Time delay only available with ID, IDNA, NEX			
1) Match battery voltage						or NEXRF models			
2) Total of all lamps wattage must not exceed						3 -3CP & -3CP277 custom lengths available.		<sup>4</sup> Must choose ID, IDNA	
battery wattage capacity with 90 min.						Consult your sales representative		or NEXRF	

ACCESSORIES (order as a separate line item)	PRICE
WG1-L Wire Guard (ELF2, EFL3 & DR1130)	\$31.00
WG2-L Wire Guard (ELF645, ELF622, ELF623)	\$42.00



### PG, PQ, P12G & PG12Q SERIES

Steel housing 6V-54W & 12V up to 200W capacities Lead-Calcium battery

#### Commercial

Catalog pages: 98-99

# OF HEADS	Deduct	SERIES / BATTERY /		COMM	IISSION		HEAD STYLE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3
		CAPACITY	5%	7.5%	10%	15%		HEAD	HEADS	HEADS
<b>0</b> = 0 head	-\$12.00	Lead-Calcium Battery					/ELF3= ELF3 (MR16, Plastic)	\$0.00	\$0.00	\$9.00
2= 2 heads	\$0.00	PG1= 6V 18W	\$81.00	\$93.00	\$107.00	\$127.00	/DR130= DR130 (MR16, Metal)	\$10.00	\$20.00	\$30.00
3= 3 heads	\$9.00	PG2= 6V-54W	\$103.00	\$119.00	\$137.00	\$162.00				
		P12G1= 12V-54W	\$103.00	\$119.00	\$137.00	\$162.00				
		P12Q1= 12V-100W	\$141.00	\$163.00	\$187.00	\$223.00				
		P12Q2= 12V-200W	\$239.00	\$275.00	\$317.00	\$378.00				

LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3	HOUSING COLOR	ADDER	OPTIONS	ADDER
	LAMP	LAMPS	LAMPS				
MR16 LED				-M= Mist housing	\$0.00	Blank= No Options	\$0.00
LD1= 6V-4W	\$0.00	\$0.00	\$0.00	-B= Black Housing	\$20.00	-ID= Improved Diagnostics (audible) <sup>1,2</sup>	\$37.00
LD2= 6V-5W	\$5.00	\$10.00	\$15.00			-IDNA= Improved Diagnostics (non audible) <sup>1,2</sup>	\$37.00
LD7= 12V-4W	\$0.00	\$0.00	\$0.00			-NEX= Nexus <sup>®</sup> Wired Compatible <sup>2</sup>	P.O.R
LD9= 12V-5W	\$5.00	\$10.00	\$15.00			-NEXRF= Nexus® Wireless Compatible²	P.O.R
LD10= 12V-6W	\$10.00	\$20.00	\$30.00			-T3= Time Delay (15 minutes) <sup>3</sup>	\$20.00
						-DS= Lamp disconnect switch	\$6.00
						-VS= Vandal-Resistant Screws	\$18.00
						-3CP= 120V Cord & Plug, 3 wire, 3ft long <sup>4</sup>	\$20.00
							\$20.00
						<sup>1</sup> -ID & -INDA include a time delay feature that can be	
LAMP TYPE MUST:						enabled/disabled in the field or set by the factory by	
Match battery voltage of Unit						including -ID-TD* or -IDNA-TD*	
Total lamp wattage must not						Minimum lamp load required: 20% of unit capacity	
exceed battery wattage capacity						Time delay only available with ID, IDNA, NEX or NEXRF models	
for 90 min.				1		<sup>4</sup> -3CP custom lengths available. Consult your sales representative	

ACCESSORIES	PRICE
(order as a separate line item)	
MP-PQA Mounting Platwithm	\$63.00
WG2-L Wire Guard (A Cabinet)	\$42.00
WG2-L Wile Guard (A Cabillet)	Ψ42.00





#### **\$12E & \$24E SERIES**

Steel housing 12V up to 400W & 24V-400W capacities Lead-Calcium battery

Industrial

Catalog page: 100-101

# OF HEADS	Deduct	SERIES / BATTERY /		COMMISSION		HEAD STYLE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3	
		CAPACITY	5%	7.5%	10%	15%		HEAD	HEADS	HEADS
<b>0</b> = 0 head	-\$12.00	Lead Calcium Battery					/ELF3= ELF3 (MR16, Plastic)	\$0.00	\$0.00	\$8.00
2= 2 heads	\$0.00	S12E5= 12V 300W	\$449.00	\$469.00	\$542.00	\$643.00	/DR130= DR1130 (MR16, Metal)	\$10.00	\$20.00	\$30.00
3= 3 heads	\$9.00	S12E6= 12V-400W	\$541.00	\$622.00	\$717.00	\$852.00	, , , ,			
		S24E4= 24V-400W	\$541.00	\$622.00	\$717.00	\$852.00				
İ										

LAMP TYPE SUFFIX	ADDER for 1 LAMP	ADDER for 2 LAMPS	ADDER for 3 LAMPS	HOUSING COLOR	ADDER	OPTIONS	ADDER
	LAIIII	LAIII 0	LAIII 0		***	D	***
MR16 LED				-M= Mist housing	\$0.00	Blank= No Options	\$0.00
LD7= 12V-4W	\$0.00	\$0.00	\$0.00	−B= Black Housing	\$20.00	-ID= Improved Diagnostics (audible) <sup>1,2</sup>	\$37.00
LD9= 12V-5W	\$5.00	\$10.00	\$15.00	-G= Grey Housing	\$20.00	-IDNA= Improved Diagnostics (non audible) <sup>1,2</sup>	\$37.00
LD10= 12V-6W	\$10.00	\$20.00	\$30.00			-NEX= Nexus <sup>®</sup> Wired Compatible <sup>2</sup>	P.O.R
LD13= 24V-4W	\$0.00	\$0.00	\$0.00			-NEXRF= Nexus <sup>®</sup> Wireless Compatible <sup>2</sup>	P.O.R
LD14= 24V-6W	\$10.00	\$20.00	\$30.00			-T3= Time Delay (15 minutes) <sup>3</sup>	\$20.00
						-DS= Lamp disconnect switch	\$15.00
						-VS= Vandal-Resistant Screws	\$18.00
						-3CP= 120V Cord & Plug, 3 wire, 3ft long <sup>4</sup>	\$20.00
						1-ID & -INDA include a time delay feature that can be	
LAMP TYPE MUST:						enabled/disabled in the field or set by the factory by	
Match battery voltage of Unit						including -ID-TD* or -IDNA-TD*	
Total lamp wattage must not						<sup>2</sup> Minimum lamp load required: 20% of unit capacity	
exceed battery wattage capacity						<sup>3</sup> Time delay only available with ID, IDNA, NEX or NEXRF models	
for 90 min.						<sup>4</sup> -3CP custom lengths available. Consult your sales representative	

ACCESSORIES (order as a separate line item)	PRICE
MP-A Mounting Platwithm (12E4 Series Only)	\$53.00
MP-12 Mounting Platwithm (12E5, 12E6 & 24E4)	\$73.00
WG3-L Wire Guard (12E4 Series Only)	\$57.00
WG4-L Wire Guard (12E5, 12E6, & 24E4)	\$69.00
MB-A Mounting Bracket (12E4 & 24E4 Only)	\$28.00



#### SEVERE<sup>™</sup> SERIES

NEMA-4X, NSF, Vandal-Resistant housing 6V-18W & 12V up to 60W capacities Lead-Calcium, Nickel-Cadmium or Nickel-Metal Hydride battery

## NEMA-4X / Industrial / Harsh Environment Catalog pages: 102-103

NO. OF HEADS	ADDER	SERIES		COMM	IISSION		LAMP TYPE SUFFIX	ADDER for 2
			5%	7.5%	10%	15%		LAMPS
2= Two heads	\$0.00	Lead-Calcium Battery					MR16 LED Lamp	
		<b>VG1</b> = 6V-18W	\$207.00	\$226.00	\$247.00	\$293.00	LD1= 6V-4W	\$0.00
		V12G1= 12V-24W	\$231.00	\$253.00	\$275.00	\$328.00	LD2= 6V-5W	\$10.00
		V12G2= 12V-36W	\$262.00	\$286.00	\$312.00	\$372.00	LD7= 12V-4W	\$0.00
		V12G3= 12V-54W	\$285.00	\$312.00	\$339.00	\$403.00	LD9= 12V-5W	\$10.00
							LD10= 12V-6W	\$20.00
		Nickel-Cadmium Battery						
		V12N1= 12V-24W	\$271.00	\$295.00	\$324.00	\$384.00		
		V12N2= 12V-40W	\$355.00	\$387.00	\$423.00	\$502.00		
							LAMP TYPE SUFFIX MUST:	
		Nickel-Metal Hydride Battery					Match battery voltage	
		V12H1= 12V-60W	\$522.00	\$570.00	\$623.00	\$740.00	Total watt draw not to exceed battery	
I							watts with 90 minutes.	

HOUSING COLOR	ADDER	DIAGNOSTIC	ADDER	OPTIONS	ADDER	APPROVAL	ADDER
-B= Black -G= Gray -M= White	\$0.00 \$0.00 \$0.00	Standard Diagnostics -D= Improved Diagnostics (non-audible) Optional Diagnostics -DA= Improved Diagnostics (audible) <sup>1</sup> -NEX= Nexus <sup>®</sup> Wired Compatible <sup>1</sup> -NEXP= Nexus <sup>®</sup> Wireless Compatible <sup>1</sup> -NEXRF= Nexus <sup>®</sup> Wireless Compatible <sup>1</sup>	\$0.00 P.O.R P.O.R P.O.R P.O.R	Blank= No Options -T3= time delay (15 minutes) -CW4= Cold Weather -40°F to 104°F (-40°C to 40°C)² -SMC= Surface celling mount	\$0.00 \$20.00 \$100.00 \$25.00	Blank= No Options -CEC= CEC Title 20 for California	\$0.00 \$10.00
		<sup>1</sup> Consult your sales representative		<sup>2</sup> -CW4 option only available with V12N1 (none Nexus), V12G1 & V12G2 models		<sup>3</sup> Available with lead calcium models only	

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-L Mounting Kit (Universal Bracket)	\$51.00
TPB Tamper Proof Bit	\$8.00

HELPFUL HINT: Cost Savings Suggestion use V12G2 with a LED lamp with a matching ELF650D LED remote head.





#### **SP "Severe Performance" SERIES**

NEMA-4X, Severe-performance industrial battery unit for indoor or outdoor applications

#### NEMA-4X / Industrial / Harsh Environment

Catalog pages:104-105

SERIES/CAPACITY		COMMISSION			# OF LED HEADS	DEDUCT	LAMP SUFFIX	ADDER for 1 HEAD	ADDER for 2 HEADS
	5%	7.5%	10%	15%	1				
High Temperature Lead Cal. Battery									
SP12G3=12V-30W	\$333.00	\$365.00	\$398.00	\$472.00	<b>0</b> = 0 head	-\$50.00	L6= 12V-6W or 24v-6W	\$0.00	\$0.00
SP12G6=12V-60W	\$362.00	\$395.00	\$432.00	\$514.00	1= 1 head	-\$25.00	L10= 12V-10W or 24V-10W	\$15.00	\$30.00
					2= 2 heads	\$0.00	L15= 12V-15W or 24V-15W	\$20.00	\$40.00
Nickel-Cadmium Battery									
SP12N4=12V-40W	\$388.00	\$425.00	\$462.00	\$550.00					
SP24N9=24V-90W	\$479.00	\$523.00	\$571.00	\$679.00			LAMP TYPE SUFFIX MUST: Match battery voltage		
							Total watt draw not to exceed battery watts with 90 minutes.		

DIAGNOSTICS	ADDER	OPTIONS	ADDER	LAMP SUFFIX	ADDER for 1 HEAD
Blank= No Options ID= Improved Diagnostics (audible) IDNA= Improved Diagnostics (non-audible)* NEX= Nexus Wired NEXRF= Nexus Wireless NEXP= NexusPro NID= No Improved Diagnostics		Blank= No Options CW4- Cold Weather 40°F to 104°F(-40°C to 40°C) <sup>2</sup> RFI= Radio Frequency Interference T3= Time Delay 15 Minutes	\$0.00 \$100.00 \$25.00 \$20.00	Blank= No options -CEC= CEC Title 20 for California <sup>3</sup>	\$0.00 \$10.00
		<sup>2</sup> Only available with 12V Models		<sup>3</sup> Available with lead-calcium models only	

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-L Mounting Kit (Universal Bracket)	\$51.00



REMOTE TEST CONTROL (included with unit)
Standard infrared remote test control included in all models: allow to test the
equipment without need to climb a ladder. Functional up to 30 ft distance. Universal,
one Remote Test Control may test all units on the job

HELPFUL HINT: Cost Savings Suggestion use SP12G6 with an L15 Lamp with a SPRD Remote with an L15 lamp



#### SPRL REMOTE FIXTURE Lightweight "Severe Performance" SERIES

NEMA-4X, Severe-performance remote for indoor or outdoor applications

NEMA-4X / Industrial / Harsh Environment Catalog pages: 106-107

**NEMA-4X Indoor or Outdoor Applications** LED Light source

SERIES	ADDER	NUMBER OF HEADS	COMMISSION				LED HEAD	ADDER 1	ADDER 2
			5%	7.5%	10%	15%	LAMP TYPE SUFFIX	HEAD	HEADS
SPRL= Severe performance	\$0.00	Blank= Single Remote Head (1 head)	\$79.00	\$86.00	\$95.00	\$110.00	L6= 12-24V 6W	\$0.00	\$0.00
remote fixture		D= Double Remote Head (2 heads)	\$108.00	\$119.00	\$130.00	\$154.00	L10= 12-24V 10W	\$15.00	\$30.00
							L15= 12-24V 15W	\$20.00	\$40.00

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-L Mounting Kit (Universal Bracket)	\$51.00





#### **SPH "Severe Performance" SERIES**

Class I Division 2, Groups A, B, C and D, Class II Division 2 Groups F and G & Class III

NEMA-4X Severe-performance unit equipment for hazardous, damp and wet locations

Hazardous location

**LED Light source** 

Class I, Division 2, Groups A, B, C & D,
Class II Division 2, Groups F & G, Class III

Catalog pages: 108-109

SERIES/CAPACITY	COMMISSION			# OF LED	DEDUCT	LAMP SUFFIX	ADDER for 1	ADDER for 2	
SERIES/OAF ACTT	5%	7.5%	10%	15%	HEADS	DEDUCT	LAMIT SOLLIA	HEAD	HEADS
High Temperature Lead Cal. Battery					<b>0</b> = 0 head	-\$50.00	L15 = 12V-15W or 24V-15W	\$0.00	\$0.00
SPH12G3=12V-30W	\$663.00	\$724.00	\$790.00	\$939.00	1= 1 head	-\$25.00			
SPH12G6=12V-60W	\$692.00	\$756.00	\$825.00	\$982.00	<b>2</b> = 2 heads	\$0.00			
Nickel-Cadmium Battery SPH12N4=12V-40W SPH24N9=24V-90W	\$720.00 \$802.00	\$785.00 \$875.00	\$858.00 \$957.00	\$1,019.00 \$1,137.00			LAMP TYPE SUFFIX MUST:		
							Match battery voltage Total watt draw not to exceed battery watts with 90 minutes.		

DIAGNOSTICS	ADDER	OPTIONS	ADDER	OPTIONS	ADDER
ID = Improved Diagnostics (audible) <sup>1</sup> IDNA = Improved Diagnostics (non-audible) <sup>1</sup> NEX = Nexus Wired (contact your sales representative) <sup>1</sup> NEXRF = Nexus Wireless <sup>1</sup> NID = No Improved Diagnostics, audible <sup>1</sup>	\$0.00 P.O.R.	Blank= No Options  CW4= Cold Weather 40°F to 104°F (-40°C to 40°C) <sup>1</sup> RFI= Radio Frequency Interference  T3= Time Delay 15 Minutes		Blank= No Options -CEC= CEC Title 20 for California <sup>2</sup>	\$0.00 \$10.00
<sup>1</sup> Minimum load required: 20% of load capacity		<sup>1</sup> Minimum load required: 20% of load capacity		<sup>2</sup> Available with lead-calcium models only	

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-L Mounting Kit (Universal Bracket)	\$51.00



#### REMOTE TEST CONTROL (included with unit)

Standard infrared remote test control included in all models: allow to test the equipment without need to climb a ladder. Functional up to 30 ft distance. Universal, one Remote Test Control may test all units on the job



Class I, Division 2, Groups A, B, C & D, Class II, Division 2, Groups F & G and Class III, NEMA-4X, damp & wet locations

**Hazardous location** 

Class I, Division 2, Groups A, B, C & D, Class II Division 2, Groups F & G, Class III Catalog pages: 110-111





SERIES	ADDER NUMBER OF HEADS			COMM	ISSION		LED HEAD	ADDER
SERIES	ADDLK	NOMIBER OF HEADS	5%	7.5%	10%	15%	LEBTIEAD	ADDLK
SPHRL= Severe performance hazardous		Blank= Single Remote Head (1 head)	\$240.00	\$262.00	\$286.00		L15= 12-24V - 15W (1300 Lumens)	\$0.00
location remote head		D= Double Remote Head (2 heads)	\$300.00	\$328.00	\$357.00	\$425.00		

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-L Mounting Kit (Universal Bracket)	\$51.00





#### **SEVERE™ VH SERIES**

Class I, Division 2, Groups A, B, C and D 6V-18W & 12V up to 72W capacities lead-calcium battery

Class I Div 2 / Industrial / Harsh Environment Catalog pages: 112-113

NO.OF HEADS	DEDUCT	DEDUCT SERIES		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 2
NO.OF READS	DEDUCT	SERIES	5%	7.5%	10%	15%	LAWIF TIPE SUFFIX	LAMPS
0= No head	-\$30.00	VHG1= 6V-18W	\$501.00	\$546.00	\$596.00	\$708.00	MR16 LED Lamp	
2= Two heads	\$0.00	VH12G1= 12V-36W	\$514.00	\$560.00	\$612.00	\$728.00	LD1= 6V-4W	\$0.00
		VH12G2= 12V-60W	\$539.00	\$589.00	\$644.00	\$765.00	LD2= 6V-5W	\$10.00
		VH12G3= 12V-72W	\$552.00	\$604.00	\$659.00	\$784.00	LD7= 12V-4W	\$0.00
							LD9= 12V-5W	\$10.00
							LD10= 12V-6W	\$20.00

COLOR	ADDER	OPTIONS	ADDER
<b>G=</b> Grey		Blank= Improved Diagnostics (included standard-non audible) <sup>1</sup> -DA= Improved Diagnostic (optional-audible) <sup>1</sup> -NEX= Nexus® Wired Compatible -NEXR= Nexus® Wireless Compatible -NEXR= Nexus® Wireless Compatible -T3= Time Delay (15 minutes)  1-ID & -INDA include a time delay feature that can be enabled/disabled in the field or set by the factory by including -ID-TD* or -IDNA-TD* the field or set by the factory by including -ID-TD*	\$0.00 \$0.00 P.O.R P.O.R \$20.00

ACCESSORIES (order as a separate line item) WG3-L Wire Guard (12E4 Series Only)

HELPFUL HINT: Cost Savings Suggestion use VH12G1 with a LED lamp with a matching ELF651D LED Remote Head



#### **EXP LED SERIES**

Explosives/Hazardous location housing 6V up to 30W & 12V up to 40W capacities nickel-cadmium battery

Class I Div 1&2 / Class II Div 1&2 / Industrial Catalog pages: 114-115

SERIES	Commission			HEAD STYLE SUFFIX	ADDER	TS OPTION	ADDER	
SERIES	5%	7.5%	10%	15%	HEAD STILE SUFFIX	ADDER	13 OF HON	ADDER
EXP618= 6V18W	\$1,675.00	\$1,830.00	\$1,998.00	\$2,372.00	Blank= No Heads	\$0.00	Blank= No Transfer Switch	\$0.00
EXP630= 6V-30W	\$1,716.00	\$1,875.00	\$2,048.00	\$2,431.00			-TS= Transfer Switch	\$250.00
EXP1224= 12V-24W	\$1,716.00	\$1,875.00	\$2,048.00	\$2,431.00				
EXP1240= 12V-40W	\$1,769.00	\$1,932.00	\$2,111.00	\$2,507.00				

Reflectors/Guards		Commission						
Reflectors/Guards	5%	7.50%	10%	15%				
145.0016-L= Dome reflector	\$79.00	\$86.00	\$95.00	\$110.00				
145.0017-L= Angle reflector	\$79.00	\$86.00	\$95.00	\$110.00				
330.0125-L= Aluminium guard	\$35.00	\$37.00	\$39.00	\$47.00				





#### **EXP LED SERIES**

Explosives/Hazardous location housing 6V up to 30W & 12V up to 40W capacities nickel-cadmium battery

#### Class I Div 1&2 / Class II Div 1&2 / Industrial

Catalog pages: 114-115

SERIES		Comm	ission		Lamp head	ADDER	LAMP TYPE SUFFIX	ADDER
JERIES	5%	7.5%	10%	15%	Lamp neau	ADDER	LAMIF TIPE SUFFIX	ADDER
EXP618= 6V18W	\$2,279.00	\$2,489.00	\$2,719.00	\$3,229.00	-E1= Single head	\$0.00	MR16 LED	
EXP630= 6V-30W	\$2,313.00	\$2,524.00	\$2,757.00	\$3,274.00			2LD1	\$0.00
EXP1224= 12V-24W	\$2,313.00	\$2,524.00	\$2,757.00	\$3,274.00			2LD2	\$10.00
EXP1240= 12V-40W	\$2,365.00	\$2,581.00	\$2,821.00	\$3,350.00			2LD7	\$0.00
							2LD9	\$10.00
							2LD10	\$20.00
							No other LAMP TYPE available	

TS OPTION	ADDER
Blank= No Transfer Switch -TS= Transfer Switch	\$0.00 \$250.00

Reflectors/Guards	Commission						
Reflectors/Guards	5%	7.50%	10%	15%			
145.0016-L= Dome reflector	\$79.00	\$86.00	\$95.00	\$110.00			
145.0017-L= Angle reflector	\$79.00	\$86.00	\$95.00	\$110.00			
330.0125-L= Aluminium guard	\$35.00	\$37.00	\$39.00	\$47.00			



#### **EXP LED SERIES**

Explosives/Hazardous location housing 6V up to 30W & 12V up to 40W capacities nickel-cadmium battery

#### Class I Div 1&2 / Class II Div 1&2 / Industrial

Catalog pages: 114-115

SERIES		Comm	ission		Lamp head	ADDER	LAMP TYPE SUFFIX	ADDER
JERIES	5%	7.5%	10%	15%	Lamp neau	ADDER	LAMIP TIPE SUFFIX	ADDER
EXP618= 6V18W	\$2,822.00	\$3,082.00	\$3,365.00	\$3,999.00	-E2= Double head	\$0.00	MR16 LED	
EXP630= 6V-30W	\$2,851.00	\$3,111.00	\$3,399.00	\$4,037.00			LD1	\$0.00
EXP1224= 12V-24W	\$2,851.00	\$3,111.00	\$3,399.00	\$4,037.00			LD2	\$10.00
EXP1240= 12V-40W	\$2,901.00	\$3,167.00	\$3,460.00	\$4,109.00			LD7	\$0.00
							LD9	\$10.00
							LD10	\$20.00
							No other LAMP TYPE available	

TS OPTION	ADDER
Blank= No Transfer Switch  TS= Transfer Switch	\$0.00 \$250.00

Reflectors/Guards	Commission					
Reflectors/Guarus	5%	7.50%	10%	15%		
145.0016-L= Dome reflector	\$79.00	\$86.00	\$95.00	\$110.00		
145.0017-L= Angle reflector	\$79.00	\$86.00	\$95.00	\$110.00		
330.0125-L= Aluminium guard	\$35.00	\$37.00	\$39.00	\$47.00		





#### **RPR SERIES**

Remote recessed architectural fixture

Catalog pages: 122-123

CEDIEC	SERIES ADDER COLOR		ADDER	DER VOLTAGE		COMM	IISSION	OPTIONS	ADDER	
SERIES	ADDER	COLOR	ADDER	VOLTAGE	5%	7.5%	10%	15%	OFTIONS	ADDER
RPR= Recessed plastic	\$0.00	B= Black	\$0.00	AC= 120 to 277VAC, 50/60Hz	\$101.00	\$109.00	\$120.00	\$143.00	Blank=No options	\$0.00
remote fixture		W= Factory white	\$0.00	DC= 6 to 24VDC	\$95.00	\$104.00	\$114.00		DL=Plenum/Type IC rated SQ=Square distribution	\$35.00 \$0.00
									pattern	



#### **LSCN SERIES**

Vandal resistant linear remote fixture

Catalog pages: 124-125

SERIES	ADDER	OPTIONS	COMMISSION			
			5%	7.5%	10%	15%
LSCN= Remote Linear	\$0.00	-ACDC= ACDC 120-277VAC, -12-24VDC	\$74.00	\$82.00	\$90.00	\$104.00



# REMOTE FIXTURE DECORATIVE<sup>™</sup> SERIES

Contemporary and enduring style

Architectural

Catalog pages: 126-127

Indoor Applications

SERIES		COMM	IISSION		LAMP TYPE SUFFIX	ADDER for 1	COLOR	ADDER	VOLTAGE	ADDER
OLIVILO	5%	7.5%	10%	15%	EART THE GOTTIX	LAMP	OOLOIT	ADDLK	VOLIAGE	ADDLIK
RSTH18R	\$47.00	\$51.00	\$55.00	\$65.00	MR16 LED Lamps		-WH= White	\$0.00	6= 6 VDC	\$0.00
RSTH19	\$47.00	\$51.00	\$55.00	\$65.00	LD1 (6V, 4W)	\$0.00	-BN= Brushed Nickel	\$0.00	12= 12 VDC	\$0.00
					LD2 (6V, 5W)	\$5.00			24= 24 VDC	\$0.00
					LD7 (12V, 4W)	\$0.00			120= 120 VAC/VDC	\$0.00
					LD9 (12V, 5W)	\$5.00				
					LD10 (12V, 6W)	\$10.00				
					LD13 (24V, 4W)	\$0.00				
					LD25 (120V, 4W)	\$5.00				
ĺ										
ĺ										
I										

Remote Fixtures Decorative Series HOUSING	COMMISSION						
(order as a separate line item)	5%	7.5%	10%	15%			
LA-GRHR03 Use with New Construction	\$28.00	\$30.00	\$32.00	\$37.00			
LA-GRHR04 Use with New Construction	\$28.00	\$30.00	\$32.00	\$37.00			
LA-GRHR05 Use with New Construction GU10 Socket with 1	\$69.00	\$76.00	\$82.00	\$96.00			
LA-GRHR06 Use with New Construction	\$69.00	\$76.00	\$82.00	\$96.00			





# **REMOTE FIXTURE PHANTOM**<sup>TM</sup> **SERIES** Virtually invisible, architecturally pleasing

Architectural Catalog page:128 **Indoor Applications** 

SERIES		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 2	OPTIONS	ADDER
SERIES	5%	7.5%	10%	15%	EAMIF TITE SOTTIX	LAMPS	01 110145	ADDLK
12PMR2= 12 VDC1	\$225.00	\$261.00	\$300.00	\$356.00	MR16 LED Lamps		DL= Damp location	\$12.00
24PMR2= 24 VDC1	\$225.00	\$261.00	\$300.00	\$356.00	LD7 (12V, 4W)	\$0.00		
					LD9 (12V, 5W)	\$10.00		
					LD10 (12V, 6W)	\$20.00		
					LD13 (24V, 4W)	\$0.00		
<sup>1</sup> Double lamp remote fixture								



# **REMOTE FIXTURE SAF-T-RAY**<sup>TM</sup> **SERIES**Wall mount remote fixture for damp and wet locations

Architectural Catalog page: 129 **Indoor & Outdoor Applications** 

SERIES		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 2
SERIES	5%	7.5%	10%	15%	LAWIF TIPE SUFFIX	LAMPS
SAF-2= Double lamp remote fixture	\$58.00	\$64.00	\$69.00	\$82.00	MR16 LED Lamps	
					LD1 (6V, 4W)	\$0.00
					LD2 (6V, 5W)	\$10.00
					LD7 (12V, 4W)	\$0.00
					LD9 (12V, 5W)	\$10.00
					LD10 (12V, 6W)	\$20.00
					LD13 (24V, 4W)	\$0.00
					LD25 (120V, 4W)	\$10.00
					1 ' ' '	

<b>−B</b> = Black \$0.00 <b>−DG</b> = Dark Gray \$0.00	6= 6 VDC 12= 12 VDC 24= 24 VDC 120= 120 VAC/VDC	-VR= Vandal resistant screws -C= Clear lens	\$7.00 \$10.00

# Lightalarms



# REMOTE FIXTURE CAMRAY<sup>™</sup> LED SERIES

Low-profile, slim look and performance in a remote fixture

Architectural

Catalog pages: 130-131

**Indoor & Outdoor Applications** 

SERIES	ADDER	MODEL <sup>1</sup>		COMM	ISSION		COLOR	ADDER
			5%	7.50%	10%	15%		
CAM= Camray LED	\$0.00	AC= AC only	\$136.00	\$148.00	\$161.00	\$192.00	B= Black	\$0.00
1		ACDC= AC / 6 & 12 VDC	\$146.00	\$158.00	\$173.00	\$204.00	DB= Dark Bronze	\$0.00
		DC= 6 & 12 VDC	\$127.00	\$138.00	\$150.00	\$178.00	OW= White	\$0.00
		2AC= AC only 2 circuit 120 / 120 or	\$169.00	\$183.00	\$201.00	\$237.00	PG= Platinum Gray	\$0.00
		277 / 277						
		<u>l</u> .						
		<sup>1</sup> Temperature range: -40F-122F (-40C+50C)						

OPTIONS	ADDER
-FT= with withward Throw -H= High Lumen Output -P= Photo-cell (AC & ACDC model only) -RC= Remote Control - infrared <sup>2</sup>	\$0.00 \$15.00 \$30.00 \$15.00
<sup>2</sup> Order the remote control keypad separately: <b>TB-RC1-L</b>	\$15.00



#### **REMOTE HEAD & UNIT HEAD SUFFIX DR SERIES**

Metal MR16 lamp head

Architectural Catalog page: 132

Indoor Applications

NO. OF HEADS		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	ADDER for 3
	5%	7.5%	10%	15%		LAMP	LAMPS	LAMPS
DR1130= Single Head (1 lamp)	\$40.00	\$44.00	\$50.00	\$58.00	MR16 LED Lamps			
DR2130= Double Head (2 lamps)	\$70.00	\$79.00	\$85.00	\$101.00	LD1 (6V, 4W)	\$0.00	\$0.00	\$0.00
DR3130= Triple Head (3 lamps)	\$103.00	\$113.00	\$124.00	\$146.00	LD2 (6V, 5W)	\$5.00	\$10.00	\$15.00
					LD7 (12V, 4W)	\$0.00	\$0.00	\$0.00
					LD9 (12V, 5W)	\$5.00	\$10.00	\$15.00
					LD10 (12V, 6W)	\$10.00	\$20.00	\$30.00
					LD13 (24V, 4W)	\$0.00	\$0.00	\$0.00
					LD25 (120V, 4W)	\$5.00	\$10.00	\$15.00

COLOR	ADDER
-WH= White	\$0.00
-BK= Black	\$0.00

ACCESSORIES (order as a separate line item)	PRICE
WG8-L Wire Guard with DR1130, DR2130	\$42.00
WG2-L Wire Guard with DR3130	\$42.00





#### **REMOTE HEAD & UNIT HEAD SUFFIX ELF3 SERIES**

Thermoplastic MR16 lamp head

Commercial Catalog page: 133 **Indoor Applications** 

SERIES	ADDER	NO. OF HEADS	COMMISSION					
			5%	7.5%	10%	15%		
ELF3= MR16 Par18 head	\$0.00	Blank= Single head (1 lamp)	\$30.00	\$32.00	\$35.00	\$41.00		
		D= Double heads (2 lamps)	\$55.00	\$62.00	\$66.00	\$80.00		
		T= Triple heads (3 lamps)	\$80.00	\$88.00	\$97.00	\$114.00		

LD1 (6V, 4W) \$0.00 \$0.00 \$0.00 -M= Mist White \$0.00 12= 12 VDC \$0.00	LAMP TYPE SUFFIX	ADDER for 1 LAMP	ADDER for 2 LAMPS	ADDER for 3 LAMPS	COLOR	ADDER	VOLTAGE	ADDER
LD9 (12V, 5W) \$5.00 \$10.00 \$15.00 LD10 (12V, 6W) \$10.00 \$20.00 \$30.00 LD13 (24V, 4W) \$0.00 \$0.00 \$0.00 LD14 (24V, 6W) \$10.00 \$20.00 \$30.00	LD1 (6V, 4W) LD2 (6V, 5W) LD7 (12V, 4W) LD9 (12V, 5W) LD10 (12V, 6W) LD13 (24V, 4W)	\$5.00 \$0.00 \$5.00 \$10.00 \$0.00	\$10.00 \$0.00 \$10.00 \$20.00 \$0.00	\$15.00 \$0.00 \$15.00 \$30.00 \$0.00		\$0.00	12= 12 VDC	\$0.00 \$0.00 \$0.00

ACCESSORIES (order as a separate line item)	PRICE
WG8-L Wire Guard	\$42.00



# LCARDSQLED REMOTE HEAD SERIES

Thermoplastic square LED indoor remote heads

Commercial / Commodity Catalog page: 134

**Indoor Applications** ONLY USE WITH 3.6V BATTERY UNITS & COMBOS

SERIES	ADDER	HEAD STYLE / LAMP TYPE	COMMISSION				OPTIONS	ADDER
			5%	7.5%	10%	15%		
LCAR= LED head	\$0.00	D= Double heads (lamp X 2)	\$15.00	\$17.00	\$18.00	\$23.00	SQLED= Thermoplastic square LED head	\$0.00



# **ELF612D/LED REMOTE HEAD SERIES**Thermoplastic square LED outdoor remote heads

Commercial / Commodity Catalog page: 135

Indoor or Outdoor Applications

SERIES	ADDER	NO. OF HEADS		COMM	ISSION		OPTIONS	ADDER	COLOR	ADDER
			5%	7.5%	10%	15%				
ELF612= LED head	\$0.00	Blank= Single head	\$29.00	\$33.00	\$35.00	\$44.00	/LED=Thermoplastic square LI	\$0.00	Blank= Gray	\$0.00
		D= Double heads (lamp X 2)	\$42.00	\$47.00	\$52.00	\$60.00	LED head		BK= Black	

41





#### **REMOTE FIXTURE ELF640 SERIES**

ELF640 vandal resistant

Harsh Environment Catalog page: 136 **Indoor Vandal Resistant Applications** 

SERIES		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2
Vandal Resistant	5%	7.5%	10%	15%		LAMP	LAMPS
ELF640= Single Head (1 lamp)	\$54.00	\$59.00	\$64.00	\$76.00	MR16 LED Lamps		
ELF640D= Double Head ( 2 lamps)	\$77.00	\$84.00	\$92.00	\$108.00	LD1 (6V, 4W)	\$0.00	\$0.00
ELF640P= Single Head (1 lamp)	\$52.00	\$57.00	\$62.00	\$74.00	LD2 (6V, 5W)	\$5.00	\$10.00
ELF640PD= Double Head ( 2 lamps)	\$75.00	\$82.00	\$90.00	\$106.00	LD7 (12V, 4W)	\$0.00	\$0.00
					LD9 (12V, 5W)	\$5.00	\$10.00
					LD10 (12V, 6W)	\$10.00	\$20.00
					LD13 (24V, 4W)	\$0.00	\$0.00
					' ' '		

COLOR	ADDER	OPTIONS	ADDER
-M= Mist White	\$0.00	Blank= No option	\$0.00
-B= Black	\$0.00	T= Tamper proof screws	\$7.00
- <b>G</b> = Gray	\$0.00	SM= mounting plate	\$6.00
•			



#### **REMOTE FIXTURE ELF650 SERIES**

ELF650 NEMA-4X & NSF Certified

**NEMA-4X / Industrial / Harsh Environment** Catalog page:137 **NEMA-4X Indoor or Outdoor Applications** 

SERIES		COMM	IISSION		LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2
NEMA-4X	5%	7.5%	10%	15%		LAMP	LAMPS
ELF650= Single Head (1 lamp)	\$60.00	\$65.00	\$72.00	\$84.00	MR16 LED Lamps		
ELF650D= Double Head (2 lamps)	\$83.00	\$90.00	\$98.00	\$116.00	LD1 (6V, 4W)	\$0.00	\$0.00
ELF650P= Single Head (1 lamp)	\$58.00	\$64.00	\$69.00	\$82.00	LD2 (6V, 5W)	\$5.00	\$10.00
ELF650PD= Double Head (2 lamps)	\$81.00	\$87.00	\$96.00	\$114.00	LD7 (12V, 4W)	\$0.00	\$0.00
` ' '					LD9 (12V, 5W)	\$5.00	\$10.00
					LD10 (12V, 6W)	\$10.00	\$20.00
					LD13 (24V, 4W)	\$0.00	\$0.00
					, , ,		

COLOR	ADDER	VOLTAGE	ADDER
-M= Mist White	\$0.00	6= 6 VDC	\$0.00
-B= Black	\$0.00	12= 12 VDC	\$0.00
-G= Gray	\$0.00	24= 24 VDC	\$0.00
		120= 120 VDC	\$0.00





#### SPRL REMOTE FIXTURE Lightweight "Severe Performance" SERIES

NEMA-4X, Severe-performance remote for indoor or outdoor applications

NEMA-4X / Industrial / Harsh Environment Catalog pages: 138-139 NEMA-4X Indoor or Outdoor Applications LED Light source

SERIES	ADDER	NUMBER OF HEADS	COMMISSION				LED HEAD	ADDER 1	ADDER 2
			5%	7.5%	10%	15%	LAMP TYPE SUFFIX	HEAD	HEADS
SPRL= Severe performance remote	\$0.00	Blank= Single Remote Head (1 head)	\$79.00	\$86.00	\$95.00	\$110.00	L6= 12-24v 6W	\$0.00	\$0.00
lightweight		D= Double Remote Head (2 heads)	\$108.00	\$119.00	\$130.00	\$154.00	L10= 12-24v 10W	\$15.00	\$30.00
							L15= 12-24v 15W	\$20.00	\$40.00

ACCESSORIES (order as a separate line item)	PRICE
PMK-1-I Mounting Kit (Universal Bracket)	\$51.00



#### **ELF651 SERIES**

Class I division 2, groups A, B, C and D certified remote fixture

Class I Div 2 / Industrial / Harsh Environment Catalog pages: 140-141 Class I Div 2 Indoor Applications

SERIES		COMM	ISSION		LAMP TYPE SUFFIX	ADDER for 1	ADDER for 2	COLOR	ADDER	VOLTAGE	ADDER
Class I Div 2	5%	7.5%	10%	15%		HEAD	HEADS				i
ELF651= Single Head	\$139.00	\$152.00	\$167.00	\$197.00	MR16 LED Lamps			-G= Gray	\$0.00	<b>6</b> = 6 VDC	\$0.00
(1 lamp)					LD1 (6V, 4W)	\$0.00	\$0.00			12= 12 VDC	\$0.00
ELF651D= Double Head	\$152.00	\$167.00	\$182.00	\$216.00	LD2 (6V, 5W)	\$5.00	\$10.00			24= 24 VDC	\$0.00
(2 lamps)					LD7 (12V, 4W)	\$0.00	\$0.00			<b>120</b> = 120	\$0.00
					LD9 (12V, 5W)	\$5.00	\$10.00			VAC/VDC	i
					LD10 (12V, 6W)	\$10.00	\$20.00				i
					LD13 (24V, 4W)	\$0.00	\$0.00				i
					LD26 (120V, 4W)	\$5.00	\$10.00				



#### **REMOTE FIXTURE EPF401 SERIES**

Hazardous location remote fixtures

Class I Div 1&2 / Class II Div 1&2 / Industrial Catalog pages: 142-143

Hazardous Indoor Applications MR16 LED lamps

SERIES	ADDER	MOUNTING	COMMISSION			
			5%	7.5%	10%	15%
EPF401= Single Head Remote Fixture	\$0.00	W= Wall Mount (single head) (2 lamps)	\$614.00	\$669.00	\$732.00	\$868.00
-		C= Ceiling Mount (single head) (2 lamps)	\$614.00	\$669.00	\$732.00	\$868.00
		P= Pendant Mount (single head) (2 lamps)	\$653.00	\$713.00	\$778.00	\$924.00
		D= Double Pendant Mount (double head) (4 lamps)	\$1,083.00	\$1,184.00	\$1,292.00	\$1,536.00
		, , , , , ,				
1						

HEAD	HEADS
\$0.00	\$0.00
\$10.00	\$20.00
\$0.00	\$0.00
\$10.00	\$20.00
\$20.00	\$40.00
\$0.00	\$0.00
\$10.00	\$20.00
	\$0.00 \$10.00 \$0.00 \$10.00 \$20.00 \$0.00

Reflectors/Guards	Commission						
Reflectors/Guarus	5%	7.50%	10%	15%			
145.0016-L= Dome reflector	\$79.00	\$86.00	\$95.00	\$110.00			
145.0017-L= Angle reflector	\$79.00	\$86.00	\$95.00	\$110.00			
330.0125-L= Aluminium guard	\$35.00	\$37.00	\$39.00	\$47.00			





#### **LALDR SERIES**

Convert new or existing LED fixtures into emergency lighting units with a constantpower emergency LED driver

Catalog pages: 148-149

**LED Drivers** 

SERIES		COMMISSION					
	5%	7.5%	10%	15%			
LALDR-5= 5W Field Installable, Constant Power LED Emergency LED Driver	\$72.00	\$81.00	\$89.00	\$104.00			
LALDR-7= 7W Field Installable, Constant Power LED Emergency LED Driver	\$80.00	\$89.00	\$97.00	\$115.00			
LALDR-11= 11W Field Installable, Constant Power LED Emergency LED Driver	\$97.00	\$107.00	\$116.00	\$138.00			
LALDR-14= 14W Field Installable, Constant Power LED Emergency LED Driver	\$107.00	\$119.00	\$130.00	\$154.00			
LALDR-17= 17W Field Installable, Constant Power LED Emergency LED Driver	\$116.00	\$129.00	\$140.00	\$166.00			



# LALDR CEC SERIES EMERGENCY LED DRIVER

Convert new or existing LED fixtures into emergency lighting units with a constantpower emergency LED driver

Catalog pages: 150-151

SERIES		COMM	APPROVAL		
	5%	7.5%	10%	15%	
LALDR-7= 7W Field Installable, Constant Power LED Emergency LED Driver	\$86.00	\$95.00	\$103.00	\$123.00	-CEC= CEC Title 20 for
LALDR-12= 12W Field Installable, Constant Power LED Emergency LED Driver	\$104.00	\$117.00	\$126.00	\$151.00	California



#### LADL LINEAR EMERGENCY FLUORESCENT BATTERY PACK

Convert new or existing fluorescent fixtures into emergency lighting units emergency ballast

Catalog pages: 152

SERIES		COMMISSION						
	5%	7.5%	10%	15%				
LADL32= 500 Lumens	\$42.00	\$46.00	\$50.00	\$58.00				
LADL7= 700 Lumens	\$52.00	\$56.00	\$62.00	\$73.00				
LADL12= 1400 Lumens	\$60.00	\$66.00	\$71.00	\$83.00				
LADL30= 3000 Lumens	\$136.00	\$149.00	\$162.00	\$193.00				

ACCESSORIES (order as a separate line item)	PRICE
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal faceplate)	\$38.00



#### **LADL4 PIN SERIES**

Convert new or existing fluorescent fixtures into emergency lighting units 750 lumen emergency ballast

750 Lumens Catalog pages: 153

SERIES	COMMISSION					
	5%	7.5%	10%	15%		
LADL20-N= 750 Lumens	\$58.00	\$63.00	\$69.00	\$81.00		

ACCESSORIES (order as a separate line item)	PRICE
PSW-1 Remote test switch (plastic faceplate)	\$35.00
PSW Remote test switch (metal faceplate)	\$38.00

# **BACK TO TABLE OF CONTENT**





#### **EPC FIXTURE MOUNTED SERIES**

Emergency power control for generator and mini inverters. Supplies power to switched lighting fixtures

Catalog pages: 156-157

SERIES		COMMISSION					
	5%	7.5%	10%	15%			
EPC-2-FM-L= Emergency transfer switch fixture mounted with Advanced Diagnostics	\$78.00	\$86.00	\$93.00	\$111.00			
EPC-2-FM-D-L= Emergency transfer switch fixture mounted with Advanced Diagnostics	\$134.00	\$147.00	\$160.00	\$191.00			
and 0-10 dimming							



#### **EPC-2 SERIES**

Emergency power control for generator and mini inverters. Supplies power to switched lighting fixtures

Catalog pages: 158-159

SERIES		COMMISSION							
	5%	7.50%	10%	15%					
EPC-2-L= Emergency transfer switch for generator power	\$88.00	\$96.00	\$104.00	\$124.00					
EPC-2-D-L= Emergency transfer switch for generator power 0-10V, includes diagnostics	\$184.00	\$202.00	\$220.00	\$262.00					
E O E D E Emorgono) namono omicon for gonoraco portor o 100 ; molados diagnosaco	\$101.00	Q202.00	ψ220.00	Ψ202.0					





#### **LOW CAPACITY MINI INVERTER SERIES**

Interruptible unit equipment 32W or 55W

Catalog pages: 162-163

**Micro-Inverters** 

Convert 32W DC current into 120V or 277V 35W AC current Operates, LED, Fluorescent and Incandescent loads

SERIES	ADDER	CAPACITY		COMM	ISSION		VOLTAGE	ADDER	BATTERY	ADDER	MOUNTING	ADDER
			5%	7.5%	10%	15%	IN/OUT		TYPE			
LMILC		32= 32W/VA 55= 55W/VA	\$324.00 \$392.00	\$357.00 \$433.00	\$390.00 \$473.00	\$462.00 \$562.00	Blank= 120/277VAC	\$0.00	Blank= Lead-Calcium		-S= Surface Mount -T= T-bar Ceiling Mount	\$0.00 \$85.00



#### **LMIU 125 WATT SERIES**

Interruptible unit equipment standard with non-audible improved self-diagnostics circuitry

Catalog pages:164-165

Mini-Inverters

Convert 125W DC current into 120V or 277V 125W AC current Operates, LED, Fluorescent and Incandescent loads

SERIES	ADDER	CAPACITY	COMMISSION		VOLTAGE	ADDER	DIAGNOSTIC FEATURE	ADDER		
			5%	7.5%	10%	15%	IN/OUT			
LMIU	\$0.00	-125= 125W	\$499.00	\$591.00	\$647.00	\$767.00	Blank= 120/277VAC		Blank= Includes improved self-diagnostics (non-audble)¹ -ID= Improved Self-Diagnostic (audible)¹ -NID= No self-test/Self-diagnostics -NEX= Nexus Wired -NEXRF= Nexus Wireless ¹ Minimum load required: 10% of unit capacity	\$0.00 \$0.00 \$0.00 P.O.R. P.O.R.

OPTIONS	ADDER	OPTIONS	ADDER
-D3= Time delay (15 minutes) -SAC= Service alarm contact <sup>2</sup> -T= T-bar mount	\$20.00 \$25.00 \$34.00	-CEC= CEC Title 20 for California	\$45.00
<sup>2</sup> Service alarm contact (SAC) shall provide a 24V signal, the charger board will indicate a fault by closing a contact.			



CAPACITY

-250= 250W

ADDER

\$0.00

SERIES

LMIU

#### **LMIU 250 WATT SERIES**

**7.5%** \$887.00

Interruptible unit equipment standard with non-audible improved self-diagnostics circuitry

**10%** \$969.00 **15%** \$1,152.00

Catalog pages:164-165

**5%** \$766.00 Mini-Inverters

Convert 250W DC current into 120V or 277V 250W AC current Operates, LED, Fluorescent and Incandescent loads

Minimum load required: 10% of unit capacity

OPTIONS	ADDER	OPTIONS	ADDER
-D3= Time delay (15 minutes)	\$20.00	-CEC= CEC Title 20 for California <sup>4</sup>	\$45.00
-LDC25= Load shedding to 25% brightness	\$120.00		
-LDC45= Load shedding to 45% brightness	\$120.00		
-SAC= Service alarm contact	\$25.00		
Service alarm contact (SAC) shall provide a 24V signal,			
the charger board will indicate a fault by closing a contact.		<sup>4</sup> Available with 125, 250 and 400W capacities only	





#### **LMIU 400 WATT SERIES**

Interruptible unit equipment standard with non-audible improved self-diagnostics circuitry

Catalog pages:164-165

Mini-Inverters
Convert 400W DC current into 120V or 277V 400W AC current
Operates, LED, Fluorescent and Incandescent loads

SERIES	ADDER	CAPACITY	COMMISSION			VOLTAGE	ADDER	DIAGNOSTIC FEATURE	ADDER	
			5%	7.5%	10%	15%	IN/OUT			
LMIU	\$0.00	-400= 400W	\$1,180.00	\$1,301.00	\$1,421.00	\$1,689.00	Blank=	\$0.00	Blank= Includes improved self-diagnostics (non-audble) <sup>1</sup>	\$0.00
							120/277VAC		-ID= Improved Self-Diagnostic (audible) <sup>1</sup>	\$0.00
									-NID= No self-test/Self-diagnostics	\$0.00
									-NEX= Nexus Wired	P.O.R.
									-NEXRF= Nexus Wireless	P.O.R.
									-NEXP= NexusPro IoT	P.O.R.
									<sup>1</sup> Minimum load required: 10% of unit capacity	

OPTIONS	ADDER	OPTIONS	ADDER
-D3= Time delay (15 minutes)	\$20.00	-CEC= CEC Title 20 for California	\$45.00
-SAC= Nexus Wired <sup>3</sup>	\$25.00		
-4= 4 Circuit output	\$400.00		
-4-LD= 4 Circuit with load shedding	\$400.00		
<sup>2</sup> Service alarm contact (SAC) shall provide a 24V signal,			
the charger board will indicate a fault by closing a contact.			



#### **LMIU 720 WATT SERIES**

Interruptible unit equipment standard with non-audible improved self-diagnostics circuitry

Catalog pages:164-165

Mini-Inverters

Convert 720W DC current into 120V or 277V 720W AC current Operates, LED, Fluorescent and Incandescent loads

SERIES	ADDER	CAPACITY		COMMISSION			VOLTAGE	ADDER	DIAGNOSTIC FEATURE	ADDER
			5%	7.5%	10%	15%	IN/OUT			
LMIU	\$0.00	-720= 720W	\$1,812.00	\$1,999.00	\$2,184.00	\$2,594.00	Blank=	\$0.00	Blank= Includes improved self-diagnostics (non-audble) <sup>1</sup>	\$0.00
							120/277VAC		-ID= Improved Self-Diagnostic (audible) <sup>1</sup>	\$0.00
									-NID= No self-test/Self-diagnostics	\$0.00
									-NEX= Nexus Wired	P.O.R.
									-NEXRF= Nexus Wireless	P.O.R.
									-NEXP= NexusPro IoT	P.O.R.
									<sup>1</sup> Minimum load required: 10% of unit capacity	

OPTIONS	ADDER
-D3= Time delay (15 minutes)	\$20.00
-SAC= Nexus Wired <sup>3</sup>	\$25.00
-4= 4 Circuit output	\$400.00
-4-LD= 4 Circuit with load shedding	\$400.00
<sup>2</sup> Service alarm contact (SAC) shall provide a 24V signal, the charger board will indicate a fault by closing a contact.	





#### **LMIU 1000 SERIES**

Interruptible unit equipment standard with non-audible improved self-diagnostics circuitry

Catalog pages: 166-167

ini	-In۱	vert	ers

Convert 1000W DC current into 120V or 277V 1000W AC current Operates, LED, Fluorescent and Incandescent loads

SERIES	ADDER	CAPACITY	COMMISSION			VOLTAGE	ADDER	DIAGNOSTIC FEATURE	ADDER	
			5%	7.5%	10%	15%	IN/OUT			
LMIU	\$0.00	-1000= 1000W	\$2,892.00	\$3,189.00	\$3,485.00	\$4,139.00	Blank=	\$0.00	Blank= Includes improved self-diagnostics (non-audble) <sup>1</sup>	\$0.00
							120/277VAC or	r	-ID= Improved Self-Diagnostic (audible) <sup>1</sup>	\$0.00
							277/277VAC		-NID= No self-test/ No Self-diagnostics	\$0.00
									-NEX= Nexus Wired	P.O.R.
									-NEXRF= Nexus Wireless	P.O.R.
									-NEXP= NexusPro IoT	P.O.R.
									<sup>1</sup> Minimum load required: 10% of unit capacity	

OPTIONS	ADDER
-D3= Time delay (15 minutes)	\$20.00
-SAC= Service alarm contact <sup>2</sup>	\$25.00
-4= 4 Circuit output	\$400.00
-4-LD= 4 output circuits with load shedding	\$400.00
<sup>2</sup> Service alarm contact (SAC) shall be provided a 24V signal, the charger board will indicate a fault by closing a contact	





#### LIGHT SUPPORT POWER INVERTER SYSTEMS **COMPACT SERIES**

with Pricing Contact Factory

Catalog pages: 170-171

Inverter

Power Ratin:, 500, 1000, 1500, 2000 VA/W

Operates, LED, Fluorescent and Incandescent loads



#### **IPS SINGLE PHASE COMPACT SERIES**

with Pricing Contact Factory

Catalog pages: 172-173

Inverter

Power Rating: 1500, 2250, 3000, 3750, 5000, 6000, 8000,

10000, 12500, 16700 VA/W

Operates, LED, Fluorescent and Incandescent loads



FTC SINGLE PHASE SERIES

with Pricing Contact Factory

Catalog pages: 174-175

Inverter

Power Rating: 1500, 2250, 3000, 3750, 5000, 6000, 8000, 10000, 12500, 16700 VA/W
Operates, LED, Fluorescent and Incandescent loads



#### **3FTC THREE PHASE SERIES**

with Pricing Contact Factory

Catalog pages: 176-177

Inverter

Power Rating: 4800, 6000, 8000, 10000, 12500, 16700, 24000,

33000, 40000, 50000 VA/W

Operates, LED, Fluorescent and Incandescent loads



#### FTC3R & 3FTC3R OUTDOOR SERIES

with Pricing Contact Factory

Catalog pages: 178-179

Power Rating: 3000, 4000, 5000, 6500, 8000 VA/W Operates, LED, Fluorescent and Incandescent loads





# **POLYCARBONATE SHIELDS**

Catalog page: 185

SERIES		COMMISSION				
	5%	7.5%	10%	15%		
VRC						
VRC= Vandal Resistant Shield	\$165.00	\$180.00	\$194.00	\$228.00		
VRC-4X= Nema-4X Vandal Resistant Shield	\$190.00	\$205.00	\$223.00	\$261.00		
(including a gasket and breather vent)						
CPS						
CPS= Vandal Resistant Shield	\$165.00	\$180.00	\$194.00	\$228.00		
CPS-4X= NEMA-4X Vandal Resistant Shield	\$190.00	\$205.00	\$223.00	\$261.00		
(including a gasket and breather vent)						
,						



#### **REMOTE TEST SWITCH**

Catalog page: 185

SERIES	COMMISSION			
	5%	7.5%	10%	15%
PSW= Remote Test Switch (Chrome)	\$38.00	\$41.00	\$44.00	\$53.00
PSW1= Remote Test Switch (Plastic)	\$35.00	\$38.00	\$40.00	\$47.00



# **MOUNTING PLATFORMS**

Catalog page: 185

SERIES	COMMISSION			
	5%	7.5%	10%	15%
MP-PQB= Mist	\$53.00	\$58.00	\$61.00	\$72.00
MP-A= Gray	\$53.00	\$58.00	\$61.00	\$72.00
MP-PQA= Mist	\$63.00	\$69.00	\$76.00	\$87.00
MP-12= Mist White	\$73.00	\$81.00	\$86.00	\$102.00





#### **MOUNTING BRACKETS**

Catalog page: 185

SERIES	COMMISSION			
	5%	7.5%	10%	15%
MB-A	\$28.00	\$30.00	\$32.00	\$37.00
MB-B	\$29.00	\$32.00	\$35.00	\$39.00
		·		



# THERMOPLASTIC ROUND CANOPY

Catalog page: 170

SERIES	COMMISSION			
	5%	7.5%	10%	15%
230.1238-L= Off-White	\$10.00	\$13.00	\$14.00	\$15.00
230.1204-L= Off-White Hole Plug	\$7.00	\$8.00	\$9.00	\$10.00
230.1239-L= Black	\$10.00	\$13.00	\$14.00	\$15.00
230.1205-L= Black Hole Plug	\$7.00	\$8.00	\$9.00	\$10.00



# **ALUMINUM ROUND CANOPY**

Catalog page:

SERIES	COMMISSION			
	5%	7.5%	10%	15%
430.0765-L= Off-White Single	\$14.00	\$15.00	\$16.00	\$17.00
430.0766-L= Off-White Double	\$14.00	\$15.00	\$16.00	\$17.00

# **RECTANGULAR GANG PLATE**



Catalog page:

SERIES		COMMISSION			
	5%	7.5%	10%	15%	
450.0129-L= No Square Hole	\$11.00	\$13.00	\$14.00	\$15.00	
450.1151-L= 7/16" Square Hole	\$14.00	\$15.00	\$16.00	\$17.00	
450.0194-L= 1/2" Square Hole	\$14.00	\$15.00	\$16.00	\$17.00	
450.0397-L= No Square Hole	\$14.00	\$15.00	\$16.00	\$17.00	
450.1152-L= 7/16" Square Hole	\$16.00	\$17.00	\$18.00	\$21.00	
450.1153-L= 1/2" Square Hole	\$16.00	\$17.00	\$18.00	\$21.00	
450.0398-L= No Square Hole	\$17.00	\$18.00	\$20.00	\$22.00	
450.1154-L= 7/16" Square Hole	\$19.00	\$20.00	\$22.00	\$28.00	
450.1155-L= 1/2" Square Hole	\$19.00	\$20.00	\$22.00	\$28.00	



#### **WEATHERPROOF ROUND CANOPY**

Catalog page:

SERIES	COMMISSION			
	5%	7.5%	10%	15%
330.7583-L = Off-White Single	\$14.00	\$15.00	\$16.00	\$17.00
330.7577-L= Black Single	\$14.00	\$15.00	\$16.00	\$17.00
330.7584-L= Off-White Double	\$16.00	\$17.00	\$18.00	\$21.00
330.7578-I = Black Double	\$16.00	\$17.00	\$18.00	\$21.00



# **WEATHERPROOF GANG PLATE**

Catalog page:

SERIES	COMMISSION				
	5%	7.5%	10%	15%	
12804	\$14.00	\$15.00	\$16.00	\$17.00	
12805	\$14.00	\$15.00	\$16.00	\$17.00	





#### **WIRE GUARDS**

Catalog pages: 186-187

SERIES	COMMISSION			
	5%	7.5%	10%	15%
WG1-L	\$31.00	\$33.00	\$36.00	\$41.00
WG2-L	\$42.00	\$46.00	\$50.00	\$59.00
WG3-L	\$57.00	\$61.00	\$65.00	\$77.00
WG4-L	\$69.00	\$76.00	\$82.00	\$96.00
WG5-L	\$57.00	\$61.00	\$65.00	\$77.00
WG6-L	\$57.00	\$61.00	\$65.00	\$77.00
WG8-L	\$42.00	\$46.00	\$50.00	\$59.00
WG9-L	\$31.00	\$33.00	\$36.00	\$41.00
WG10-L	\$42.00	\$46.00	\$50.00	\$59.00
WG11-L	\$42.00	\$46.00	\$50.00	\$59.00
WG12-L	\$42.00	\$46.00	\$50.00	\$59.00
WG13-L	\$42.00	\$46.00	\$50.00	\$59.00
WG14-L	\$57.00	\$61.00	\$65.00	\$77.00
WG15-L	\$69.00	\$76.00	\$82.00	\$96.00



Inside Sales | Customer Support

Tel: 1-888-935-3610 Fax: 1-888-867-1566

Technical Support Tel: 1-888-552-6467 Fax: 1-800-316-4515

lightalarms.com

All information and specifications contained in this stretch price guide are subject to change due to engineer design, errors and omissions. Illustrations and diagrams within this price guide may vary from actual products.

Prices are subject to change without notice. All orders will be billed at prices in effect at the time of shipment.

© 2022 ABB. All rights reserved. Printed in Canada 03/2022 Order no. LA-Pricelist-US

